

Public Health Statistics
Part 2 - 1955

C614.1
N87v
1955, pt. 2

THE LIBRARY OF THE
UNIVERSITY OF
NORTH CAROLINA



THE COLLECTION OF
NORTH CAROLINIANA

C614.1
N87v
1955, pt.2

UNIVERSITY OF N.C. AT CHAPEL HILL



00032777111

**This book must not
be taken from the
Library building.**

~~JUN 20 '62~~

ANNUAL REPORT
OF THE
PUBLIC HEALTH
STATISTICS SECTION

PART 2
LIVE BIRTHS
STILLBIRTHS
DEATHS
POPULATION

1955

NORTH CAROLINA STATE BOARD OF HEALTH
EPIDEMIOLOGY DIVISION

ANNUAL REPORT
OF THE
PUBLIC HEALTH
STATISTICS SECTION

PART 2
LIVE BIRTHS
STILLBIRTHS
DEATHS
POPULATION

1955

NORTH CAROLINA STATE BOARD OF HEALTH

J. W. R. NORTON, M.D.
SECRETARY
AND STATE HEALTH OFFICER

C 614.1

N87v

1955

pt. 2

LETTER OF TRANSMITTAL

Raleigh, North Carolina
August 29, 1956

The Honorable Luther H. Hodges
Governor of North Carolina
Raleigh, North Carolina

Dear Governor Hodges:

I have the honor of transmitting the report for the Public Health Statistics Section of the Epidemiology Division, State Board of Health, covering the calendar year 1955.

Respectfully submitted,

J. W. R. NORTON, M. D.
Secretary and State Health Officer

789401

CONTENTS

TABLE

PAGE

1. Estimated population by color: North Carolina, each county, and incorporated places having a population of 10,000 or more, July 1, 1955	11
2. Live births and deaths with crude rates per 1,000 population, also infant and maternal deaths with rates per 1,000 live births: North Carolina, 1914-1955	13
3. Live births by color with crude rates per 1,000 population, by person in attendance: North Carolina and each county, 1955.....	14
4. Live births by color with crude rates per 1,000 population, by person in attendance: each incorporated place in North Carolina having a population of 10,000 or more, 1955.....	18
5. Resident live births by color and sex, showing month of birth: North Carolina, 1955.....	20
6. Resident live births by color and age of mother, showing birth order: North Carolina, 1955.....	21
7. Resident cases of plural births classified by number of children born alive and stillborn, by color and sex: North Carolina, 1955.....	22
8. Resident live births and deaths filed in 1955 showing number received in time to be included in 1954 or 1955 annual reports: North Carolina and each county.....	23
9. Resident deaths from each cause by age, color, and sex with specific death rates per 1,000 population (1950 census): North Carolina, 1955	26
10. Deaths by color with crude rates per 1,000 population: North Carolina and each county, 1955.....	74
11. Deaths by color with crude rates per 1,000 population: each incorporated place in North Carolina having a population of 10,000 or more, 1955	77
12. Resident deaths by cause (abbreviated list of 52 causes), by color: North Carolina and each county, 1955.....	78
13. Resident deaths by cause (abbreviated list of 52 causes), by color: each incorporated place in North Carolina having a population of 10,000 or more, 1955.....	96
14. Deaths from selected causes: North Carolina, 1916-1955.....	102
15. Leading causes of resident deaths by age, color, and sex: North Carolina, five-year average, 1951-1955.....	106

CONTENTS—Continued

16. Motor vehicle and nonmotor vehicle accidental deaths by place of occurrence: North Carolina, each county and each incorporated place having a population of 10,000 or more, 1955.....	110
17. Accidental deaths by cause, color, and sex with crude rates per 100,000 estimated population: North Carolina occurrences, 1955.....	113
18. Resident infant deaths by cause and age: North Carolina, 1955.....	114
19. Resident infant and maternal deaths by color with rates: North Carolina and each county, 1955 and five-year average, 1951-1955.....	116
20. Resident live births, illegitimates, deaths, stillbirths, infant deaths, and maternal deaths by color (Indians included in "nonwhite") with number occurring in hospitals: North Carolina, each county, urban and rural, 1955.....	120
21. Resident live births, illegitimates, deaths, stillbirths, infant deaths, and maternal deaths of Indians with number occurring in hospitals: North Carolina, each county, urban and rural, 1955.....	132
22. Resident live births and deaths by color and institution of occurrence: North Carolina and each county, 1955.....	133
23. Resident stillbirths by color and sex with ratios per 1,000 live births: North Carolina and each county, 1955.....	138
24. Resident stillbirths by color and sex with ratios per 1,000 live births: each incorporated place in North Carolina having a population of 10,000 or more, 1955.....	141
25. Resident stillbirths by age of mother, color, and attendant with percentage distribution: North Carolina, 1955.....	142

INTRODUCTION

The fortieth annual report, Part II, of the Public Health Statistics Section, formerly known as the Bureau of Vital Statistics, presents tabular information regarding North Carolina's population, births, deaths, and stillbirths. The majority of the tabulations are by place of residence; selected tabulations, in whole or in part, are given by place of occurrence. Communicable disease morbidity data are shown in Part I of the annual report of the Section which is printed separately.

Reports have been published annually since 1914 with the exception of the years 1918 and 1919.

Certificates of births, deaths, and stillbirths occurring in 1955 that were filed in 1955 and the first three months of 1956 are included in this report. It is estimated that vital events occurring in 1955 but reported after the first three months of 1956 will comprise less than two per cent of the total 1955 events. There are strong indications that registration in the state has been improving in recent years. The certificates are more complete and accurate and on the average have been filed more promptly.

Again in 1955 a tabulation was made of all birth and death certificates filed in 1955 by year of occurrence (see 1950 or 1951 annual report for explanation of interpretation). This was done in an effort to determine the per cent of certificates filed in time to be included in an annual report as compared with those filed too late to be included. The results of this study are shown in Table 8 of this report. This tabulation was prepared by county of residence in order to make available a correction factor that could be used by each county to more accurately calculate the natality and mortality rates.

Population

The population data in this report are estimated as of July 1, 1955, by the arithmetic method. This method assumes that each county or city had the same actual annual increase or decrease between 1954 and 1955 that it had on the average each year between 1940 and 1950.

Natality

In 1955 there were 115,197 live births occurring to mothers who were residents of the state. All births were allocated to the place of residence of the mother regardless of the place of birth

or the length of residence. Births occurring in hospitals, sanatoria, and all other institutions, were allocated to the place where the mother lived. Births occurring on military bases to military personnel were allocated according to the residence shown on the certificate. The crude birth rate was 26.7 births per 1,000 population. There were 76,833 white births and 38,364 non-white births. For the ninth consecutive year, over 100,000 births were recorded.

This state defines a stillbirth as a fetus showing no evidence of life after complete birth if the twentieth week of gestation has been reached. There were 2,369 resident stillbirths reported resulting in a ratio of 20.6 stillbirths per 1,000 live births. If stillbirths were considered as a single cause of death, they would rank fourth between cancer and influenza and pneumonia as a leading cause of death.

*Premature Births **

In order to achieve uniformity in the classification of premature infants in need of special care, and comparability of statistical data in hospitals and in studies of such infants, the definition of the American Academy of Pediatrics has been adopted; that is, a premature infant is an infant weighing 2500 grams (5½ pounds) or less at birth regardless of the period of gestation.

In 1955 there were 9,300 resident premature live births reported among 115,197 live births. Birth weight was reported on all but 175 certificates filed in 1955. Consequently, at least 8.1 per cent of the newborn babies weighed 2500 grams or less at birth. The number of premature infants by birth weight and color and by birth weight and age of mother are shown in the tables which follow:

RESIDENT PREMATURE LIVE BIRTHS BY COLOR AND WEIGHT: NORTH CAROLINA, 1955

Birth weight in grams	Total	White	Nonwhite
Total	9,300	5,333	3,967
500 or less.....	83	47	36
501-1000.....	457	280	177
1001-1500.....	858	470	388
1501-2000.....	1,723	981	742
2001-2500.....	6,179	3,555	2,624

RESIDENT PREMATURE LIVE BIRTHS BY WEIGHT AND AGE OF MOTHER:
NORTH CAROLINA, 1955

Age of mother	Birth weight in grams					
	Total	500 or less	501-1000	1001-1500	1501-2000	2001-2500
Total.....	9,300	83	457	858	1,723	6,179
Under 15 years.....	57	1	2	9	17	28
15-19.....	2,009	17	75	196	425	1,296
20-24.....	2,907	25	139	250	526	1,967
25-29.....	2,126	19	120	191	358	1,438
30-34.....	1,317	9	73	130	231	874
35-39.....	655	9	33	66	122	425
40-44.....	208	3	12	15	39	139
45-49.....	10	-----	1	-----	3	6
50 and over.....	-----	-----	-----	-----	-----	-----
Not stated.....	11	-----	2	1	2	6

Mortality

There were 32,215 resident deaths recorded in 1955. The crude death rate was 7.5 deaths per 1,000 estimated population. Deaths were allocated to the place where the deceased resided unless the place of death item indicated that the deceased had been in the place of death for one year or more. In such cases they were allocated to the place of death, unless the death occurred in an institution. If this was the case, they were allocated to the place of residence, regardless of the length of stay in the institution.

Diseases of the heart, as they have been for the past 39 years, were responsible for more deaths than any other cause, accounting for approximately one-third of all deaths for the year.

All mortality statistics shown by cause in this report are classified according to the Sixth Decennial Revision of the International Lists of Diseases and Causes of Death. This is the seventh year that this revised statistical code has been applied to the causes of death.

In Table 14, regarding deaths from selected causes, 1916-1955, it is necessary to take into consideration the effect of the revision of the International List and of the joint cause of death coding procedure in making comparisons between the trend in causes of death since 1949 with prior years. Comparability ratios for specific causes of death may be obtained upon request.

Infant and Maternal Mortality

There were 3,492 infant deaths and 100 maternal deaths reported. The resultant infant death rate per 1,000 live births was 30.3 while the maternal death rate was 8.7 per 10,000 live births.

In 1918, there was an all-time high rate of 101.8 infant deaths per 1,000 live births. The infant mortality rate was more than three times as high thirty-seven years ago as it was in 1955 while the maternal rate was 12 times higher at that time.

Hospital Data

All tables in this report which reflect events occurring in hospitals are based on the general and allied hospital definition of the North Carolina Medical Care Commission. A hospital is defined as a place where two or more non-related individuals reside 24 hours or more on the premises and receive medical care over and above any domiciliary care.

Rates

All rates shown in this report are crude rates unless otherwise specified. Such rates have not been adjusted for differences in the age, sex, color, rural or urban distribution of the population, or for under-registration or late reporting. Such factors should be kept in mind when comparing two different areas or time periods.

TABLE 1.—ESTIMATED POPULATION BY COLOR: NORTH CAROLINA, EACH COUNTY, AND INCORPORATED PLACES HAVING A POPULATION OF 10,000 OR MORE, JULY 1, 1955

Area	Population			Area	Population		
	Total	White	Nonwhite		Total	White	Nonwhite
NORTH CAROLINA.....	4,319,342	3,201,253	1,118,089				
Alamance.....	78,460	63,923	14,537	Durham.....	112,869	76,273	36,596
Burlington.....	31,049	27,065	3,984	Durham.....	77,149	49,574	27,575
Alexander.....	15,131	14,051	1,080	Edgecombe*.....	52,931	26,041	26,890
Alleghany.....	8,055	7,809	246	Rocky Mount**.....	28,815	17,996	10,819
Anson.....	25,911	13,384	12,527	Forsyth.....	156,456	114,867	41,589
Ashe.....	21,463	21,289	174	Winston-Salem....	92,011	54,863	37,148
Avery.....	13,242	13,069	173	Franklin.....	31,845	16,887	14,958
Beaufort.....	37,501	23,604	13,897	Gaston.....	123,068	106,980	16,088
Bertie.....	26,565	10,261	16,304	Gastonia.....	23,993	18,951	5,042
Bladen.....	31,042	18,257	12,785	Gates.....	9,297	4,238	5,059
Brunswick.....	20,346	12,666	7,680	Graham.....	7,133	6,886	247
Buncombe.....	132,619	117,804	14,815	Granville.....	33,079	18,295	14,784
Asheville.....	53,887	41,933	11,954	Greene.....	17,756	9,198	8,558
Burke.....	49,140	45,618	3,522	Guilford.....	210,556	170,533	40,023
Cabarrus.....	66,088	56,350	9,738	Greensboro.....	82,301	61,695	20,606
Concord.....	16,964	13,772	3,192	High Point.....	40,750	32,266	8,484
Caldwell.....	47,321	44,154	3,167	Halifax.....	59,353	25,832	33,521
Camden.....	5,109	3,206	1,903	Harnett.....	49,374	36,745	12,629
Carteret.....	25,563	22,549	3,014	Haywood.....	39,117	38,318	799
Caswell.....	21,311	10,953	10,358	Henderson.....	33,478	31,444	2,034
Catawba.....	67,117	61,293	5,824	Hertford.....	22,556	8,953	13,603
Hickory.....	15,422	13,221	2,201	Hoke.....	16,186	6,455	9,731
Chatham.....	25,744	17,482	8,262	Hyde.....	5,755	3,288	2,467
Cherokee.....	18,021	17,652	369	Iredell.....	59,390	49,171	10,219
Chowan.....	13,049	7,561	5,488	Statesville.....	19,768	15,283	4,485
Clay.....	5,796	5,735	61	Jackson.....	19,214	17,707	1,507
Cleveland.....	67,664	52,951	14,713	Johnston.....	67,014	52,247	14,767
Shelby.....	16,280	13,009	3,271	Jones.....	11,046	5,948	5,098
Columbus.....	53,225	34,740	18,485	Lee.....	26,031	19,505	6,526
Craven.....	58,026	41,254	16,772	Sanford.....	12,664	9,717	2,947
New Bern.....	17,912	10,675	7,237	Lenoir.....	48,441	27,565	20,876
Cumberland.....	115,270	85,011	30,259	Kinston.....	19,885	10,818	9,067
Fayetteville.....	43,792	27,645	16,147	Lincoln.....	29,176	25,600	3,576
Currituck.....	5,933	4,140	1,793	McDowell.....	27,148	25,912	1,236
Dare.....	5,069	4,737	332	Macon.....	16,326	16,023	303
Davidson.....	66,901	60,243	6,658	Madison.....	19,472	19,295	177
Lexington.....	15,157	12,891	2,266	Martin.....	28,899	14,084	14,815
Thomasville.....	11,212	9,206	2,006	Mecklenburg.....	220,802	167,328	53,474
Davie.....	15,688	13,550	2,138	Charlotte.....	151,441	110,738	40,703
Duplin.....	41,772	26,058	15,714	Mitchell.....	14,702	14,664	38

*Includes Rocky Mount, Edgecombe.

**Combined for Edgecombe and Nash.

TABLE 1.—*Continued*

Area	Population			Area	Population		
	Total	White	Nonwhite		Total	White	Nonwhite
Montgomery.....	17,774	13,706	4,068	Rutherford.....	46,765	41,321	5,444
Moore.....	34,263	25,599	8,664	Sampson.....	51,008	32,003	19,005
Nash*.....	62,182	35,660	26,522	Scotland.....	27,964	15,286	12,678
Rocky Mount**.....	28,815	17,996	10,819	Stanly.....	39,387	34,987	4,400
New Hanover.....	71,326	50,029	21,297	Albemarle.....	15,862	14,033	1,829
Wilmington.....	51,154	33,646	17,508	Stokes.....	20,921	19,179	1,742
Northampton.....	28,500	9,877	18,623	Surry.....	47,593	44,944	2,649
Onslow.....	54,705	47,067	7,638	Swain.....	8,734	7,184	1,550
Orange.....	40,399	30,960	9,439	Transylvania.....	16,743	16,038	705
Pamlico.....	10,145	6,647	3,498	Tyrrell.....	4,780	2,650	2,130
Pasquotank.....	26,332	16,755	9,577	Union.....	43,578	33,935	9,643
Elizabeth City.....	13,273	9,217	4,056	Monroe.....	12,067	8,831	3,236
Pender.....	18,796	9,539	9,257	Vance.....	33,224	18,271	14,953
Perquimans.....	9,508	4,998	4,510	Henderson.....	12,755	7,164	5,591
Person.....	24,009	15,457	8,552	Wake.....	150,572	108,850	41,722
Pitt.....	65,123	35,386	29,737	Raleigh.....	75,539	56,487	19,052
Greenville.....	18,850	11,707	7,143	Warren.....	23,744	7,828	15,916
Polk.....	11,496	10,060	1,436	Washington.....	13,631	7,726	5,905
Randolph.....	54,085	49,790	4,295	Watauga.....	18,463	18,304	159
Richmond.....	41,062	29,083	11,979	Wayne.....	67,386	39,306	28,080
Robeson.....	93,497	38,976	54,521	Goldsboro.....	23,649	13,079	10,570
Rockingham.....	68,449	54,934	13,515	Wilkes.....	46,419	43,750	2,669
Reidsville.....	12,401	8,138	4,263	Wilson.....	56,758	34,200	22,558
Rowan.....	78,665	65,845	12,820	Wilson.....	24,995	15,069	9,926
Salisbury.....	20,664	15,543	5,121	Yadkin.....	22,910	21,849	1,061
				Yancey.....	15,834	15,638	196

*Includes Rocky Mount, Nash.

**Combined for Nash and Edgecombe.

TABLE 2.—LIVE BIRTHS AND DEATHS WITH CRUDE RATES PER 1,000 POPULATION, ALSO INFANT AND MATERNAL DEATHS WITH RATES PER 1,000 LIVE BIRTHS: NORTH CAROLINA, 1914-1955*

Year	Population	Live Births		Deaths		Infant Deaths		Maternal Deaths	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate
1914.....	2,421,191	71,931a	29.7	29,044	12.0	6,497	90.3	524	7.3
1915.....	2,472,635	79,409a	32.1	31,324	12.7	6,808	85.7	486	6.1
1916.....	2,513,146	76,658	30.5	31,389	12.5	7,112	92.8	593	7.1
1917.....	2,546,323	76,290	30.0	33,969	13.3	7,601	99.6	629	8.2
1918.....	2,521,891	75,525	29.9	42,274	16.8	7,686	101.8	815	10.8
1919.....	2,534,828	73,854	29.1	30,947	12.2	6,223	84.3	684	9.3
1920.....	2,587,536	81,407	31.5	32,654	12.6	6,909	84.9	814	10.0
1921.....	2,650,711	88,466	33.4	29,454	11.1	6,633	75.0	650	7.3
1922.....	2,699,923	81,871	30.3	30,821	11.4	6,510	79.5	651	8.0
1923.....	2,761,364	84,158	30.5	32,142	11.6	6,813	81.0	670	8.0
1924.....	2,830,151	87,540	30.9	33,238	11.7	7,208	82.3	678	7.7
1925.....	2,894,514	83,716	28.9	32,548	11.2	6,595	78.8	725	8.7
1926.....	2,959,392	82,202	27.8	34,562	11.7	6,769	82.3	726	8.8
1927.....	3,027,006	83,330	27.5	32,917	10.9	6,588	79.1	547	6.6
1928.....	3,082,380	80,893	26.2	36,160	11.7	6,935	85.7	635	7.8
1929.....	3,133,082	77,161	24.6	36,919	11.8	6,106	79.1	651	8.4
1930.....	3,171,108	76,772	24.2	35,782	11.3	6,037	78.6	639	8.3
1931.....	3,206,641	74,799	23.3	33,116	10.3	5,455	72.9	596	8.0
1932.....	3,264,916	77,902	23.9	31,051	9.5	5,183	66.5	529	6.8
1933.....	3,318,377	75,422	22.7	30,547	9.2	4,977	66.0	514	6.8
1934.....	3,359,276	79,704	23.7	35,180	10.5	6,212	77.9	569	7.1
1935.....	3,380,227	78,753	23.3	33,485	9.9	5,422	68.8	511	6.5
1936.....	3,400,525	76,182	22.4	35,630	10.5	5,247	68.9	502	6.6
1937.....	3,432,099	79,080	23.0	33,981	9.9	5,180	65.5	429	5.4
1938.....	3,475,530	79,934	23.0	33,599	9.7	5,487	68.6	421	5.3
1939.....	3,531,938	79,133b	22.4	31,652b	9.0	4,676b	59.1	371b	4.7
1940.....	3,571,623	80,455	22.5	31,904	8.9	4,631	57.6	412	5.1
1941.....	3,670,017	84,595	23.1	31,752	8.7	5,053	59.7	336	4.0
1942.....	3,665,373	89,854	24.5	29,414	8.0	4,342	48.3	307	3.4
1943.....	3,683,037	94,568	25.7	29,971	8.1	4,416	46.7	306	3.2
1944.....	3,594,865	90,629	25.2	29,390	8.2	4,115	45.4	266	2.9
1945.....	3,514,297	87,401	24.9	28,897	8.2	3,782	43.3	248	2.8
1946.....	3,640,645	100,679	27.7	28,724	7.9	3,742	37.2	203	2.0
1947.....	3,718,000	112,877	30.4	30,187	8.1	3,938	34.9	192	1.7
1948.....	3,798,000	109,430	28.8	30,161	7.9	3,837	35.3	206	1.9
1949.....	4,003,775	107,970	27.0	31,009	7.7	4,113	38.1	127	1.2
1950.....	4,061,929	106,486	26.2	31,130	7.7	3,674	34.5	126	1.2
1951.....	4,123,218	110,910	26.9	31,371	7.6	3,630	32.7	123	1.1
1952.....	4,172,249	111,272	26.7	32,259	7.7	3,968	35.7	113	1.0
1953.....	4,221,280	111,856	26.5	31,797	7.5	3,658	32.7	109	1.0
1954.....	4,270,311	114,563	26.8	31,482	7.4	3,447	30.1	91	0.8
1955.....	4,319,342	115,197	26.7	32,215	7.5	3,492	30.3	100	0.9

* All population estimates by U. S. Census Bureau except 1951-1955 which were estimated by PHSS. Census years 1920, 1930, 1940, 1950 not estimated. Number births and deaths revised in accordance with national reports published 1917-1953 for births, and 1916-1953 for deaths.

a Stillbirths included in births 1914, 1915.

b Births, deaths, infant deaths, and maternal deaths by place of residence, 1939-1955; previous years by occurrence.

TABLE 3.—LIVE BIRTHS BY COLOR WITH CRUDE RATES PER 1,000 POPULATION, BY PERSON IN ATTENDANCE: NORTH CAROLINA, AND EACH COUNTY, 1955

Place of birth			Place of residence																	
Area	Total			White		Nonwhite		Attended by:						Other and not stated						
	Total	White	Non-white	Total		White		Nonwhite		Physician					Midwife					
				No.	Rate	No.	Rate	No.	Rate	In hospital		Not in hospital			White	Non-white				
										White	Non-white	White	Non-white							
NORTH CAROLINA			114,491	76,269	38,222	115,197	26.7	76,833	24.0	38,364	34.3	104,891	74,576	22,955	1,772	5,588	446	9,783	39	38
Alamance			2,015	1,559	456	1,913	24.4	1,485	23.2	428	29.4	1,912	1,468	235	17	192		1		
Alexander			206	171	35	311	20.6	280	19.9	31	28.7	311	280	30		1				
Alleghany			126	119	7	117	14.5	110	14.1	7	28.5	117	84	4	26	3				
Anson			639	256	383	687	26.5	278	20.8	409	32.6	442	269	135	1	37	8	237		
Ashe			542	532	10	499	23.2	489	23.0	10	57.5	479	437	9	33		13	1	6	
Avery			358	356	2	286	21.6	285	21.8	1	5.8	282	268		13	1	4			
Beaufort			1,333	716	617	1,055	28.1	532	22.5	523	37.6	800	514	266	15	5	3	251		1
Bertie			603	125	478	805	30.3	211	20.6	594	36.4	588	205	279	6	98		216		1
Bladen			679	282	417	904	29.1	422	23.1	482	37.7	704	393	261	21	29	8	185		7
Brunswick			355	165	190	549	27.0	274	21.6	275	35.8	409	258	140	6	5	10	129		1
Buncombe			2,871	2,544	327	2,618	19.7	2,294	19.5	324	21.9	2,526	2,270	234	17	5	3	85	4	
Burke			873	766	107	1,005	20.5	896	19.6	109	30.9	984	864	106	13	1	19	2		
Cabarrus			1,543	1,217	326	1,504	22.8	1,157	20.5	347	35.6	1,495	1,153	334	2	6	2	7		
Caldwell			1,070	956	114	1,241	26.2	1,132	25.6	109	34.4	1,226	1,074	100	49	3	8	6	1	
Camden			42	1	41	159	31.1	73	22.8	86	45.2	128	70	27	2	29	1	30		
Carleton			641	523	118	708	27.7	612	27.1	96	31.9	693	604	80	8	1		15		
Caswell			244	24	220	515	24.2	202	18.4	313	30.2	366	180	94	19	73	3	146		
Catawba			1,929	1,708	221	1,725	25.7	1,503	24.5	222	38.1	1,660	1,485	166	5	4	13	52		
Chatham			644	375	269	617	24.0	373	21.3	244	29.5	610	366	226	5	13	1	4	1	1
Cherokee			429	423	6	371	20.6	366	20.7	5	13.6	359	342	5	12		11		1	

Chowan.....	566	283	283	425	32.6	203	26.8	222	40.5	339	200	130	3	6	3	86	---
Clay.....	41	41	---	105	18.1	105	18.3	---	---	102	64	---	38	---	---	---	---
Cleveland.....	2,043	1,513	530	1,663	24.6	1,154	21.8	509	31.6	1,552	1,121	335	29	67	4	107	---
Columbus.....	1,234	577	657	1,554	29.2	823	23.7	731	39.5	1,215	760	365	30	60	32	305	1
Craven.....	2,095	1,538	557	2,030	35.0	1,444	35.0	586	34.9	1,804	1,439	331	3	31	2	224	---
Cumberland.....	5,463	4,078	1,385	5,208	45.2	3,860	45.4	1,348	44.5	4,678	3,818	730	23	107	19	511	---
Currituck.....	150	52	98	165	27.8	87	21.0	78	43.5	137	75	8	12	42	---	28	---
Dare.....	41	35	6	109	21.5	98	20.7	11	33.1	102	96	5	1	---	1	6	---
Davidson.....	1,476	1,261	215	1,650	24.7	1,425	23.7	225	33.8	1,646	1,417	207	8	14	---	3	1
Davie.....	11	6	5	368	23.5	304	22.4	64	26.9	368	298	60	6	4	---	---	---
Duplin.....	665	226	439	1,150	27.5	599	23.0	551	35.1	1,093	583	404	15	91	---	56	1
Durham.....	3,160	1,965	1,195	2,542	22.5	1,575	20.6	967	26.4	2,540	1,571	952	3	14	---	1	1
Edgecombe.....	1,518	464	1,054	1,740	32.9	621	23.8	1,119	41.6	1,272	595	352	15	310	11	457	---
Forsyth.....	4,845	3,629	1,216	4,114	26.3	2,916	25.4	1,198	28.8	4,110	2,912	1,124	2	72	---	2	---
Franklin.....	648	216	432	750	23.6	301	17.8	449	30.0	510	291	171	7	41	3	236	1
Gaston.....	2,564	2,096	468	3,106	25.2	2,606	24.4	500	31.1	3,040	2,565	425	36	14	3	58	2
Gates.....	172	27	145	258	27.8	94	22.2	164	32.4	157	94	60	---	3	---	101	---
Graham.....	98	96	2	152	21.3	144	20.9	8	32.4	146	136	6	4	---	---	---	2
Granville.....	788	265	493	770	23.3	300	16.4	470	31.8	717	288	355	10	64	2	51	---
Greene.....	305	62	243	501	28.2	167	18.2	334	39.0	482	147	223	19	93	1	18	---
Guilford.....	5,539	4,296	1,243	5,392	25.6	4,111	24.1	1,281	32.0	5,332	4,063	1,173	14	52	3	56	1
Halifax.....	1,856	597	1,259	1,763	26.7	552	21.4	1,211	36.1	1,031	537	289	13	192	2	730	---
Harnett.....	1,376	890	486	1,232	25.0	782	21.3	450	35.6	1,114	769	293	11	41	2	115	1
Haywood.....	859	842	17	851	21.8	835	21.8	16	20.0	847	825	15	6	1	4	---	---
Henderson.....	772	693	79	738	22.0	672	21.4	66	32.4	737	651	61	20	5	1	---	---
Hertford.....	890	362	528	639	28.3	206	23.0	433	31.8	575	196	213	9	157	1	63	---
Hoke.....	336	49	287	541	33.4	180	27.9	361	37.1	338	134	79	46	79	---	203	---
Hyde.....	38	---	38	146	25.4	77	23.4	69	28.0	110	77	---	---	1	---	36	---
Iredell.....	2,095	1,633	462	1,465	24.7	1,111	22.6	354	34.6	1,451	1,101	321	10	19	---	14	---
Jackson.....	279	265	14	375	19.5	310	17.5	65	43.1	358	271	63	23	1	13	3	1

TABLE 3.—Continued

Area	Place of birth			Place of residence										Other and not stated				
	Total	White	Non-white	Total		White		Nonwhite		Attended by:								
				No.	Rate	No.	Rate	No.	Rate	Physician					Midwife			
										In hospital		Not in hospital			White	Non-white	White	Non-white
										White	Non-white	White	Non-white					
Johnston.....	1,010	617	393	1,451	21.7	993	19.0	458	31.0	1,261	937	193	50	81	6	184	---	
Jones.....	112	6	106	325	29.4	137	23.0	188	36.9	237	130	82	6	19	1	87	---	
Lee.....	884	610	274	734	28.2	494	25.3	240	36.8	700	490	199	3	8	1	33	---	
Lenoir.....	2,028	1,137	891	1,658	34.2	859	31.2	799	38.3	1,232	841	249	14	128	4	422	---	
Lincoln.....	547	454	93	617	21.1	520	20.3	97	27.1	565	512	47	---	6	8	44	---	
McDowell.....	772	728	44	684	25.2	641	24.7	43	34.8	683	629	42	11	1	---	1	---	
Macon.....	329	321	8	354	21.7	345	21.5	9	29.7	344	260	3	75	6	8	2	---	
Madison.....	109	109	---	367	18.8	364	18.9	3	16.9	341	299	3	39	---	22	4	---	
Martin.....	567	212	355	881	30.5	330	23.4	551	37.2	731	298	260	30	143	1	148	---	
Mecklenburg.....	6,908	4,952	1,956	6,448	29.2	4,416	26.4	2,032	38.0	6,331	4,405	1,836	10	80	---	116	1	
Mitchell.....	280	279	1	332	22.6	329	22.4	3	78.9	320	303	2	14	1	12	---	---	
Montgomery.....	532	306	226	496	27.9	300	21.9	196	48.2	443	297	138	2	6	1	52	---	
Moore.....	1,016	647	369	1,020	29.8	694	27.1	326	37.6	977	686	272	7	12	1	42	---	
Nash.....	1,850	957	893	1,734	27.9	845	23.7	889	33.5	1,376	800	124	37	415	7	349	1	
New Hanover.....	2,085	1,307	778	1,780	25.0	1,147	22.9	633	29.7	1,779	1,144	618	3	14	---	1	---	
Northampton.....	549	26	523	750	26.3	168	17.0	582	31.3	531	148	89	18	276	2	217	---	
Onslow.....	3,316	2,900	416	3,179	58.1	2,789	59.3	390	51.1	3,086	2,775	297	9	5	3	88	2	
Orange.....	604	368	236	961	23.8	631	20.4	330	35.0	930	628	286	3	13	---	30	---	
Pamlico.....	125	42	83	246	24.2	132	19.9	114	32.6	217	90	31	42	54	---	29	---	
Pasquotank.....	937	618	339	785	29.8	483	28.8	302	31.5	645	471	128	12	34	---	139	1	

Pender.....	456	176	280	509	27.1	199	20.9	310	33.5	373	192	167	2	12	5	131	---
Perquimans.....	124	5	119	273	28.7	120	24.0	153	153	4	111	32	4	9	1	111	1
Pert.....	602	380	312	691	28.8	372	24.1	319	37.3	630	367	231	4	28	1	60	---
Pitt.....	2,333	927	1,406	2,040	31.3	883	25.0	1,157	38.9	1,838	831	636	50	321	2	200	---
Polk.....	235	183	52	265	23.1	221	22.0	44	30.6	261	214	32	7	8	---	4	---
Randolph.....	1,039	937	102	1,330	24.6	1,196	24.0	134	31.2	1,321	1,187	121	9	4	---	9	---
Richmond.....	925	574	351	1,036	25.2	637	21.9	399	33.3	930	628	254	9	39	---	105	1
Robeson.....	2,638	875	1,763	3,110	33.3	941	24.1	2,169	39.8	2,694	884	1,330	42	108	15	397	4
Rockingham.....	1,793	1,268	525	1,639	23.9	1,233	22.4	406	30.0	1,602	1,181	262	50	109	1	35	1
Rowan.....	1,684	1,283	401	1,765	22.4	1,391	21.1	374	29.2	1,748	1,367	327	24	30	---	17	---
Rutherford.....	941	771	170	1,040	22.2	860	20.8	180	33.1	999	769	84	88	58	3	38	---
Sampson.....	1,211	614	597	1,327	26.0	667	20.8	660	34.7	1,147	640	184	22	301	5	175	---
Scotland.....	1,273	464	809	784	28.0	366	23.9	418	33.0	577	337	197	18	25	11	192	4
Stanly.....	802	657	145	859	21.8	718	20.5	141	32.0	856	709	126	9	12	---	3	---
Stokes.....	273	195	78	517	24.7	430	22.4	87	49.9	490	395	49	33	13	1	25	1
Surry.....	1,211	1,120	91	1,158	24.3	1,083	24.1	75	28.3	1,142	1,000	57	75	10	8	8	---
Swain.....	332	215	117	237	27.1	176	24.5	61	39.4	232	144	59	28	1	4	---	1
Transylvania.....	327	306	21	359	21.4	337	21.0	22	31.2	359	305	19	32	3	---	---	---
Tyrrell.....	169	102	67	116	24.3	52	19.6	64	30.0	70	51	18	---	1	1	45	---
Union.....	1,186	861	325	1,048	24.0	728	21.5	320	33.2	1,011	714	106	13	178	1	36	---
Vance.....	930	438	492	900	27.1	399	21.8	501	33.5	660	385	259	1	5	3	237	---
Wake.....	3,674	2,477	1,197	3,644	24.2	2,389	21.9	1,255	30.1	3,340	2,340	720	47	233	2	301	1
Warren.....	562	120	442	583	24.6	131	16.7	452	28.4	271	119	106	9	37	3	309	---
Washington.....	361	126	235	405	29.7	176	22.8	229	38.8	306	171	127	---	8	5	94	---
Watauga.....	397	390	7	384	20.8	377	20.6	7	44.0	383	371	7	5	---	---	1	---
Wayne.....	2,043	1,128	915	1,723	25.6	915	23.3	808	28.8	1,528	888	454	25	163	4	190	1
Wilkes.....	752	690	62	1,056	22.7	976	22.7	860	30.0	987	889	67	29	2	58	11	---
Wilson.....	1,985	1,041	944	1,638	28.9	778	22.3	800	38.1	1,397	736	477	37	147	5	236	---
Yadkin.....	216	186	30	524	22.9	488	22.3	36	33.9	524	486	33	2	3	---	---	---
Yancey.....	252	279	3	344	21.7	341	21.8	3	15.3	332	302	2	27	1	10	---	2

TABLE 4.—LIVE BIRTHS BY COLOR WITH CRUDE RATES PER 1,000 POPULATION, BY PERSON IN ATTENDANCE: EACH INCORPORATED PLACE IN NORTH CAROLINA HAVING A POPULATION OF 10,000 OR MORE, 1955

Area	Place of birth		Place of residence															
	Total	White	Non-white	Total		White		Nonwhite		Attended by:								
				No.	Rate	No.	Rate	No.	Rate	Physician			Midwife		Other and not stated			
										In hospital		Not in hospital						
										White	Non-white	White	Non-white	White			Non-white	
TOTAL.....	53,059	39,166	13,893	28,982	27.6	19,052	25.6	9,930	32.3	27,631	18,978	7,856	57	740	14	1,332	3	2
Albemarle.....	784	651	133	261	16.5	227	16.2	34	18.6	261	227	32		2				
Asheville.....	2,775	2,463	312	1,127	20.9	859	20.5	268	22.4	1,053	858	192		2		73	1	
Burlington.....	234	184	50	604	19.5	509	18.8	95	23.8	604	507	46	2	49				
Charlotte.....	6,799	4,945	1,854	4,306	28.4	2,680	24.2	1,626	39.9	4,231	2,675	1,492	4	60		74	1	
Concord.....	1,532	1,214	318	399	23.5	295	21.4	104	32.6	397	295	100		2		2		
Durham.....	3,147	1,962	1,185	1,666	21.6	924	18.6	742	26.9	1,664	923	737		4		1	1	
Elizabeth City.....	892	608	284	558	42.0	374	40.6	184	45.4	474	372	98	2	2		83		1
Fayetteville.....	1,732	1,084	648	2,378	54.3	1,648	59.6	730	45.2	2,147	1,633	435		72	8	223		
Gastonia.....	2,487	2,059	398	1,011	42.1	824	43.5	187	37.1	1,008	819	182	5	2		3		
Goldsboro.....	1,101	667	434	686	29.0	355	27.1	331	31.3	589	354	145		70	1	116		
Greensboro.....	3,602	2,717	885	2,132	25.9	1,440	23.3	692	33.6	2,127	1,437	684	3	3		5		
Greenville.....	221	3	218	523	27.7	292	24.9	231	22.3	465	289	166	3	7		58		
Henderson.....	755	437	318	434	34.0	218	30.4	216	38.6	365	215	148	1	1	2	67		
Hickory.....	1,326	1,199	127	586	38.0	483	36.5	103	46.8	572	480	85	3	4		14		
High Point.....	1,892	1,566	326	1,132	27.8	843	26.1	289	34.1	1,094	841	221	2	30		38		

Kinston.....	1,608	1,107	501	694	34.9	431	39.8	263	29.0	548	430	83	1	34	146	
Lexington.....	857	729	128	396	26.1	321	24.9	75	33.1	396	317	67	4	8		
Monroe.....	1,000	846	154	246	20.4	171	19.4	75	23.2	246	171	31		44		
New Bern.....	944	584	360	543	30.3	303	28.4	240	33.2	449	302	144		3	1	93
Raleigh.....	3,148	2,367	781	1,651	21.9	1,135	20.1	516	27.1	1,549	1,126	384	9	30		102
Reidsville.....	1,053	734	319	316	25.5	209	25.7	107	25.1	315	209	82		24		1
Rocky Mount.....	1,569	1,118	451	819	28.4	518	28.8	301	27.8	795	517	104	1	173		24
Salisbury.....	1,628	1,257	371	495	24.0	344	22.1	151	29.5	489	342	135	2	10		6
Sanford.....	856	606	250	354	28.0	252	25.9	102	34.6	338	252	86				16
Shelby.....	1,019	779	240	399	24.5	275	21.1	124	37.9	370	275	92		3		29
Statesville.....	1,206	980	226	457	23.1	352	23.0	105	23.4	446	349	89	3	5		11
Thomasville.....	488	411	77	303	27.0	229	24.9	74	36.9	300	227	71	2			3
Wilmington.....	2,083	1,306	777	1,222	23.9	705	21.0	517	29.5	1,221	703	505	2	11		1
Wilson.....	1,545	955	590	757	30.3	395	26.2	362	30.5	614	395	199		20		143
Winston-Salem.....	4,836	3,628	1,208	2,527	27.5	1,441	26.3	1,086	29.2	2,524	1,438	1,020	1	65	2	1

TABLE 5.—RESIDENT LIVE BIRTHS BY COLOR AND SEX, SHOWING MONTH OF BIRTH: NORTH CAROLINA, 1955

Color and sex	Total	Month of birth											
		January	February	March	April	May	June	July	August	September	October	November	December
NORTH CAROLINA.....	115,197	9,529	8,842	9,619	8,803	9,299	8,977	10,157	10,600	10,243	9,885	9,438	9,805
White.....	39,334	3,262	2,933	3,257	2,948	3,089	3,073	3,500	3,620	3,543	3,454	3,325	3,330
Female.....	37,499	3,048	2,962	3,081	2,822	3,029	2,896	3,289	3,425	3,315	3,328	3,090	3,214
Nonwhite.....	19,349	1,631	1,497	1,607	1,534	1,635	1,532	1,745	1,803	1,703	1,504	1,534	1,624
Female.....	19,015	1,588	1,450	1,674	1,499	1,546	1,476	1,623	1,752	1,682	1,599	1,489	1,637

TABLE 6.—RESIDENT LIVE BIRTHS BY COLOR AND AGE OF MOTHER, SHOWING BIRTH ORDER: NORTH CAROLINA, 1955

Color and age of mother	Birth weight ORDER																							
	Total	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th	11th	12th	13th	14th	15th	16th	17th	18th	19th	20th	23rd	24th	Not stated
NORTH CAROLINA.....	115,197	32,680	28,629	19,246	11,926	7,476	4,942	3,311	2,276	1,548	1,084	701	436	298	164	99	42	21	7	8	2	1	1	299
White total.....	76,833	24,757	21,956	13,738	7,401	3,735	1,966	1,151	738	473	315	196	116	67	31	20	5	2	2	1				163
10-14 years.....	66	64	2																					
15-19 years.....	11,925	8,796	2,573	432	65	5		1																53
20-24 years.....	25,863	10,387	9,127	4,133	1,551	443	124	30	7	4	1	1												55
25-29 years.....	19,580	3,745	6,383	4,657	2,505	1,286	575	241	108	35	10	3	2	1										29
30-34 years.....	12,130	1,299	2,832	3,093	2,107	1,150	705	430	248	135	63	36	13	4					1					14
35-39 years.....	5,601	368	874	1,206	931	663	421	335	265	105	152	88	45	26	14	6	2	1	1					8
40-44 years.....	1,526	81	152	202	225	172	134	108	102	94	83	62	50	30	13	14	2	1						1
45-49 years.....	92	4	5	4	12	12	6	6	7	9	5	5	6	5	4			1	1					
50 and over.....	1								1															
Not stated.....	49	13	8	11	5	4	1			1	1	1		1										3
Nonwhite total.....	38,364	7,923	6,673	5,508	4,525	3,741	2,976	2,160	1,538	1,075	769	505	320	231	133	79	37	19	5	7	2	1	1	136
10-14 years.....	275	259	15																					1
15-19 years.....	8,249	4,709	2,392	791	230	38	10	4	2		1													72
20-24 years.....	11,574	2,130	2,859	2,670	1,953	1,145	521	180	61	15	6	2	1	3	1	1								26
25-29 years.....	8,653	512	875	1,307	1,420	1,581	1,293	817	477	210	84	41	11	5	1	1			1					17
30-34 years.....	5,589	205	371	502	635	658	779	750	609	462	282	148	86	52	24	6	4			1				14
35-39 years.....	3,030	80	120	202	235	250	309	335	321	300	292	217	146	109	55	30	11	9	2	2	1			3
40-44 years.....	869	13	28	30	40	60	58	64	65	82	94	88	70	55	48	38	20	10	1	4	1			
45-49 years.....	56		1		3	1	2	7	1	5	7	6	6	7	4	3	2		1					
50 and over.....	1																							
Not stated.....	68	15	12	6	9	7	4	3	2	1	3	3												3

1 Previous births used for calculation of birth order include stillbirths.

TABLE 7.—RESIDENT CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, BY COLOR AND SEX: NORTH CAROLINA, 1955

Sex and status at birth	Cases of twins		
	Total	White	Nonwhite
Number cases of twins.....	1,241	704	537
Two males—total cases.....	421	261	160
Both children live born.....	378	244	134
One child live born, one stillborn.....	31	14	17
Both children stillborn.....	12	3	9
One male, one female—total cases.....	407	206	201
Both children live born.....	372	197	175
One child live born, one stillborn.....	24	6	18
Both children stillborn.....	11	3	8
Two females—total cases.....	413	237	176
Both children live born.....	377	220	157
One child live born, one stillborn.....	24	12	12
Both children stillborn.....	12	5	7

Sex and status at birth	Cases of triplets		
	Total	White	Nonwhite
Number cases of triplets.....	16	8	8
Three male—total cases.....	2	1	1
All three children live born.....	2	1	1
One male, two female—total cases.....	2	—	2
All three children live born.....	1	—	1
Two children live born, one stillborn.....	1	—	1
Two male, one female—total cases.....	5	4	1
All three children live born.....	4	4	—
One child live born, two stillborn.....	1	—	1
Three female—total cases.....	7	3	4
All three children live born.....	4	1	3
Two children live born, one stillborn.....	1	1	—
One child live born, two stillborn.....	1	—	1
All three children stillborn.....	1	1	—

TABLE 8.—RESIDENT LIVE BIRTHS AND DEATHS FILED IN 1955 SHOWING NUMBER RECEIVED IN TIME TO BE INCLUDED IN 1954 OR 1955 ANNUAL REPORTS: NORTH CAROLINA AND EACH COUNTY

Area	Live births			Deaths		
	Total filed in 1955	Filed in time to be included in 1954 or 1955 annual reports		Total filed in 1955	Filed in time to be included in 1954 or 1955 annual reports	
		Number	Per cent		Number	Per cent
NORTH CAROLINA.....	116,167	115,370	99.3	32,427	32,204	99.3
Alamance.....	1,906	1,886	99.0	491	487	99.2
Alexander.....	312	311	99.7	99	99	100.0
Alleghany.....	128	117	91.4	88	88	100.0
Anson.....	683	678	99.3	207	207	100.0
Ashe.....	506	492	97.2	178	177	99.4
Avery.....	288	288	100.0	103	103	100.0
Beaufort.....	1,065	1,064	99.9	395	390	98.7
Bertie.....	839	830	98.9	236	234	99.2
Bladen.....	912	910	99.8	214	212	99.1
Brunswick.....	545	545	100.0	132	130	98.5
Buncombe.....	2,633	2,627	99.8	1,079	1,073	99.4
Burke.....	1,001	1,001	100.0	243	242	99.6
Cabarrus.....	1,510	1,500	99.3	406	405	99.8
Caldwell.....	1,248	1,246	99.8	300	299	99.7
Camden.....	160	155	96.9	52	52	100.0
Carteret.....	711	709	99.7	226	224	99.1
Caswell.....	530	530	100.0	127	127	100.0
Catawba.....	1,727	1,726	99.9	435	435	100.0
Chatham.....	618	615	99.5	218	217	99.5
Cherokee.....	383	370	96.6	140	139	99.3
Chowan.....	423	423	100.0	130	130	100.0
Clay.....	120	119	99.2	34	33	97.1
Cleveland.....	1,711	1,701	99.4	460	452	98.3
Columbus.....	1,567	1,539	98.2	459	455	99.1
Craven.....	2,036	2,030	99.7	453	445	98.2
Cumberland.....	5,268	5,255	99.8	703	695	98.9
Currituck.....	167	167	100.0	77	77	100.0
Dare.....	106	106	100.0	49	47	95.9
Davidson.....	1,683	1,651	98.1	485	484	99.8
Davie.....	366	365	99.7	127	127	100.0
Duplin.....	1,165	1,157	99.3	355	353	99.4
Durham.....	2,538	2,536	99.9	795	794	99.9
Edgecombe.....	1,744	1,740	99.8	455	452	99.3
Forsyth.....	4,093	4,089	99.9	1,273	1,272	99.9
Franklin.....	754	748	99.2	282	282	100.0

TABLE 8.—Continued

Area	Live births			Deaths		
	Total filed in 1955	Filed in time to be included in 1954 or 1955 annual reports		Total filed in 1955	Filed in time to be in- cluded in 1954 or 1955 annual reports	
		Number	Per cent		Number	Per cent
Gaston	3,130	3,111	99.4	728	723	99.3
Gates	265	264	99.6	101	101	100.0
Graham	161	159	98.8	45	44	97.8
Granville	777	774	99.6	222	222	100.0
Greene	520	509	97.9	127	124	97.6
Guilford	5,420	5,395	99.5	1,497	1,493	99.7
Halifax	1,772	1,769	99.8	526	526	100.0
Harnett	1,248	1,240	99.4	387	384	99.2
Haywood	841	840	99.9	252	250	99.2
Henderson	737	736	99.9	260	260	100.0
Hertford	685	673	98.2	186	186	100.0
Hoke	549	544	99.1	101	100	99.0
Hyde	148	147	99.3	71	71	100.0
Iredell	1,468	1,466	99.9	466	464	99.6
Jackson	382	378	99.0	137	137	100.0
Johnston	1,462	1,445	98.8	478	475	99.4
Jones	326	326	100.0	91	91	100.0
Lee	736	731	99.3	187	187	100.0
Lenoir	1,668	1,663	99.7	411	408	99.3
Lincoln	619	619	100.0	203	203	100.0
McDowell	697	690	99.0	166	164	98.8
Macon	363	361	99.4	103	102	99.0
Madison	373	366	98.1	148	148	100.0
Martin	887	881	99.3	206	196	95.1
Mecklenburg	6,440	6,427	99.8	1,613	1,605	99.5
Mitchell	326	324	99.4	122	122	100.0
Montgomery	495	494	99.8	139	138	99.3
Moore	1,038	1,030	99.2	269	266	98.9
Nash	1,745	1,740	99.7	556	554	99.6
New Hanover	1,771	1,770	99.9	651	651	100.0
Northampton	782	781	99.9	214	212	99.1
Onslow	3,137	3,126	99.6	281	281	100.0
Orange	953	953	100.0	208	208	100.0
Pamlico	255	250	98.0	87	87	100.0
Pasquotank	814	807	99.1	239	237	99.2
Pender	518	516	99.6	162	161	99.4
Perquimans	278	278	100.0	110	105	95.5
Person	704	702	99.7	194	194	100.0
Pitt	2,073	2,065	99.6	543	526	96.9
Polk	256	256	100.0	98	98	100.0

TABLE 8.—Continued

Area.	Live births			Deaths		
	Total filed in 1955	Filed in time to be included in 1954 or 1955 annual reports		Total filed in 1955	Filed in time to be included in 1954 or 1955 annual reports	
		Number	Per cent		Number	Per cent
Randolph.....	1,356	1,348	99.4	371	371	100.0
Richmond.....	1,040	1,039	99.9	343	341	99.4
Robeson.....	3,164	3,066	96.9	738	730	98.9
Rockingham.....	1,671	1,656	99.1	491	488	99.4
Rowan.....	1,764	1,747	99.0	572	572	100.0
Rutherford.....	1,048	1,042	99.4	349	343	98.3
Sampson.....	1,333	1,331	99.8	409	408	99.8
Scotland.....	776	767	98.8	239	238	99.6
Stanly.....	892	880	98.7	286	283	99.0
Stokes.....	534	531	99.4	147	146	99.3
Surry.....	1,152	1,148	99.7	323	321	99.4
Swain.....	249	240	96.4	76	76	100.0
Transylvania.....	386	370	95.9	100	99	99.0
Tyrrell.....	117	117	100.0	55	54	98.2
Union.....	1,037	1,036	99.9	341	340	99.7
Vance.....	909	897	98.7	237	233	98.3
Wake.....	3,646	3,629	99.5	1,166	1,155	99.1
Warren.....	611	606	99.2	186	182	97.8
Washington.....	402	400	99.5	120	120	100.0
Watauga.....	387	387	100.0	141	140	99.3
Wayne.....	1,876	1,775	94.6	535	523	97.8
Wilkes.....	1,031	1,027	99.6	366	348	95.1
Wilson.....	1,648	1,630	98.9	490	488	99.6
Yadkin.....	532	531	99.8	159	159	100.0
Yancey.....	341	338	99.1	106	104	98.1

TABLE 9.—RESIDENT DEATHS (EXCLUDING STILLBIRTHS) FROM EACH CAUSE BY CENSUS) BY AGE, COLOR, AND SEX FOR

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
	NORTH CAROLINA				
	Total.....	32,215	3,492	543	248
	Rate.....	7.9	37.2	1.3	0.6
	White..... Total.....	21,777	1,738	291	147
	Rate.....	7.3	27.2	1.0	0.5
	Male.....	12,830	1,010	162	93
	Rate.....	8.6	30.8	1.1	0.6
	Female.....	8,947	728	129	54
	Rate.....	6.0	23.4	0.9	0.4
	Nonwhite..... Total.....	10,438	1,754	252	101
	Rate.....	9.7	58.2	2.0	0.8
	Male.....	5,684	978	129	51
	Rate.....	10.8	64.9	2.1	0.8
	Female.....	4,754	776	123	50
	Rate.....	8.6	51.6	2.0	0.8
I.	INFECTIVE AND PARASITIC DISEASES				
	White..... Total.....	241	21	28	6
	Male.....	166	12	18	5
	Female.....	75	9	10	1
	Nonwhite..... Total.....	293	48	23	9
	Male.....	172	29	13	3
	Female.....	121	19	10	6
001-008	Tuberculosis of respiratory system				
	White..... Male.....	79			
	Female.....	31			
	Nonwhite..... Male.....	74			
	Female.....	44			
010	Tuberculosis of meninges and central nervous system				
	White..... Female.....	2		1	
	Nonwhite..... Male.....	2		1	
	Female.....	3			1
011	Tuberculosis of intestines, peritoneum and mesenteric glands				
	Nonwhite..... Female.....	1			
012,013	Tuberculosis of bones and joints				
	White..... Male.....	2		1	
	Female.....	1			
	Nonwhite..... Male.....	1			
	Female.....	3			
014-019	Tuberculosis, all other forms				
	White..... Male.....	5			
	Female.....	2			
	Nonwhite..... Male.....	2			
	Female.....	6	1	1	

AGE, COLOR, AND SEX WITH SPECIFIC DEATH RATES PER 1,000 POPULATION (1950
ALL CAUSES: NORTH CAROLINA, 1955

Age in years														Sixth Revision Number	
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-64	65-74	75-84	85 and over	Not stated		
231	441	546	530	676	910	1,208	1,558	1,916	5,198	6,915	5,741	2,056	6		
0.6	1.2	1.5	1.5	2.2	3.1	4.9	7.7	11.1	21.0	43.0	103.1	230.7	-----		
144	288	328	283	346	482	684	950	1,176	3,454	4,999	4,792	1,674	1		
0.5	1.1	1.2	1.1	1.5	2.2	3.7	6.1	8.9	17.6	40.1	107.8	258.9	-----		
96	204	261	209	224	324	446	656	809	2,292	2,912	2,393	738	1		
0.7	1.5	2.0	1.6	2.0	3.0	4.8	8.6	12.5	24.0	49.6	117.9	279.5	-----		
48	84	67	74	122	158	238	294	367	1,162	2,087	2,399	936	-----		
0.4	0.7	0.5	0.6	1.1	1.4	2.5	3.7	5.4	11.5	31.7	99.3	244.7	-----		
87	153	218	247	330	428	524	608	740	1,744	1,916	949	382	5		
0.7	1.5	2.3	3.0	4.6	6.0	9.0	12.5	18.2	33.8	53.1	84.3	156.1	-----		
44	93	125	145	183	218	300	363	399	971	1,022	496	163	4		
0.7	1.8	2.8	3.6	5.3	6.3	10.7	15.7	20.1	37.6	59.3	91.9	165.1	-----		
43	60	93	102	147	210	224	245	341	773	894	453	219	1		
0.7	1.1	1.9	2.4	3.9	5.6	7.5	9.6	16.4	30.0	47.4	77.3	150.0	-----		
5	5	1	4	8	7	10	22	18	38	34	24	10	-----	I.	
4	3	-----	3	6	5	6	17	17	27	25	13	5	-----		
1	2	1	1	2	2	4	5	1	11	9	11	5	-----		
8	4	9	4	16	19	23	23	29	40	27	9	2	-----		
4	1	3	2	8	11	13	16	20	28	15	5	1	-----		
4	3	6	2	8	8	10	7	9	12	12	4	1	-----		
-----	-----	-----	1	5	2	5	15	9	19	14	8	1	-----	001-008	
-----	-----	-----	1	1	1	3	3	1	9	4	6	2	-----		
1	-----	1	1	5	6	11	11	12	16	6	3	1	-----		
-----	2	5	2	6	4	5	4	5	4	5	2	-----	-----		
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	C10	
-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	-----		
-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	1	-----	-----		
-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----	-----	011	
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	012,013	
-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----	-----		
-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1	-----	-----		
-----	-----	-----	-----	-----	-----	-----	-----	2	1	-----	-----	-----	-----		
-----	-----	-----	-----	1	2	-----	-----	-----	-----	-----	2	-----	-----	014-019	
-----	-----	-----	-----	-----	1	-----	1	-----	-----	-----	-----	-----	-----		
-----	-----	-----	-----	-----	-----	-----	-----	-----	1	1	-----	-----	-----		
1	-----	-----	-----	-----	-----	-----	-----	-----	2	1	-----	-----	-----		

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
020	Congenital syphilis Nonwhite.....Male.....	1	1		
024	Tabes dorsalis White.....Male.....	1			
025	General paralysis of insane Nonwhite.....Male.....	1			
	Female.....	2			
022, 023, 026-029	All other syphilis White.....Male.....	13			
	Female.....	2			
	Nonwhite.....Male.....	25			
	Female.....	7			
040	Typhoid fever Nonwhite.....Male.....	1			
045	Bacillary dysentery White.....Male.....	1		1	
	Female.....	1	1		
	Nonwhite.....Male.....	1	1		
	Female.....	3	2	1	
047, 048	Other forms of dysentery White.....Male.....	1	1		
	Female.....	3	1		
	Nonwhite.....Male.....	3	1		
050	Scarlet fever White.....Male.....	1		1	
051	Streptococcal sore throat White.....Male.....	2		1	1
	Female.....	2	1		
	Nonwhite.....Male.....	3			
	Female.....	1			1
053	Septicemia and pyemia White.....Male.....	9	3	2	
	Female.....	4	1	1	
	Nonwhite.....Male.....	11	5	2	
	Female.....	7	3		
055	Diphtheria White.....Male.....	1			
	Nonwhite.....Male.....	2		2	
	Female.....	1		1	

Continued

[illegible]

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
056	Whooping cough				
	White..... Male.....	3	2	1	-----
 Female.....	3	2	1	-----
	Nonwhite..... Male.....	14	12	2	-----
 Female.....	11	9	2	-----
057	Meningococcal infections				
	White..... Male.....	10	2	6	2
 Female.....	8	2	3	1
	Nonwhite..... Male.....	5	1	3	1
 Female.....	7	-----	3	2
061	Tetanus				
	Nonwhite..... Male.....	8	5	-----	1
 Female.....	4	1	-----	2
063	Gas gangrene				
	Nonwhite..... Male.....	1	-----	-----	-----
080	Acute poliomyelitis				
	White..... Male.....	4	-----	1	-----
 Female.....	3	-----	1	-----
081	Late effects of poliomyelitis				
	White..... Male.....	2	-----	-----	-----
 Female.....	1	-----	-----	-----
	Nonwhite..... Female.....	1	-----	-----	-----
082	Acute infectious encephalitis				
	White..... Male.....	5	1	3	-----
 Female.....	1	-----	1	-----
	Nonwhite..... Female.....	1	-----	1	-----
085	Measles				
	White..... Male.....	1	-----	-----	1
	Nonwhite..... Male.....	2	1	-----	1
089	Mumps				
	Nonwhite..... Male.....	1	-----	1	-----
092	Infectious hepatitis				
	White..... Male.....	10	1	-----	-----
 Female.....	6	-----	2	-----
	Nonwhite..... Male.....	2	-----	-----	-----
 Female.....	3	1	-----	-----
094	Rabies				
	White..... Male.....	1	-----	-----	-----
104	Rocky Mountain spotted fever				
	White..... Male.....	1	-----	-----	-----

Continued

[illegible]

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
110-117	Malaria				
	White..... Male.....	1	1		
	Nonwhite..... Male.....	1			
124, 126, 128, 130	Other diseases due to helminths				
	White..... Male.....	1			1
	Nonwhite..... Male.....	2		2	
	Female.....	2	1	1	
131-134	Mycosis				
	White..... Male.....	5	1		
	Female.....	1			
	Nonwhite..... Male.....	1	1		
	Female.....	5			
049, 054, 064, 073, 074, 088, 093, 096, 120-122, 135-138	All other diseases classified as infective and parasitic				
	White..... Male.....	7		1	
	Female.....	4	1		
	Nonwhite..... Male.....	8	1		
	Female.....	9	1		
II.	NEOPLASMS				
	White..... Total.....	3,121	4	34	25
	Male.....	1,589	2	18	17
	Female.....	1,532	2	16	8
	Nonwhite..... Total.....	936	1	9	13
	Male.....	427		4	8
	Female.....	509	1	5	5
140-148	Malignant neoplasm of buccal cavity and pharynx				
	White..... Male.....	49			
	Female.....	32			
	Nonwhite..... Male.....	12			
	Female.....	3			
150	Malignant neoplasm of esophagus				
	White..... Male.....	32			
	Female.....	12			
	Nonwhite..... Male.....	17			
	Female.....	7			
151	Malignant neoplasm of stomach				
	White..... Male.....	139			
	Female.....	91			
	Nonwhite..... Male.....	68			1
	Female.....	24			
152, 153	Malignant neoplasm of intestines, except rectum				
	White..... Male.....	129			1
	Female.....	122			
	Nonwhite..... Male.....	31			
	Female.....	29			

Continued

Age in years														Sixth Revision Number
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-64	65-74	75-84	85 and over	Not stated	
														110-117
						1								124,126, 128,130
														131-134
1			2						1					
											1			
							1	1	2		1			
									1	2		3		049,054, 064,073, 074,088, 093,096, 120-122, 135-138
		1	1		2		1		1	1	1	1		
				1		2			1	4				
27	22	33	34	52	99	166	209	251	748	768	523	126		II.
17	14	22	21	21	40	59	96	128	392	414	264	64		
10	8	11	13	31	59	107	113	123	356	354	259	62		
5	16	11	11	28	56	65	75	97	232	223	80	14		
2	7	3	5	8	10	21	23	34	116	131	48	7		
3	9	8	6	20	46	44	52	63	116	92	32	7		
					1	3	5	7	13	9	9	2		140-148
				1	2		1		9	9	8	2		
									6	5	1			
									2	1				
				1			1	4	9	11	5	1		150
									3	5	3	1		
						1	2	1	6	5	2			
						1	1	1	3	1				
		1		1	4	1	5	5	38	49	28	7		151
1		1		3		4	5	5	17	23	28	4		
						3	4	7	18	26	8	1		
						1	1		7	12	3			
			1	1	6	7	8	10	25	24	31	5		152,153
			1	2	3	3	6	9	22	30	34	12		
			2			1	4		10	8	5			
				2	2		3	4	7	6	4	1		

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
154	Malignant neoplasm of rectum				
	White..... Male.....	46			
	Female.....	46			
	Nonwhite..... Male.....	15			
	Female.....	15			
155	Malignant neoplasm of biliary passages and of liver (stated to be primary)				
	White..... Male.....	34			
	Female.....	40			
	Nonwhite..... Male.....	5			
	Female.....	9			
156.1	Malignant neoplasm of liver not specified whether primary or secondary				
	White..... Male.....	7			
	Female.....	9			
	Nonwhite..... Male.....	4			
157	Malignant neoplasm of pancreas				
	White..... Male.....	103			
	Female.....	70			
	Nonwhite..... Male.....	22			
	Female.....	14			
158-159	Malignant neoplasm of peritoneum and of unspecified digestive organs				
	White..... Male.....	9			
	Female.....	6			
	Nonwhite..... Male.....	5			
	Female.....	4			
161	Malignant neoplasm of larynx				
	White..... Male.....	22			
	Female.....	2			
	Nonwhite..... Male.....	6			
	Female.....	2			
162	Malignant neoplasm of trachea, and of bronchus and of lung specified as primary				
	White..... Male.....	210			
	Female.....	41			
	Nonwhite..... Male.....	30			
	Female.....	18			
163	Malignant neoplasm of lung and bronchus, unspecified as to whether primary or secondary				
	White..... Male.....	38			
	Female.....	5			
	Nonwhite..... Male.....	6			
	Female.....	2			

Continued

Age in years														Sixth Revision Number
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-64	65-74	75-84	85 and over	Not stated	
			1		1	3	3	5	14	8	10	1		154
					1		1	3	9	16	12	4		
				1				1	4	7	2			
						1	1	1	7	4	1			
														155
			2					1	8	13	8	2		
	1			1		2	1	2	14	8	7	4		
						1		1	1	1		1		
			1		2	1		1	2	1	1			
														156.1
								1	1	4	1			
							2	1	1	1	4			
						2		1	1					
														157
						3	8	5	36	24	24	3		
							2	4	15	29	18	2		
						2	1	3	5	10	1			
					1		2	2	3	3	3			
														158-159
								3	4	1	1			
								2	1		3			
						3		1	1					
									2		1	1		
														161
			1				2	1	5	9	2	2		
									2					
						1		2	1	1				
										1		1		
														162
				1	2	9	23	27	63	67	15	3		
				2	2	1	4	5	8	11	9	1		
			1	1	1	3	1	3	12	7	1			
						3	1	2	5	5	2			
														163
			1	1	1	1		5	15	9	2	3		
						1			1	3				
						2	1	1	1	1				
									1	1				

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
160,164	Malignant neoplasm of other parts of respiratory system				
	White..... Male.....	11	-----	-----	1
	Female.....	5	-----	-----	-----
	Nonwhite..... Male.....	1	-----	-----	-----
	Female.....	2	-----	-----	-----
170	Malignant neoplasm of breast				
	White..... Male.....	4	-----	-----	-----
	Female.....	273	-----	-----	-----
	Nonwhite..... Male.....	2	-----	-----	-----
	Female.....	70	-----	-----	-----
171	Malignant neoplasm of cervix uteri				
	White..... Female.....	150	-----	-----	-----
	Nonwhite..... Female.....	102	-----	-----	-----
172-174	Malignant neoplasm of other and unspecified parts of uterus				
	White..... Female.....	69	-----	-----	-----
	Nonwhite..... Female.....	34	-----	-----	-----
175	Malignant neoplasm of ovary, Fallopian tube and broad ligament				
	White..... Female.....	91	-----	-----	-----
	Nonwhite..... Female.....	16	-----	-----	-----
176	Malignant neoplasm of other and unspecified female genital organs				
	White..... Female.....	12	-----	-----	-----
	Nonwhite..... Female.....	9	-----	-----	-----
177	Malignant neoplasm of prostate				
	White..... Male.....	180	-----	1	-----
	Nonwhite..... Male.....	79	-----	-----	-----
178,179	Malignant neoplasm of testis, and other and unspecified male genital organs				
	White..... Male.....	17	-----	-----	-----
	Nonwhite..... Male.....	4	-----	-----	-----
180	Malignant neoplasm of kidney				
	White..... Male.....	35	-----	2	1
	Female.....	27	-----	1	1
	Nonwhite..... Male.....	6	-----	-----	-----
	Female.....	12	-----	2	-----
181	Malignant neoplasm of bladder and other urinary organs				
	White..... Male.....	32	-----	-----	-----
	Female.....	31	-----	-----	-----
	Nonwhite..... Male.....	6	-----	-----	-----
	Female.....	10	-----	-----	-----

Continued

Age in years

10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-64	65-74	75-84	85 and over	Not stated	Sixth Revision Number
			1	1		1		1	4	1		1		160,164
					1			1		3	1			
	1										1			
								1	1	1	1			170
		1	3	3	13	31	35	22	81	54	23	7		
									1			1		
		1		3	11	8	12	9	9	13	4			
			1	8	11	22	19	20	31	29	8	1		171
		1	3	6	14	11	10	17	26	13	1			
				1	2	3	5	5	22	23	7	1		172-174
					2		5	6	9	9	2	1		
1	1	1	1		3	6	9	11	26	21	9	2		175
	1			1		4	1	3	5	1				
						2	1		4	3	1	1		176
				1	1	3		1	2		1			
							1	2	28	58	75	15		177
							2	6	15	35	21			
														178,179
			2	1	4	2	2	1	3	1		1		
							1	1	1		1			
1	1	1				2	1	4	8	10	3	1		180
					1	1	1	2	4	9	7			
		1		1					5	1				
								1	3	2	2			
						2	2	2	9	11	4	2		181
							1	2	8	7	7	6		
								1	3	1		1		
								1	4	4		1		

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total Deaths	Age in years		
			Under 1	1-4	5-9
190, 191	Malignant neoplasm of skin				
	White..... Male.....	54			
 Female.....	42			
	Nonwhite..... Male.....	4			
 Female.....	4			
192	Malignant neoplasm of eye				
	White..... Male.....	4			
 Female.....	3			
	Nonwhite..... Male.....	1		1	
193	Malignant neoplasm of brain and other parts of nervous system				
	White..... Male.....	53	2	1	2
 Female.....	53		5	2
	Nonwhite..... Male.....	10		1	
 Female.....	7			1
194	Malignant neoplasm of thyroid gland				
	White..... Male.....	3			
 Female.....	9			
	Nonwhite..... Female.....	6			
196	Malignant neoplasm of bone (including jaw bone)				
	White..... Male.....	28			2
 Female.....	18			1
	Nonwhite..... Male.....	4			
 Female.....	4			
197	Malignant neoplasm of connective tissue				
	White..... Male.....	9		1	
 Female.....	4		1	
	Nonwhite..... Male.....	2			1
 Female.....	3			
195, 198.1, 199.1	Malignant neoplasm of other specified sites, not stated to be secondary				
	White..... Male.....	23		1	
 Female.....	26		1	1
	Nonwhite..... Male.....	4			
 Female.....	17			
156.2, 165, 198.2, 199.2- 199.9	Malignant neoplasm of unspecified site				
	White..... Male.....	75			
 Female.....	61			
	Nonwhite..... Male.....	23			1
 Female.....	25			
204	Leukemia and aleukemia				
	White..... Male.....	113		7	7
 Female.....	85	1	7	1
	Nonwhite..... Male.....	25		1	5
 Female.....	12		3	1

Continued

Age in years														Sixth Revision Number
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-64	65-74	75-84	85 and over	Not stated	
														190,191
1		1			1	4	4	9	13	12	5	4		
			1	2	3	8	1	2	5	5	9	6		
								1	1	1		1		
	1					1	1	1						
							1		1	1	1			192
									1	1	1			
														193
1	3	2	2	2	3	5	6	5	14	4	1			
4		2	1	2	4	8	2	8	12	3				
	3	1		1	1		2			1				
	1		1			1	1	1	1					
							1			1		1		194
								1	3	2	2	1		
					1			3	1		1			
	1	3		1	1		3	2	6	4	5			196
1	1		1		1	1			6	5	1			
							1				2	1		
	1				1	1			1					
			1			2	1		2	2				197
										3				
	1						1			1				
										1				
	1			1	1		3	1	2	8	4	1		195,198.1 199.1
				1	2			1	4	5	11	1		
				1	1				1	1	1			
1	1	1		1	2	1	2		1	5	1	1		
		3		1	1	1	4	11	14	24	13	3		156.2,165, 198.2, 199.2- 199.9
					2	4	4	2	17	12	21	3		
		1		1	1	1	1	1	9	6	2			
		1	1	1		3	3	6	7	2	1			
11	4	6	2	2	3	4	4	3	19	24	14	3		204
2	3	2	2	4	3	5	6	3	15	15	14	2		
2	2		1	1		2	1		5	3	1	1		
					2		1		2	3				

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total Deaths	Age in years		
			Under 1	1-4	5-9
200-203, 205	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues				
	White..... Male.....	101		4	3
	Female.....	59			1
	Nonwhite..... Male.....	22			
	Female.....	14			
210-239	Benign neoplasms and neoplasms of unspecified nature				
	White..... Male.....	29		1	
	Female.....	38	1	1	1
	Nonwhite..... Male.....	13		1	
	Female.....	35	1		3
III. and IV.	ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES; DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS				
	White..... Total.....	521	8	8	1
	Male.....	258	4	4	
	Female.....	263	4	4	1
	Nonwhite..... Total.....	239	11	10	3
	Male.....	88	7	8	
	Female.....	151	4	2	3
241	Asthma				
	White..... Male.....	53	1	1	
	Female.....	36	1		1
	Nonwhite..... Male.....	16			
	Female.....	22	1	1	1
250,251	Nontoxic goiter				
	White..... Female.....	1			
	Nonwhite..... Female.....	2			
252	Thyrototoxicosis with or without goiter				
	White..... Male.....	2			
	Female.....	9			
	Nonwhite..... Male.....	1			
	Female.....	6			
253,254	Myxedema, cretinism, and other diseases of thyroid gland				
	White..... Female.....	1			
260	Diabetes mellitus				
	White..... Male.....	148			
	Female.....	173	1		
	Nonwhite..... Male.....	49	2		
	Female.....	98			2
271	Diseases of parathyroid gland				
	White..... Female.....	1			

Continued

[illegible]

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
272	Diseases of pituitary gland Nonwhite.....Female.....	2			
274	Diseases of adrenal gland White.....Male..... Female..... Nonwhite.....Female.....	2 5 1	1 1		
280	Beriberi White.....Male.....	2			
281	Pellagra White.....Male..... Female..... Nonwhite.....Female.....	1 4 1			
283, 284	Rickets (active and late effects) Nonwhite.....Female.....	2	2		
285, 286	Avitaminosis and other deficiency states White.....Male..... Female..... Nonwhite.....Male..... Female.....	3 9 7 1		1 3	
290-293	Anemias White.....Male..... Female..... Nonwhite.....Male..... Female.....	25 13 8 13		3 1 3 1	
295, 296	Hemorrhagic conditions White.....Male..... Female..... Nonwhite.....Male..... Female.....	7 1 1 1			
240, 242- 245, 270, 275-277, 287-289, 294, 297- 299	Allergic disorders; all other endocrine, metabolic and blood diseases White.....Male..... Female..... Nonwhite.....Male..... Female.....	15 10 6 2	2 1 3		
V.	MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS White.....Total..... Male..... Female..... Nonwhite.....Total..... Male..... Female.....	81 63 18 76 49 27	3 3 1		

Continued

Age in years

10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-64	65-74	75-84	85 and over	Not stated	Sixth Revision Number
														272
			1							1				274
							1		1		1			
						1								280
					1			1						281
										1				
										1	2	1		
									1					283, 284
														285, 286
					1					2				
				1					1		3	3		
										1	2			
											1			
1						1	1	2		1	9	5	2	290-293
								1	2	1	3	4	1	
			2				1		1					
1		2	2	1		1		1			2	1		
														295, 296
			1		2		1			1	2			
					1									
1														
			2				2		1	1	5		2	240, 242- 245, 270, 275-277, 287-289, 294, 297- 299
1	3				1			1		2				
				1				1		1				
														V.
	2	1	2	4	14	9	12	9	12	3	5	5		
	1	1	2	4	11	7	11	8	12	2		1		
	1				3	2	1	1		1	5	4		
	1	2	16	10	12	6	6	4	11	4	3			
	1		10	6	10	3	4	3	9	3				
		2	6	4	2	3	2	1	2	1	3			

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
300-309	Psychoses				
	White..... Male.....	12			
 Female.....	11			
	Nonwhite..... Male.....	6			
 Female.....	12			
322	Alcoholism				
	White..... Male.....	45			
 Female.....	6			
	Nonwhite..... Male.....	43			
 Female.....	14			
310-321, 323, 324, 326	Psychoneurosis and disorders of personality				
	White..... Male.....	1			
 Female.....	1			
325	Mental deficiency				
	White..... Male.....	5	3		
	Nonwhite..... Female.....	1	1		
VI.	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS				
	White..... Total.....	3,113	16	16	10
 Male.....	1,583	10	7	7
 Female.....	1,530	6	9	3
	Nonwhite..... Total.....	1,564	21	15	4
 Male.....	779	15	6	3
 Female.....	785	6	9	1
330-334	Vascular lesions affecting central nervous system				
	White..... Male.....	1,480	2		2
 Female.....	1,469	1	1	1
	Nonwhite..... Male.....	710	2		1
 Female.....	734			
340	Meningitis, except meningococcal and tuberculosis				
	White..... Male.....	14	6	4	2
 Female.....	6	2	1	1
	Nonwhite..... Male.....	12	9		
 Female.....	12	5	3	
345	Multiple sclerosis				
	White..... Male.....	4			
 Female.....	4			
	Nonwhite..... Male.....	2			
 Female.....	2		1	
350	Paralysis agitans				
	White..... Male.....	13			
 Female.....	8			
	Nonwhite..... Male.....	1			
 Female.....	1			

Continued

Age in years

10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-64	65-74	75-84	85 and over	Not stated	Sixth Revision Number
														300-309
			1		1	2	1	1	4	1		1		
						1		1		1	4	4		
			2	1	1				1	1				
			2	3		1	2		1	1	2			
														322
	1	1	1	2	10	5	10	7	8					
	1				3	1	1							
	1		8	5	9	3	4	3	8	2				
		2	4	1	2	2		1	1		1			
										1				310-321, 323, 324, 326
											1			
														325
				2										
														VI.
8	11	12	13	14	34	45	81	124	434	883	1,055	357		
6	6	6	6	11	26	25	54	66	249	454	510	140		
2	5	6	7	3	8	20	27	58	185	429	545	217		
3	8	15	11	27	54	68	92	162	372	416	214	82		
1	4	7	6	14	30	37	50	81	185	211	102	27		
2	4	8	5	13	24	31	42	81	187	205	112	55		
														330-334
1	2	1	4	6	18	22	47	58	233	445	500	139		
	2	2	4	3	7	17	23	50	179	422	540	217		
	1	1	5	6	26	35	45	77	180	205	99	27		
	2	3	2	12	21	29	39	74	184	204	111	53		
														340
			1					1						
1											1			
1	1									1				
1			1			1		1						
														345
						1			3					
						2	1			1				
					1		1							
							1							
														350
									3	4	5	1		
								1	1	3	3			
								1						
								1						

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
353	Epilepsy				
	White..... Male.....	20			
	Female.....	8	2		
	Nonwhite..... Male.....	26	1	1	1
	Female.....	16		3	
391-393	Otitis media and mastoiditis				
	White..... Male.....	3	1		
	Female.....	2	1		
	Nonwhite..... Male.....	5	3	2	
	Female.....	3	1		1
341-344, 351,352, 354-369, 380-384, 386,388-390, 394-398	Other diseases of nervous system and sense organs				
	White..... Male.....	49	1	3	3
	Female.....	33		7	1
	Nonwhite..... Male.....	23		3	1
	Female.....	17		2	
VII.	DISEASES OF THE CIRCULATORY SYSTEM				
	White..... Total.....	8,819	7	5	6
	Male.....	5,421	5	3	4
	Female.....	3,398	2	2	2
	Nonwhite..... Total.....	3,401	9	9	7
	Male.....	1,835	4	6	2
	Female.....	1,566	5	3	5
400-402	Rheumatic fever				
	White..... Male.....	9			1
	Female.....	6			1
	Nonwhite..... Male.....	5		2	
	Female.....	8			2
410-416	Chronic rheumatic heart disease				
	White..... Male.....	110			1
	Female.....	112			
	Nonwhite..... Male.....	39			
	Female.....	39			2
420	Arteriosclerotic heart disease, including coronary disease				
	White..... Male.....	3,585	2		
	Female.....	1,818	1	1	
	Nonwhite..... Male.....	721		1	
	Female.....	512	1		
421	Chronic endocarditis not specified as rheumatic				
	White..... Male.....	50		2	
	Female.....	39			1
	Nonwhite..... Male.....	34			1
	Female.....	14	1		

Continued

Age in years														Sixth Revision Number
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-64	65-74	75-84	85 and over	Not stated	
														353
	2	1		2	6		3	2	2		2			
1			2					2	1					
	2	4	1	5	1	1	2	3	2	1	1			
	2	3	1	1	1			4	1					
		1							1					391-393
			1											
										1				
5	2	3	1	3	2	2	4	5	7	5	3			341-344,
	3	4			1	1	3	5	4	3	1			351,352,
		2		3	2	1	2		2	4	2			354-369,
1		2	1		2	1	2	1	2		1	2		380-384,
														386,388- 390,394- 398
														VII.
17	13	18	32	52	112	223	364	515	1,635	2,531	2,437	852		
8	8	12	19	34	83	176	297	410	1,210	1,544	1,225	383		
9	5	6	13	18	29	47	67	105	425	987	1,212	469		
14	18	23	26	72	124	192	247	281	785	901	493	198	2	
2	8	12	8	35	54	116	151	163	459	471	257	86	1	
12	10	11	18	37	70	76	96	118	326	430	236	112	1	
														400-402
4	3				1									
2	1							1	1					
1	1	1												
5	1													
														410-416
3	1	5	4	7	8	7	9	8	23	23	8	3		
4	1	4	8	8	12	13	8	5	15	18	13	3		
1	2	4	1	2	3	5	2	3	6	7	2	1		
4	4	3	1	2	3	3	2	3	4	6	1	1		
														420
	2	2	6	21	50	130	226	309	924	1,046	689	178		
			1	3	7	13	35	64	278	604	608	203		
	2	1	7	14	20	52	63	74	193	186	86	22		
	3	3	9	12	22	19	23	43	118	144	84	30	1	
			1			1	4	1	3	22	12	4		421
						2		2	2	9	18	5		
						2	3	2	14	5	4	3		
				1				1	5	4	1	1		

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total Deaths	Age in years		
			Under 1	1-4	5-9
422	Other myocardial degeneration				
	White..... Male.....	400	1		1
	Female.....	356		1	
	Nonwhite..... Male.....	156			
430-434	Female.....	138			
	Other diseases of the heart				
	White..... Male.....	338	2		1
	Female.....	138	1		
440-443	Nonwhite..... Male.....	180	4	3	1
	Female.....	139	3	3	1
440-443	Hypertension with heart disease				
	White..... Male.....	576			
	Female.....	596			
	Nonwhite..... Male.....	517			
444-447	Female.....	547			
	Hypertension without mention of heart disease				
	White..... Male.....	66			
	Female.....	69			
450	Nonwhite..... Male.....	65			
	Female.....	64			
450	Generalized arteriosclerosis				
	White..... Male.....	173			
	Female.....	188			
	Nonwhite..... Male.....	74			
451	Female.....	70			
	Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm				
	White..... Male.....	45			
	Female.....	12			
455	Nonwhite..... Male.....	20			
	Female.....	4			
	Gangrene of unspecified cause				
	White..... Male.....	3			
452-454, 456	Female.....	3			
	Nonwhite..... Male.....	3			
	Female.....	1			
	Other arterial diseases				
460-468	White..... Male.....	24		1	
	Female.....	16			
	Nonwhite..... Male.....	6			
	Female.....	8			
460-468	Diseases of veins and other diseases of circulatory system				
	White..... Male.....	42			
	Female.....	45			
	Nonwhite..... Male.....	15			
460-468	Female.....	22			

Continued

Age in years

10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-64	65-74	75-84	85 and over	Not stated	Sixth Revision Number
														422
			1	1	2	4	8	6	36	113	156	71		
				2		2	2	2	20	69	159	99		
		1		1	2	1	6	6	32	61	32	14		
			1	1		4	2	8	33	49	22	18		
														430-434
		4	3	1	13	20	20	42	75	91	54	12		
3	3	1	2		2	4	4	7	17	36	45	13		
	2	2		6	6	11	17	22	37	40	23	6		
1	1	1	2	2	9	11	11	14	24	31	16	9		
														440-443
			1	1	3	7	18	26	104	176	177	63		
			1	2	4	5	12	20	73	181	218	80		
	1			6	14	28	49	40	144	131	79	24	1	
		2	2	12	22	31	44	42	112	157	90	33		
														444-447
1			2	2	3	2	3	7	11	13	18	4		
				1	1	1	2	2	5	11	36	10		
		2		5	5	12	7	4	8	8	9	5		
		1	2	4	10	6	8	3	9	11	8	2		
														450
								1	7	35	88	42		
						1			6	38	91	52		
							2	7	17	21	17	10		
					1	1		2	17	19	13	17		
														451
					1	3		4	13	17	6	1		
							1		1	7	3			
					3	2	1	1	6	4	3			
							1			2	1			
														455
									2			1		
						1	1			1				
								1		1	1			
									1					
	1	1	1		1	2	4	2	1	1	7	2		452-454, 456
			1	2	1	1			2	2	5	2		
		1				3			1			1		
1	1		1	1	1			1		1		1		
	1			1	1									460-468
							5	4	11	7	10	2		
		1			1	4	3	2	5	11	16	2		
				1	1		1	3	1	7	1			
1		1		2	2	1	5	1	3	6				

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
VIII.	DISEASES OF THE RESPIRATORY SYSTEM				
	White..... Total.....	870	167	47	9
	Male.....	495	105	27	5
	Female.....	375	62	20	4
	Nonwhite..... Total.....	669	337	64	13
	Male.....	381	191	33	9
	Female.....	288	146	31	4
470-475	Acute upper respiratory infections				
	White..... Male.....	13	5	6	—
	Female.....	5	—	1	—
	Nonwhite..... Male.....	11	6	1	—
	Female.....	8	4	—	1
480-483	Influenza				
	White..... Male.....	29	6	1	—
	Female.....	31	2	1	—
	Nonwhite..... Male.....	24	10	2	—
	Female.....	26	11	—	1
490	Lobar pneumonia				
	White..... Male.....	84	10	3	—
	Female.....	74	5	4	1
	Nonwhite..... Male.....	69	24	6	1
	Female.....	51	17	2	1
491	Bronchopneumonia				
	White..... Male.....	132	35	5	1
	Female.....	104	21	5	—
	Nonwhite..... Male.....	114	63	12	6
	Female.....	94	50	18	1
492, 493	Primary atypical, other and unspecified pneumonia				
	White..... Male.....	89	29	9	—
	Female.....	79	26	6	1
	Nonwhite..... Male.....	122	79	8	2
	Female.....	77	47	10	—
500	Acute bronchitis				
	White..... Male.....	2	1	—	—
	Female.....	3	1	—	1
	Nonwhite..... Male.....	3	2	1	—
	Female.....	3	3	—	—
501, 502	Bronchitis, chronic and unqualified				
	White..... Male.....	20	3	2	2
	Female.....	11	2	2	—
	Nonwhite..... Male.....	3	—	1	—
	Female.....	2	2	—	—

Continued

Age in years														Sixth Revision Number
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-64	65-74	75-84	85 and over	Not stated	
13	9	8	8	12	6	15	23	27	96	151	192	87		VIII.
7	6	6	7	7	4	8	17	18	65	80	95	38		
6	3	2	1	5	2	7	6	9	31	71	97	49		
5	7	5	10	10	8	11	25	19	41	59	33	22		
2	4	1	4	5	3	7	17	15	23	35	17	15		
3	3	4	6	5	5	4	8	4	18	24	16	7		
1										1				470-475
	2										1	1		
			1						2	1				
							1		1	1				
			1	1	1			1	3	3	10	2		480-483
1				2			1		1	8	9	6		
				1		1	1		2	4	1	2		
1		1		1		1			2	3	4	1		
1	1	2	1	3	2	2	4	4	10	16	17	8		490
3	1			1		1	1	3	6	16	23	9		
1		1	1	2	1	3	5	5	7	7	3	2		
1	2	1	4		2	2	3	1	5	8	2			
1		2	2	1		1	5	1	8	17	34	19		491
		1		1	1	2		1	9	17	28	18		
1	3		1	1	1	1	4	3	3	7	4	4		
		1		2			3		5	7	5	2		
3	4			1	1	1		3	5	11	17	5		492, 493
1		1	1			1	2	1	3	10	16	10		
	1		1		1	1	3	1	5	7	6	7		
1				1	2	1	1	3	2	4	5			
												1		500
											1			
		1				1		1	6	1	2	1		501, 502
										2	4	1		
							1		1					

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
510	Hypertrophy of tonsils and adenoids				
	White..... Female.....	1			1
	Nonwhite..... Female.....	1			
518,521	Empyema and abscess of lung				
	White..... Male.....	9		1	
	Female.....	3			
	Nonwhite..... Male.....	1			
	Female.....	1			
519	Pleurisy				
	White..... Male.....	1			
	Female.....	3			
	Nonwhite..... Male.....	2			
	Female.....	2			
511-517, 520,522- 527	All other respiratory diseases				
	White..... Male.....	116	16		2
	Female.....	61	5	1	
	Nonwhite..... Male.....	32	7	2	
	Female.....	23	12	1	
IX.	DISEASES OF THE DIGESTIVE SYSTEM				
	White..... Total.....	630	53	18	2
	Male.....	386	33	11	
	Female.....	244	20	7	2
	Nonwhite..... Total.....	331	132	19	2
	Male.....	179	72	9	
	Female.....	152	60	10	2
530-535	Diseases of teeth and supporting structures				
	White..... Female.....	1			
	Nonwhite..... Female.....	1			
540	Ulcer of stomach				
	White..... Male.....	32			
	Female.....	14			
	Nonwhite..... Male.....	13			
	Female.....	9			
541	Ulcer of duodenum				
	White..... Male.....	50			
	Female.....	11			
	Nonwhite..... Male.....	7			
	Female.....	5	1		
543	Gastritis and duodenitis				
	White..... Male.....	6	1		
	Female.....	3			
	Nonwhite..... Male.....	2			

Continued

[illegible]

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
550-553	Appendicitis				
	White.....Male.....	13			
	Female.....	7			
	Nonwhite.....Male.....	11			
	Female.....	1			
560,561, 570	Hernia and intestinal obstruction				
	White.....Male.....	41	5	1	
	Female.....	37	4	1	
	Nonwhite.....Male.....	21	8		
	Female.....	20	4		
571.0	Gastro-enteritis and colitis (except ulcerative) ages between 4 weeks and 2 years.				
	White.....Male.....	31	25	6	
	Female.....	18	15	3	
	Nonwhite.....Male.....	68	62	6	
	Female.....	54	49	5	
571.1	Gastro-enteritis and colitis (except ulcerative) ages 2 years and over				
	White.....Male.....	10		2	
	Female.....	10		2	
	Nonwhite.....Male.....	4		2	
	Female.....	15		4	2
572	Chronic enteritis and ulcerative colitis				
	White.....Male.....	12			
	Female.....	9			
	Nonwhite.....Male.....	4		1	
581	Cirrhosis of the liver				
	White.....Male.....	104	1	1	
	Female.....	48			1
	Nonwhite.....Male.....	26			
	Female.....	11			
584,585	Cholelithiasis and cholecystitis				
	White.....Male.....	24			
	Female.....	35			
	Nonwhite.....Female.....	3			
536-539, 542,544, 545,573- 580,582, 583, 586, 587	Other diseases of the digestive system				
	White.....Male.....	63	1	1	
	Female.....	51	1	1	1
	Nonwhite.....Male.....	23	2		
	Female.....	33	6	1	
X.	DISEASES OF THE GENITO-URINARY SYSTEM				
	White.....Total.....	469	1	4	2
	Male.....	299	1	4	
	Female.....	170			2
	Nonwhite.....Total.....	340	2	2	1
	Male.....	191	1		1
	Female.....	149	1	2	

Continued

Age in years

10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-64	65-74	75-84	85 and over	Not stated	Sixth Revision Number
1	1			1	1	1	3	1	1	1	1	1		550-553
2	1	1	1				1	1	1		2			
						1	2	1	2	2	1			
					1				6	11	12	5		560,561, 570
				2	1		3	1	4	9	7	5		
					3	1		3	3	3				
		1	1			1	1	4	4	4				
														571.0
	1								2		5			571.1
							1		2		4	1		
							1				1			
								1	5	1	2			
				1					2	4	4	1		572
		1			1	1	1	1	1		2	1		
								1	2					
			4	2	8	15	14	13	22	21	2	1		581
1			1	1	4	4	4	9	8	7	6	3		
				2	2	4	4	1	5	6	1			
		1		1		1	1	2	4		1			
														584,585
	1				1	2	2	3	3	10	7	1		
								3	8	7	9	2		
								3						
1	1		1		1	4	3	6	16	14	9	5		536-539, 542,544, 545,573-580,582, 583,586, 587
		1	2	1	2	4	3	4	5	9	14	3		
		1				2	2	6	4	6				
	3	4		4	1		2	3	3	4	2			
1	11	5	9	12	11	11	28	26	63	115	114	56		X.
	3	2	9	5	8	8	16	16	38	81	73	35		
1	8	3		7	3	3	12	10	25	34	41	21		
4	3	5	10	13	23	12	27	32	66	87	39	14		
1	2	1	4	4	12	4	19	13	40	55	26	8		
3	1	4	6	9	11	8	8	19	26	32	13	6		

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total Deaths	Age in years		
			Under 1	1-4	5-9
590	Acute nephritis				
	White.....Male.....	12		1	
Female.....	4			
	Nonwhite.....Male.....	8			
Female.....	11		1	
591	Nephritis with edema, including nephrosis				
	White.....Male.....	6		2	
Female.....	7			1
	Nonwhite.....Male.....	6			
Female.....	5			
592-594	Chronic and unspecified nephritis and other renal sclerosis				
	White.....Male.....	152	1	1	
Female.....	93			1
	Nonwhite.....Male.....	120			1
Female.....	104			
600	Infections of the kidney				
	White.....Male.....	41			
Female.....	40			
	Nonwhite.....Male.....	19	1		
Female.....	12		1	
602,604	Calculi of urinary system				
	White.....Male.....	10			
Female.....	13			
	Nonwhite.....Male.....	2			
Female.....	2			
610	Hyperplasia of prostate				
	White.....Male.....	68			
	Nonwhite.....Male.....	21			
601,603, 605-609, 611-617, 622-637	Other diseases of the genito-urinary system				
	White.....Male.....	10			
Female.....	13			
	Nonwhite.....Male.....	15			
Female.....	15	1		
XI.	DELIVERIES AND COMPLICATIONS OF PREGNANCY, AND THE PUERPERIUM				
	White.....Male.....	23			
	Nonwhite.....Male.....	77			
640,641, 681,682, 684	Sepsis of pregnancy, childbirth, and the puerperium, except sepsis of abortion				
	White.....Male.....	4			
	Nonwhite.....Male.....	2			

Continued

Age in years

10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-64	65-74	75-84	85 and over	Not stated	Sixth Revision Number
														590
	1	1					1	1	4	2	1			
					1			1	1		1			
			1	2			2		1	2				
		1	2	1	2	1		1	1	1				
														591
			1	1			1			1				
1					1		1		1		2			
1		1			1		1	1			1			
						1		1	1	2				
														592-594
	1		6	4	5	7	11	10	25	39	24	18		
	5	1		3		2	5	5	11	21	25	14		
	2		1	2	8	4	12	7	31	34	12	6		
2	1	2	1	5	6	5	8	11	20	27	11	5		
														600
	1	1	2		2	1	1	3	4	12	12	2		
	2	1		1	1	1	3	3	8	6	10	4		
			1		3		3	2	1	4	4			
					1	1		4	2		2	1		
														602, 604
					1		2		1	4	2			
				1			2		3	4	2	1		
										2				
								1		1				
														610
									4	21	29	14		
							1	1	4	10	4	1		
														601, 603, 605-609, 611-617, 622-637
					2			2		2	5	1		
	1	1					1	1	1	3	1	2		
			1					2	3	3	5	1		
1		1	3	3	2			1	2	1				
														XI.
	2	4	3	4	6	4								
	10	12	14	19	13	6	3							
														640, 641, 681, 682, 684
			2		1	1								
		1					1							

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
642, 685, 686	Toxemias of pregnancy and puerperium, except abortion with toxemia				
	White.....	7			
	Nonwhite.....	27			
643, 644, 670-672	Hemorrhage of pregnancy and childbirth				
	White.....	3			
	Nonwhite.....	22			
645	Ectopic pregnancy				
	White.....	3			
	Nonwhite.....	13			
650	Abortion without mention of sepsis or toxemia				
	White.....	1			
	Nonwhite.....	4			
651	Abortion with sepsis				
	Nonwhite.....	1			
652	Abortion with toxemia, without mention of sepsis				
	Nonwhite.....	1			
646-649, 660, 673- 680, 683, 687-689	Other complications of pregnancy, childbirth, and puerperium				
	White.....	5			
	Nonwhite.....	7			
XII. and	DISEASES OF THE SKIN AND CELLULAR TISSUE;				
XIII.	DISEASES OF THE BONES AND ORGANS OF MOVEMENT				
	White..... Total.....	94	3		1
	Male.....	38	1		1
	Female.....	56	2		
	Nonwhite..... Total.....	51	1		
	Male.....	24			
	Female.....	27	1		
690-698	Infections of skin and subcutaneous tissue				
	White..... Male.....	3			
	Female.....	1			
	Nonwhite..... Male.....	3			
	Female.....	1	1		
720-725	Arthritis and spondylitis				
	White..... Male.....	14			
	Female.....	35			
	Nonwhite..... Male.....	7			
	Female.....	11			

Continued

Age in years

10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-64	65-74	75-84	85 and over	Not stated	Sixth Revision Number
														642, 685, 686
	1 6	1 3	5	3 3	2 5	4	1							
	4	2	3	1 6	1 6	1 1								643, 644, 670-672
	1		1			1								645
		4	4	4			1							
			1											650
		1	1	1	1									
			1											651
				1										652
				1										
		1	1		2	1								646-649, 660, 673- 680, 683, 687-689
		1		4	1	1								
1 1	1 1	2 2	2 2	1	3 1	3 1	4 3	3 1	9 5	28 9	27 10	6 1		XII. AND XIII.
2 1 1	3 3 1	4 3 1	2 1 1	1	2 3 1	3 3 1	1 1 2	2 5 3	4 8 3	19 15 11	17 4	5 4		
														690-698
										2	1			
	1		1						1		1			
			1		1		2		2	4	4			720-725
					1			1	2	16	12	3		
								1	2	4				
								2	2	6		1		

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
726, 727	Muscular rheumatism and rheumatism, unspecified				
	White..... Female.....	1	—	—	—
	Nonwhite..... Male.....	1	—	—	—
	Female.....	2	—	—	—
730	Osteomyelitis and periostitis				
	White..... Male.....	2	—	—	1
	Female.....	1	—	—	—
	Nonwhite..... Female.....	1	—	—	—
700-716, 731-736, 738-744	All other diseases of the skin and musculoskeletal system				
	White..... Male.....	19	1	—	—
	Female.....	18	2	—	—
	Nonwhite..... Male.....	13	—	—	—
	Female.....	12	—	—	—
XIV.	CONGENITAL MALFORMATIONS				
	White..... Total.....	379	296	39	11
	Male.....	216	166	24	7
	Female.....	163	130	15	4
	Nonwhite..... Total.....	133	106	12	—
	Male.....	72	58	5	—
	Female.....	61	48	7	—
751	Spina bifida and meningocele				
	White..... Male.....	19	18	1	—
	Female.....	33	27	5	—
	Nonwhite..... Male.....	4	4	—	—
	Female.....	6	6	—	—
754	Congenital malformations of circulatory system				
	White..... Male.....	89	72	9	1
	Female.....	55	46	4	—
	Nonwhite..... Male.....	29	23	—	—
	Female.....	27	20	3	—
750, 752, 753, 755-759	All other congenital malformations				
	White..... Male.....	108	76	14	6
	Female.....	75	57	6	4
	Nonwhite..... Male.....	39	31	5	—
	Female.....	28	22	4	—
XV.	CERTAIN DISEASES OF EARLY INFANCY				
	White..... Total.....	1,046	1,046	—	—
	Male.....	607	607	—	—
	Female.....	439	439	—	—
	Nonwhite..... Total.....	864	864	—	—
	Male.....	492	492	—	—
	Female.....	372	372	—	—

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
760,761	Birth injuries				
		White..... Male.....	109	109	-----
		Female.....	78	78	-----
		Nonwhite..... Male.....	72	72	-----
		Female.....	45	45	-----
762	Postnatal asphyxia and atelectasis				
		White..... Male.....	167	167	-----
		Female.....	103	103	-----
		Nonwhite..... Male.....	103	103	-----
		Female.....	89	89	-----
763	Pneumonia of newborn				
		White..... Male.....	15	15	-----
		Female.....	17	17	-----
		Nonwhite..... Male.....	33	33	-----
		Female.....	23	23	-----
764	Diarrhea of newborn				
		White..... Male.....	7	7	-----
		Female.....	2	2	-----
		Nonwhite..... Male.....	18	18	-----
		Female.....	10	10	-----
765-768	All other infections of newborn				
		White..... Male.....	1	1	-----
		Female.....	2	2	-----
		Nonwhite..... Male.....	4	4	-----
		Female.....	4	4	-----
770	Hemolytic disease of newborn (erythroblastosis)				
		White..... Male.....	13	13	-----
		Female.....	28	28	-----
		Nonwhite..... Male.....	8	8	-----
		Female.....	2	2	-----
769,771, 772	All other defined diseases of early infancy				
		White..... Male.....	17	17	-----
		Female.....	11	11	-----
		Nonwhite..... Male.....	31	31	-----
		Female.....	25	25	-----
773	Ill-defined diseases peculiar to early infancy				
		White..... Male.....	26	26	-----
		Female.....	10	10	-----
		Nonwhite..... Male.....	14	14	-----
		Female.....	10	10	-----
774	Immaturity with mention of any other subsidiary condition				
		White..... Male.....	23	23	-----
		Female.....	8	8	-----
		Nonwhite..... Male.....	4	4	-----
		Female.....	13	13	-----

Continued

[illegible]

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
776	Immaturity, unqualified				
	White..... Male.....	229	229		
	Female.....	180	180		
	Nonwhite..... Male.....	205	205		
	Female.....	151	151		
XVI.	SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS				
	White..... Total.....	332	49	7	2
	Male.....	191	22	3	2
	Female.....	141	27	4	
	Nonwhite..... Total.....	345	130	10	2
	Male.....	165	58	5	
	Female.....	180	72	5	2
794	Senility without mention of psychosis				
	White..... Male.....	25			
	Female.....	27			
	Nonwhite..... Male.....	10			
	Female.....	16			
780-793, 795	Symptoms, ill-defined and unknown causes				
	White..... Male.....	166	22	3	2
	Female.....	114	27	4	
	Nonwhite..... Male.....	155	58	5	
	Female.....	164	72	5	2
XVII.	ACCIDENTS, POISONINGS, AND VIOLENCE				
	White..... Total.....	2,038	64	85	72
	Male.....	1,518	39	43	45
	Female.....	520	25	42	27
	Nonwhite..... Total.....	1,119	91	79	47
	Male.....	830	51	40	25
	Female.....	289	40	39	22
800-802	Railway accidents				
	White..... Male.....	18			1
	Female.....	2			
	Nonwhite..... Male.....	15			1
	Female.....	4			
810	Motor vehicle traffic accident involving collision with railway train				
	White..... Male.....	19			
	Female.....	9			1
	Nonwhite..... Male.....	10	1		
	Female.....	1		1	
812	Motor vehicle traffic accident to pedestrian				
	White..... Male.....	96		7	16
	Female.....	45		8	14
	Nonwhite..... Male.....	76		12	6
	Female.....	21		3	6

Continued

Age in years														Sixth Revision Number
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-64	65-74	75-84	85 and over	Not stated	
														776
														XVI.
	2	2	1	2	8	9	8	16	39	60	67	60		
	1	2		2	5	8	5	12	31	38	35	25		
	1		1		3	1	3	4	8	22	32	35		
5		4	4	6	14	11	11	7	38	45	31	26	1	
		1	2	5	7	5	7	5	22	23	16	8	1	
5		3	2	1	7	6	4	2	16	22	15	18		
														794
										2	6	17		
										1	11	15		
										1	5	4		
										3	5	8		
														780-793, 795
	1	2		2	5	8	5	12	31	36	29	8		
	1		1		3	1	3	4	8	21	21	20		
		1	2	5	7	5	7	5	22	22	11	4	1	
5		3	2	1	7	6	4	2	16	19	10	10		
														XVII.
59	193	228	160	157	144	138	126	106	167	153	129	57		
46	155	200	133	121	117	116	96	86	132	102	69	18		
13	38	28	27	36	27	22	30	20	35	51	60	39		
35	75	111	123	105	81	93	73	48	61	65	16	15	1	
28	60	89	97	88	65	77	61	40	42	45	12	9	1	
7	15	22	26	17	16	16	12	8	19	20	4	6		
	1	1	1	3	1		5	1	2	1	1			800-802
								1			1			
		1	2	2	1	1	1	3		2	1			
		1		1			1	1						
														810
	4	5	2	2	2			1		3				
	1	2			1	1		1	1	1				
2	1	1	1	2		1			1					
														812
2	4	8	1	2		4	2	4	13	20	12	1		
1	1	1	1	2	1		1	1	2	8	3	1		
4	6	3	8	1	3	3	9	9	3	7	2			
1	1	1		1				1	4	3				

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total Deaths	Age in years		
			Under 1	1-4	5-9
811, 813- 819	Other motor vehicle traffic accidents involving collision				
	White.....Male.....	225	1	3	4
Female.....	79		4	2
	Nonwhite.....Male.....	75		1	1
Female.....	19	1	2	2
820-824	Motor vehicle noncollision traffic accidents				
	White.....Male.....	290	1	1	3
Female.....	38		2	1
	Nonwhite.....Male.....	88	1	2	
Female.....	18	1	1	
825	Motor vehicle traffic accident of unspecified nature				
	White.....Male.....	42		2	
Female.....	13			
	Nonwhite.....Male.....	8			1
Female.....	4			
830-835	Motor vehicle nontraffic accidents				
	White.....Male.....	13		4	
Female.....	8		6	
	Nonwhite.....Male.....	5		1	1
Female.....	4		3	
840-845	Other road vehicle accidents				
	White.....Male.....	4		1	1
Female.....	1			
	Nonwhite.....Male.....	4			2
850-858	Water transport accidents				
	White.....Male.....	39			1
Female.....	2			1
	Nonwhite.....Male.....	7			
Female.....	2			
860-866	Aircraft accidents				
	White.....Male.....	32			
Female.....	3			
	Nonwhite.....Male.....	1			
870-888	Accidental poisoning by solid and liquid substances				
	White.....Male.....	26	2	4	
Female.....	12		3	
	Nonwhite.....Male.....	14		5	
Female.....	5		3	
890-895	Accidental poisoning by gases and vapours				
	White.....Male.....	8			
	Nonwhite.....Male.....	4			
Female.....	2			

Continued

[illegible]

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total Deaths	Age in years		
			Under 1	1-4	5-9
900-902	Fall from one level to another				
	White..... Male.....	40	1		1
 Female.....	28	1	2	
	Nonwhite..... Male.....	33	4	1	1
 Female.....	8	2		
903	Fall on same level				
	White..... Male.....	24			
 Female.....	62			
	Nonwhite..... Male.....	5			
 Female.....	9		1	
904	Unspecified falls				
	White..... Male.....	14	1		
 Female.....	20	1	1	
	Nonwhite..... Male.....	6			
 Female.....	4			
910	Blow from falling object				
	White..... Male.....	18			2
	Nonwhite..... Male.....	15			
912	Accident caused by machinery				
	White..... Male.....	33		1	2
	Nonwhite..... Male.....	10			
914	Accident caused by electric current				
	White..... Male.....	28			
 Female.....	3			
	Nonwhite..... Male.....	6			
916	Accident caused by fire and explosion of combustible material (except conflagration)				
	White..... Male.....	16	1	2	
 Female.....	16		3	1
	Nonwhite..... Male.....	24	1		2
 Female.....	41		12	10
916	Accident caused by conflagration				
	White..... Male.....	35	2	3	
 Female.....	19		5	1
	Nonwhite..... Male.....	50	6	9	
 Female.....	20	3	5	
917, 918	Accident caused by hot substance, corrosive liquid, steam and radiation				
	White..... Male.....	8	1	3	
 Female.....	5		2	1
	Nonwhite..... Male.....	4			
 Female.....	4		3	

Continued

Age in years														Sixth Revision Number
10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-64	65-74	75-84	85 and over	Not stated	
1	1	1	2	1	4	1	4	2	5	2	12	2		900-902
1		1	1				1			3	10	8		
1	1	1	1	1	2	1	3	2	4	4	3	3		
					1		1	1	1	1	1			903
					1		1		3	6	6	7		
								1	2	14	24	21		
									1	2	2			
			1			1				2	2	2		
		1			1		1	2		1	5	2		904
			1				1	1	1	3	8	3		
					1		2			1	1	1		
									1	2		1		910
2	2			2	1	1		4	1	3				
			1	6		3	3	2						
2	2	4		4	4		1	3	3	4	3			912
1		3	1	1		2		1	1					
1	1	7	5	7	2	2		1	1		1			914
1							1			1				
			1		2	1	1	1						916
			2	2		2	1		1	3	2			
				1	2	1			4	4				
		2	1	2	3	1	2	2	4	4				
1	1	1	2		1		1	1	6	2	1	2		
2			2	3	3	3	3	5	3	3		3		916
	1	1	2	1	1				2	2	2	1		
1		3	4	4	3	4	1	3	3	7	1	1		
1			3	1		1		1	2	3				
				1					2	1				917,918
					1						1			
					1					2		1		
												1		

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
919	Accident caused by firearm				
	White..... Male.....	36		1	1
	Female.....	5			
	Nonwhite..... Male.....	22		1	5
	Female.....	6		1	1
921, 922	Inhalation and ingestion of food and other object causing obstruction or suffocation				
	White..... Male.....	14	8	2	2
	Female.....	13	9	3	
	Nonwhite..... Male.....	13	8	2	
	Female.....	10	8	1	1
924	Accidental mechanical suffocation in bed and cradle				
	White..... Male.....	18	16	2	
	Female.....	10	10		
	Nonwhite..... Male.....	22	19	2	
	Female.....	17	17		
927	Accidents caused by venomous animals and insects				
	White..... Female.....	1			
	Nonwhite..... Male.....	1			
929	Accidental drowning				
	White..... Male.....	80		7	9
	Female.....	13		1	3
	Nonwhite..... Male.....	61		3	2
	Female.....	3		1	
931	Excessive heat and insolation				
	Nonwhite..... Male.....	2			
935	Lightning				
	White..... Male.....	5			1
	Female.....	3			
	Nonwhite..... Male.....	4			
940-959	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures				
	White..... Male.....	6			
	Female.....	10			
	Nonwhite..... Male.....	1			
	Female.....	4			
911, 913, 915, 920, 923, 925, 926, 928, 930, 932- 934, 936, 960-962	All other accidents				
	White..... Male.....	30	2		1
	Female.....	17	4	2	1
	Nonwhite..... Male.....	38	10	1	3
	Female.....	14	8	1	1

Continued

Age in years

10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-64	65-74	75-84	85 and over	Not stated	Sixth Revision Number
10	6	5	4	1	2	1	1	2	1	1				919
		1			1		1		2					
1	2	4	1	3		2	1	1	1					
		2	1				1							
														921, 922
			1								1			
			1											
	1		1							1				
														924
							1							
								1						927
						1								
														929
9	14	6	5	6	4	8	4	4	2	1	1			
2	3	1	1		1				1					
11	16	7	7	4	4	4	2	1						
	1	1												
														931
						2								
														935
	1	1					1	1						
		1					1				1			
1			1		1	1								
														940-959
					2	1			1	1	1			
					1		2	1	1	4	1			
								1						
			1		1				1	1				
2	2	3		3	1	4	3	1	6	2				911, 913, 915, 920, 923, 925, 926, 928, 930, 932- 934, 936, 960-962
						1	1	1		1	2	4		
1		2	2	2		7	2	3	2	2			1	
				1				1		2				

TABLE 9.—

Sixth Revision Number	Cause of death, color, and sex	Total deaths	Age in years		
			Under 1	1-4	5-9
970-973	Suicide by poisoning				
	White..... Male.....	28			
	Female.....	12			
	Nonwhite..... Male.....	2			
	Female.....	1			
974	Suicide by hanging and strangulation				
	White..... Male.....	13			
	Female.....	13			
	Nonwhite..... Male.....	4			
976	Suicide by firearms and explosives				
	White..... Male.....	183			
	Female.....	21			
	Nonwhite..... Male.....	22			
	Female.....	4			
963, 975, 977-979	Suicide by all other means				
	White..... Male.....	15			
	Female.....	6			
	Nonwhite..... Male.....	2			
981	Assault by firearms and explosives				
	White..... Male.....	40			
	Female.....	21			
	Nonwhite..... Male.....	113	1		
	Female.....	39		1	1
982	Assault by cutting and piercing instruments				
	White..... Male.....	9	1		
	Female.....	3			1
	Nonwhite..... Male.....	41			
	Female.....	18			
984, 980 983	Assault by other means				
	White..... Male.....	12	2		
	Female.....	7			
	Nonwhite..... Male.....	15			
	Female.....	7			
984	Injury by intervention of police				
	White..... Male.....	1			
	Nonwhite..... Male.....	6			
985	Legal executions				
	Nonwhite..... Male.....	1			

Continued

[illegible]

TABLE 10.—DEATHS (EXCLUDING STILLBIRTHS) BY COLOR WITH CRUDE RATES PER 1,000 POPULATION: NORTH CAROLINA AND EACH COUNTY, 1955

AREA	Place of death			Place of residence					
	Total	White	Non-white	Total		White		Nonwhite	
				Number	Rate	Number	Rate	Number	Rate
NORTH CAROLINA.....	32,266	21,835	10,431	32,215	7.5	21,777	6.8	10,438	9.3
Alamance.....	414	326	88	485	6.2	391	6.1	94	6.5
Alexander.....	81	72	9	100	6.6	90	6.4	10	9.3
Alleghany.....	82	76	6	81	10.1	75	9.6	6	24.4
Anson.....	190	89	101	208	8.0	104	7.8	104	8.3
Ashe.....	170	166	4	185	8.6	181	8.5	4	23.0
Avery.....	99	98	1	92	6.9	91	7.0	1	5.8
Beaufort.....	401	224	177	389	10.4	212	9.0	177	12.7
Bertie.....	201	81	120	232	8.7	96	9.4	136	8.3
Bladen.....	164	87	77	207	6.7	111	6.1	96	7.5
Brunswick.....	107	64	43	132	6.5	78	6.2	54	7.0
Buncombe.....	1,374	1,124	250	1,079	8.1	887	7.5	192	13.0
Burke.....	367	341	26	246	5.0	218	4.8	28	8.0
Cabarrus.....	390	328	62	404	6.1	339	6.0	65	6.7
Caldwell.....	243	212	31	292	6.2	257	5.8	35	11.1
Camden.....	39	26	13	53	10.4	36	11.2	17	8.9
Carteret.....	205	169	36	218	8.5	179	7.9	39	12.9
Caswell.....	82	33	49	128	6.0	61	5.6	67	6.5
Catawba.....	415	364	51	437	6.5	384	6.3	53	9.1
Chatham.....	186	122	64	218	8.5	143	8.2	75	9.1
Cherokee.....	134	132	2	135	7.5	133	7.5	2	5.4
Chowan.....	132	64	68	130	10.0	62	8.2	68	12.4
Clay.....	20	20	-----	34	5.9	34	5.9	-----	-----
Cleveland.....	432	339	93	449	6.6	346	6.5	103	7.0
Columbus.....	370	218	152	462	8.7	280	8.1	182	9.8
Craven.....	421	208	213	446	7.7	236	5.7	210	12.5
Cumberland.....	792	498	294	716	6.2	429	5.0	287	9.5
Currituck.....	63	41	22	78	13.1	52	12.6	26	14.5
Dare.....	31	23	8	44	8.7	37	7.8	7	21.1
Davidson.....	425	339	86	477	7.1	386	6.4	91	13.7
Davie.....	105	91	14	127	8.1	108	8.0	19	8.9
Duplin.....	250	139	111	344	8.2	203	7.8	141	9.0
Durham.....	1,367	854	513	790	7.0	493	6.5	297	8.1
Edgecombe.....	401	176	225	452	8.5	195	7.5	257	9.6
Forsyth.....	1,611	1,082	529	1,300	8.3	774	6.7	526	12.6
Franklin.....	212	124	88	279	8.8	166	9.8	113	7.6

TABLE 10.—Continued

AREA	Place of death			Place of residence					
	Total	White	Non-white	Total		White		Nonwhite	
				Number	Rate	Number	Rate	Number	Rate
Gaston.....	603	509	94	724	5.9	616	5.8	108	6.7
Gates.....	73	40	33	100	10.8	55	13.0	45	8.9
Graham.....	33	33	-----	45	6.3	45	6.5	-----	-----
Granville.....	321	221	100	223	6.7	109	6.0	114	7.7
Greene.....	77	35	42	121	6.8	62	6.7	59	6.9
Guilford.....	1,475	1,103	372	1,491	7.1	1,094	6.4	397	9.9
Halifax.....	516	213	303	526	8.9	214	8.3	312	9.3
Harnett.....	363	254	109	383	7.8	272	7.4	111	8.8
Haywood.....	239	232	7	254	6.5	247	6.4	7	8.8
Henderson.....	282	258	24	271	8.1	249	7.9	22	10.8
Hertford.....	231	87	144	195	8.6	67	7.5	128	9.4
Hoke.....	96	26	70	103	6.4	33	5.1	70	7.2
Hyde.....	49	39	10	75	13.0	58	17.6	17	6.9
Iredell.....	511	400	111	461	7.8	357	7.3	104	10.2
Jackson.....	123	117	6	144	7.5	133	7.5	11	7.3
Johnston.....	365	270	95	489	7.3	366	7.0	123	8.3
Jones.....	44	21	23	91	8.2	53	8.9	38	7.5
Lee.....	183	120	63	184	7.1	120	6.2	64	9.8
Lenoir.....	452	247	205	400	8.3	201	7.3	199	9.5
Lincoln.....	174	148	26	198	6.8	169	6.6	29	8.1
McDowell.....	140	126	14	154	5.7	140	5.4	14	11.3
Macon.....	101	97	4	99	6.1	95	5.9	4	13.2
Madison.....	71	65	6	148	7.6	141	7.3	7	39.5
Martin.....	158	68	90	194	6.7	90	6.4	104	7.0
Mecklenburg.....	1,751	1,113	638	1,603	7.3	957	5.7	646	12.1
Mitchell.....	87	86	1	115	7.8	113	7.7	2	52.6
Montgomery.....	112	70	42	140	7.9	94	6.9	46	11.3
Moore.....	301	198	103	274	8.0	185	7.2	89	10.3
Nash.....	575	290	285	556	8.9	287	8.0	269	10.1
New Hanover.....	715	431	284	652	9.1	389	7.8	263	12.3
Northampton.....	131	50	81	215	7.5	92	9.3	123	6.6
Onslow.....	281	215	66	281	5.1	215	4.6	66	8.6
Orange.....	406	258	148	206	5.1	143	4.6	63	6.7
Pamlico.....	68	47	21	86	8.5	53	8.0	33	9.4
Pasquotank.....	255	149	106	239	9.1	133	7.9	106	11.1
Pender.....	148	68	80	161	8.6	72	7.5	89	9.6
Perquimans.....	75	49	26	103	10.8	62	12.4	41	9.1
Person.....	154	100	54	190	7.9	124	8.0	66	7.7
Pitt.....	473	231	242	524	8.0	261	7.4	263	8.8
Polk.....	85	67	18	98	8.5	77	7.7	21	14.6

TABLE 10.—*Continued*

AREA	Place of death			Place of residence					
	Total	White	Non-white	Total		White		Nonwhite	
				Number	Rate	Number	Rate	Number	Rate
Randolph.....	313	277	36	370	6.8	331	6.6	39	9.1
Richmond.....	286	174	112	341	8.3	212	7.3	129	10.8
Robeson.....	745	329	416	707	7.6	281	7.2	426	7.8
Rockingham.....	448	340	108	490	7.2	377	6.9	113	8.4
Rowan.....	532	404	128	575	7.3	438	6.7	137	10.7
Rutherford.....	319	266	53	338	7.2	284	6.9	54	9.9
Sampson.....	366	226	140	404	7.9	258	8.1	146	7.7
Scotland.....	313	146	167	242	8.7	129	8.4	113	8.9
Stanly.....	245	204	41	278	7.1	236	6.7	42	9.5
Stokes.....	93	87	6	148	7.1	133	6.9	15	8.6
Surry.....	245	228	17	320	6.7	302	6.7	18	6.8
Swain.....	72	60	12	79	9.0	68	9.5	11	7.1
Transylvania.....	81	76	5	97	5.8	91	5.7	6	8.5
Tyrrell.....	52	35	17	52	10.9	31	11.7	21	9.9
Union.....	323	236	87	352	8.1	266	7.8	86	8.9
Vance.....	229	128	101	233	7.0	127	7.0	106	7.1
Wake.....	1,248	840	408	1,161	7.7	742	6.8	419	10.0
Warren.....	152	49	103	177	7.5	60	7.7	117	7.4
Washington.....	106	46	60	121	8.9	58	7.5	63	10.7
Watauga.....	148	144	4	147	8.0	143	7.8	4	25.2
Wayne.....	628	284	344	522	7.7	289	7.4	233	8.3
Wilkes.....	305	286	19	353	7.6	328	7.5	25	9.4
Wilson.....	550	285	265	479	8.4	232	6.8	247	10.9
Yadkin.....	113	106	7	162	7.1	152	7.0	10	9.4
Yancey.....	81	78	3	102	6.4	99	6.3	3	15.3

TABLE 11.—DEATHS (EXCLUDING STILLBIRTHS) BY COLOR WITH CRUDE RATES PER 1,000 POPULATION: EACH INCORPORATED PLACE IN NORTH CAROLINA HAVING A POPULATION OF 10,000 OR MORE, 1955

AREA	Place of death			Place of residence					
	Total	White	Non-white	Total		White		Nonwhite	
				Number	Rate	Number	Rate	Number	Rate
TOTAL.....	12,616	8,409	4,207	8,877	8.4	5,371	7.2	3,506	11.4
Albemarle.....	143	117	26	102	6.4	85	6.1	17	9.3
Asheville.....	866	696	170	572	10.6	406	9.7	166	13.9
Burlington.....	103	81	22	166	5.3	136	5.0	30	7.5
Charlotte.....	1,520	956	564	1,160	7.7	640	5.8	520	12.8
Concord.....	245	200	45	123	7.3	97	7.0	26	8.1
Durham.....	1,037	627	410	563	7.3	327	6.6	236	8.6
Elizabeth City.....	211	129	82	167	12.6	94	10.2	73	18.0
Fayetteville.....	427	255	182	322	7.4	191	6.9	131	8.1
Gastonia.....	349	296	53	242	10.1	198	10.4	44	8.7
Goldsboro.....	294	154	140	218	9.2	105	8.0	113	10.7
Greensboro.....	763	535	228	616	7.5	376	6.1	240	11.6
Greenville.....	84	46	38	160	8.5	89	7.6	71	9.9
Henderson.....	154	87	67	102	8.0	58	8.1	44	7.9
Hickory.....	194	177	17	126	8.2	111	8.4	15	6.8
High Point.....	369	302	67	340	8.3	269	8.3	71	8.4
Kinston.....	309	181	128	197	9.9	100	9.2	97	10.7
Lexington.....	164	129	35	115	7.6	85	6.6	30	13.2
Monroe.....	191	144	47	89	7.4	66	7.5	23	7.1
New Bern.....	268	121	147	204	11.4	85	8.0	119	16.4
Raleigh.....	919	635	284	607	8.0	378	6.7	229	12.0
Reidsville.....	181	130	51	91	7.3	56	6.9	35	8.2
Rocky Mount.....	422	229	193	303	10.5	168	9.3	135	12.5
Salisbury.....	337	246	91	184	8.9	124	8.0	60	11.7
Sanford.....	144	99	45	99	7.8	64	6.6	35	11.9
Shelby.....	216	161	55	140	8.6	102	7.8	38	11.6
Statesville.....	264	202	62	152	7.7	104	6.8	48	10.7
Thomasville.....	95	74	21	82	7.3	57	6.2	25	12.5
Wilmington.....	625	363	262	501	9.8	277	8.2	224	12.8
Wilson.....	393	201	192	250	10.0	114	7.6	136	13.7
Winston-Salem.....	1,319	836	483	884	9.6	409	7.5	475	12.8

TABLE 12.—RESIDENT DEATHS (EXCLUDING STILLBIRTHS) BY CAUSE AND EACH

List number	Cause of Death (Abbreviated list of selected causes with code numbers opposite each cause)	NORTH CAROLINA		
		Total	White	Non-white
	Total all causes	32,215	21,777	10,438
1.	Tuberculosis of respiratory system (001-008)	228	110	118
2.	Tuberculosis, other forms (010-019)	30	12	18
3.	Syphilis (020-029)	52	16	36
4.	Typhoid fever (040)	1		1
5.	Paratyphoid fever (041)			
6.	Amebic dysentery (046)			
7.	Other forms of dysentery (045, 047, 048)	13	6	7
8.	Scarlet fever (050)	1	1	
9.	Diphtheria (055)	4	1	3
10.	Whooping cough (056)	31	6	25
11.	Meningococcal infections (057)	30	18	12
12.	Acute poliomyelitis (080)	7	7	
13.	Smallpox (084)			
14.	Measles (085)	3	1	2
15.	Typhus fever, murine (101)			
16.	Rocky Mountain spotted fever (104)	1	1	
17.	Malaria (110-117)	2	1	1
18.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	3,942	3,054	888
19.	Benign and unspecified neoplasms (210-239)	115	67	48
20.	Diabetes mellitus (260)	468	321	147
21.	Pellagra (281)	6	5	1
22.	Vascular lesions affecting central nervous system (330-334)	4,393	2,949	1,444
23.	Meningitis, except meningococcal and tuberculous (340)	44	20	24
24.	Rheumatic fever (400-402)	28	15	13
25.	Chronic rheumatic heart disease (410-416)	300	222	78
26.	Arteriosclerotic heart disease, including coronary disease (420)	6,636	5,403	1,233
27.	Nonrheumatic chronic endocarditis and other myocardial degeneration (421, 422)	1,187	845	342
28.	Other diseases of the heart (430-434)	795	476	319
29.	Hypertension with heart disease (440-443)	2,236	1,172	1,064
30.	Hypertension without mention of heart (444-447)	264	135	129
31.	Influenza (480-483)	110	60	50
32.	Pneumonia (490-493)	1,089	562	527
33.	Bronchitis (500-502)	47	36	11
34.	Ulcer of stomach and duodenum (540, 541)	141	107	34
35.	Appendicitis (550-553)	32	20	12
36.	Hernia and intestinal obstruction (560, 561, 570)	119	78	41
37.	Gastritis, duodenitis, enteritis, and colitis (under 2 years) (543, 571.0, 572, 764)	209	59	150
38.	Gastritis, duodenitis, enteritis, and colitis (2 years and over) (543, 571.1, 572)	74	49	25
39.	Cirrhosis of liver (581)	189	152	37
40.	Nephritis and nephrosis (590-594)	528	274	254
41.	Sepsis of pregnancy, childbirth and the puerperium (640, 641, 651, 681, 682, 684)	7	4	3
42.	Other diseases of pregnancy, childbirth, and the puerperium (642-650, 652-660, 670-680, 683, 685-689)	93	19	74
43.	Congenital malformations (750-759)	512	379	133
44.	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	766	457	309
45.	Infections of newborn, except diarrhea of newborn (763, 765-768)	99	35	64
46.	Other diseases peculiar to early infancy (769-773)	195	105	90
47.	Immaturity with mention of any other subsidiary condition and immaturity unqualified (774-776)	813	440	373
48.	All other diseases (residual)	3,218	2,039	1,179
49.	Motor vehicle accidents (810-835)	1,206	877	329
50.	All other accidents (800-802, 840-962)	1,292	777	515
51.	Suicide (963, 970-979)	326	291	35
52.	Homicide and injury resulting from operations of war (964, 965, 980-999)	333	93	240

(ABBREVIATED LIST OF 52 CAUSES), BY COLOR: NORTH CAROLINA COUNTY, 1955

Alamance		Alexander		Alleghany		Anson		Ashe		Avery		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
391	94	90	10	75	6	104	104	181	4	91	1	Total
2		1					2	2				1.
1								1				2.
												3.
												4.
												5.
												6.
												7.
												8.
												9.
		1										10.
										1		11.
												12.
												13.
												14.
												15.
												16.
												17.
50	11	14	2	8	2	24	9	24		7		18.
1	1	1				1		3	1			19.
8	1	3					2					20.
												21.
54	11	20	1	12	2	7	11	35	1	13		22.
1	1											23.
			1									24.
4	2						1	3		3		25.
121	12	9		9	1	17	9	28		24		26.
8	4			10		4	6	8		2		27.
5	5		1	4		2		7				28.
11	7	5		2		15	12	11				29.
1	5	1				1	1					30.
2	1			1	1	1		1				31.
10	2	3		2		1	7	3		4		32.
												33.
5	1											34.
2				2						1		35.
3	1	2								1		36.
												37.
2							1					38.
3	1					1	1	3				39.
5	1	1	1	4		3	3	1				40.
												41.
1	1											42.
9	1	3				1	1	5		2		43.
10	5						2	1	1			44.
1	1						1					45.
1							1					46.
6	3	2	2	1		2	4	1		2		47.
29	9	19		9		11	26	30	1	27	1	48.
20	1	2		4		6	2	6		2		49.
10	2	2	2	5		5	2	5				50.
2	1			1		2		3		2		51.
3	3	1		1								52.

TABLE 12.—

List number.	Beaufort		Bertie		Bladen		Brunswick		Buncombe		Burke	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	212	177	96	136	111	96	78	54	887	192	218	28
1.	1	2	1	4		1		1	4	3	2	
2.									1			
3.						1			2	2		
4.												
5.												
6.												
7.												
8.												
9.												
10.												
11.				1								
12.									2		1	
13.												
14.				1								
15.												
16.												
17.												
18.	26	17	14	8	11	6	13	5	147	25	31	2
19.	1				1				1	3		
20.	2	3		1	2	1	2		10	1	6	1
21.												
22.	32	33	18	26	15	12	6	5	116	27	27	9
23.		1										
24.											1	
25.		3	1	2		1			11	2	3	
26.	43	14	20	13	23	7	15	5	271	31	56	5
27.	23	11	4	2	5	1	4	3	26	6	2	
28.	1	1	1	7	2	2	5	6	10	5	4	
29.	10	11	5	6	14	15	8	3	46	18	14	2
30.							1	1	7			
31.	1	5							1			
32.	3	14	2	7	4	4	2	2	34	14	11	
33.				2					1		1	
34.									9	1	2	
35.												
36.		1							1	1	2	
37.	1	2	1	1		1	1		1		1	
38.		1	1				1		7		1	
39.	1	1	1				1		5		1	
40.	2	2	3	5	1	2	1	1	4	4	4	
41.				1								
42.		1						1			1	
43.	1	1	3	2		3	1	1	7	1	1	1
44.	7	3	1	2	6	4	4	3	18	3	2	
45.	1			1							1	
46.	2	1		1	2	3		1	6		3	
47.	4	7		6	3	5		2	15	5	2	
48.	22	24	9	22	9	11	9	4	67	22	20	4
49.	12	7	6	3	9	4	1	7	25	5	11	
50.	14	8	4	8	2	10	3	1	22	8	5	3
51.	2				2				6	1	1	
52.		3	1	4		2		2	4	4	1	1

Continued

Cabarrus		Caldwell		Camden		Carteret		Caswell		Catawba		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
339	65	257	35	36	17	179	39	61	67	384	53	Total
3	2						1		2	2		1.
									1			2.
												3.
												4.
												5.
												6.
												7.
												8.
												9.
												10.
		1										11.
												12.
												13.
												14.
												15.
												16.
												17.
43	5	34	7	8	5	27	6	8	9	51	3	18.
	1	1						1	1	2		19.
6	2	5	1			6		2		7		20.
												21.
55	7	26	3	8	4	21	6	9	5	39	6	22.
						1			1			23.
1		1										24.
1		1		2					1	9		25.
80	11	58	4	7	3	48	3	16	11	79	9	26.
5		6	3	2	1	6		1	1	23	1	27.
5	6	7	1	1	1	9	3	2	3	15	1	28.
33	7	16	5	1	1	6	4	2	6	30	9	29.
3	1	3	2				1	1	1	3		30.
	1	2						1	1	2		31.
12	6	6	1	2		2	2	1	2	7	3	32.
2		1										33.
2						2		1		3		34.
		1								1		35.
3		3				2				2		36.
		1						1		1	2	37.
	1		1			1						38.
2		1								2		39.
1		2				6			1	3		40.
												41.
	2		2						1	1		42.
5		4	1			4		1		4	1	43.
8		12				2	1	2	1	7	2	44.
					1			1				45.
1						1				2		46.
5	1	5		1	1	2	4		2	10		47.
36	6	31	3	2		14	5	7	11	34	7	48.
8	1	15				9	1	2	1	26	1	49.
12	3	10				6	2		2	13	6	50.
6		3		2		4		2	1	6		51.
1	2	1	1						2		2	52.

TABLE 12.—

List num- ber	Chatham		Cherokee		Chowan		Clay		Cleveland		Columbus	
	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white
Total	143	75	133	2	62	68	34	-----	346	103	280	182
1.	-----	-----	-----	-----	-----	-----	1	-----	2	1	1	1
2.	1	1	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
3.	-----	1	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
4.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
5.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
6.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
7.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
8.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
9.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
10.	-----	-----	-----	-----	-----	-----	-----	-----	-----	1	-----	-----
11.	-----	-----	1	-----	-----	-----	-----	-----	1	-----	1	-----
12.	-----	-----	-----	-----	-----	-----	-----	-----	2	-----	-----	-----
13.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
14.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
15.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
16.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
17.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
18.	21	4	20	-----	7	4	4	-----	57	12	27	15
19.	2	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	1
20.	1	2	3	-----	-----	1	-----	-----	4	3	3	2
21.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
22.	18	13	12	-----	10	16	8	-----	55	10	39	23
23.	2	-----	-----	-----	-----	-----	-----	-----	2	2	1	1
24.	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
25.	-----	-----	2	-----	1	1	2	-----	-----	1	2	1
26.	39	16	26	-----	11	7	5	-----	79	12	49	14
27.	4	1	11	-----	5	3	3	-----	14	5	15	1
28.	4	2	3	-----	2	-----	-----	-----	1	1	25	10
29.	9	7	10	2	2	3	-----	-----	10	9	17	19
30.	2	1	-----	-----	-----	1	1	-----	1	-----	3	1
31.	-----	-----	-----	-----	-----	2	-----	-----	1	-----	-----	1
32.	1	1	4	-----	1	3	1	-----	13	9	6	12
33.	-----	-----	-----	-----	-----	1	-----	-----	2	1	-----	-----
34.	1	-----	-----	-----	-----	-----	-----	-----	1	-----	-----	-----
35.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	1
36.	1	-----	-----	-----	-----	-----	-----	-----	2	1	1	1
37.	-----	1	-----	-----	-----	1	-----	-----	2	1	1	5
38.	1	-----	-----	-----	-----	-----	-----	-----	3	-----	1	-----
39.	-----	-----	1	-----	1	-----	1	-----	1	-----	1	1
40.	-----	2	1	-----	2	-----	1	-----	1	3	2	4
41.	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
42.	-----	-----	-----	-----	-----	1	-----	-----	1	1	1	3
43.	2	1	1	-----	1	-----	1	-----	5	2	7	2
44.	1	6	4	-----	1	1	-----	-----	10	2	9	8
45.	-----	-----	-----	-----	-----	1	-----	-----	-----	-----	-----	-----
46.	-----	1	2	-----	-----	1	-----	-----	-----	1	1	-----
47.	4	1	5	-----	3	-----	1	-----	8	2	9	8
48.	19	5	13	-----	8	12	4	-----	29	7	16	25
49.	4	2	6	-----	2	2	-----	-----	19	5	21	9
50.	3	3	6	-----	5	4	1	-----	16	9	13	10
51.	2	1	2	-----	-----	-----	-----	-----	1	-----	2	-----
52.	1	3	-----	-----	-----	-----	-----	-----	2	2	6	3

Continued

Craven		Cumberland		Currituck		Dare		Davidson		Davie		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
236	210	429	287	52	26	37	7	386	91	108	19	Total
1	3	1	3					2		1		1.
	2		1									2.
												3.
												4.
												5.
	1											6.
	1											7.
	1	1	3									8.
												9.
												10.
												11.
												12.
								1				13.
												14.
												15.
												16.
35	15	46	24	8	1	5		46	5	15	2	17.
1	1		1					4	2			18.
2	4	7	6	1				5	1		1	19.
												20.
21	32	44	39	3	1	7	1	65	13	18	4	21.
		1	2									22.
												23.
												24.
2	1	3	1	1				3				25.
55	46	78	15	12	7	12	1	109	14	33	3	26.
11	10	9	10	10	6	2		17	3	3	1	27.
	2	18	7	4		1	2	5		1		28.
9	17	23	22	2	5	1		20	12	3	2	29.
1		1	1							1		30.
1	1	2	1			2						31.
6	7	11	12	2	2	1		7	3	2	1	32.
				1								33.
		2	1					2	1			34.
								1				35.
		4	3					1		2		36.
1	2	1	5		1							37.
	2	1					1	1				38.
3	3	2						4		2		39.
2	4	5	12			2		3	6	4	2	40.
									1			41.
	2		3		1			2				42.
5	2	18	5		1			7	1	1		43.
8	9	21	5				1	6	2		1	44.
1	4	3						1				45.
3	1	6	3					3				46.
8	9	22	12		1			6	5	2		47.
13	8	52	60	4		1		26	8	12		48.
14	5	15	13	1		1		16	3	6	1	49.
28	9	21	10	2		2		18	9	1	1	50.
4		8						5		1		51.
1	6	3	7	1			1		2			52.

TABLE 12.—

List num- ber	Duplin		Durham		Edgecombe		Forsyth		Franklin		Gaston	
	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white
Total	203	141	493	297	195	257	774	526	166	113	616	108
1.			3	3	1	3	6	9		3	3	1
2.				1		5		2				1
3.		2	1								1	2
4.												
5.												
6.												
7.				1								
8.												
9.												
10.											1	
11.							1			1		
12.							1					
13.												
14.										1		
15.												
16.												
17.												
18.	24	14	82	35	16	19	111	61	22	8	92	9
19.				1			2	2			4	
20.	1	2	5	4	1	1	8	7	6	3	8	1
21.												
22.	33	23	67	52	31	28	105	63	23	21	74	18
23.						2	1				3	
24.				1								
25.	1		6	2	2	2	10	13		1	16	1
26.	51	12	135	36	60	24	230	74	53	17	163	19
27.	9	4	18	5	11	10	29	17	5	2	25	4
28.	10	14	3	4	3	4	5	7	3	2	9	2
29.	8	10	20	51	8	27	28	57	10	14	25	7
30.	5	1	1	1		5	2	17	1	3	4	
31.		1				3	2	3			4	
32.	4	7	13	9	5	7	15	26	3	5	11	6
33.	1		2					1	1		2	
34.			3				4	6			4	
35.								2				
36.		1	3			1	1	1			2	1
37.	1			2		7	3	9	1	1	2	2
38.			3					2			2	
39.	1		7	2	4		7	4	3		4	
40.	4	3	1	6	3	6	10	9	2	3	3	4
41.												
42.				2		3		2			2	1
43.	6	3	9		3	3	15	2	3	1	16	3
44.	4	3	7	3	1	7	13	10	1	7	20	2
45.	2		1			1	1	1			3	3
46.	1		2	2	2	3	10	3	1	2	3	
47.	5	1	10	20	4	14	18	19	4	3	14	4
48.	15	21	50	35	16	43	84	61	11	3	46	5
49.	8	9	15	5	10	6	23	7	8	3	15	2
50.	6	7	15	7	10	19	18	13	3	4	28	7
51.	2		11	2	3	1	7		2		6	1
52.	1	3		5	1	3	4	16		5	1	2

Continued

Gates		Graham		Granville		Greene		Guilford		Halifax		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
55	45	45		109	114	62	59	1,094	397	214	312	Total
1		1		1	3	2	3	5	3	3	2	1.
										1		2.
					1			1	4	1	1	3.
												4.
												5.
							1			1		6.
												7.
												8.
								1			1	9.
							1					10.
												11.
												12.
												13.
												14.
												15.
												16.
8	7	6		11	12	9	6	177	26	27	23	17.
		2		1	1			1	4	1	3	18.
				5	2		1	13	6	2	2	19.
								1				20.
7	8	6		21	14	7	4	165	65	46	64	21.
					1							22.
	1				1							23.
						1	1	17	2	1	2	24.
18	4	5		13	11	15	4	301	56	58	25	25.
4	2	1		5	7	3	2	48	18	6	9	26.
	1			8	5	2	2	8	5		7	27.
7	6	3		6	6	7	9	39	49	15	37	28.
							1	8	7	3	1	29.
								3			3	30.
												31.
		3		1	3	1	2	34	25	2	20	32.
									1		1	33.
1		1			1	1	1	12	3			34.
								1				35.
								4	2		1	36.
		1			3		1	2	3		13	37.
				1				1	1			38.
				4		1		4		1	3	39.
	1			9	5	2		11	14	5	1	40.
				1								41.
									2		2	42.
1		1			2			12	6	2	6	43.
	2	1			2	1	3	22	11		3	44.
					1		1	3	1		5	45.
				1				2			2	46.
2		2			5	1	2	17	15	2	18	47.
3	4	9		13	13	3	4	85	36	19	30	48.
2	6	1		2	6	3	4	29	5	7	12	49.
	3			3	6	3	3	50	14	7	13	50.
1		2		2			2	10		3	1	51.
					3		1	7	13	1	1	52.

TABLE 12.—

List num- ber	Harnett		Haywood		Henderson		Hertford		Hoke		Hyde	
	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white
Total	272	111	247	7	249	22	67	128	33	70	58	17
1.	5	2		1	1		1	2				
2.								1				
3.						1		1		2		
4.												
5.												
6.												
7.			1									
8.												
9.												
10.										1		
11.	1						1					
12.												
13.												
14.												
15.												
16.												
17.												
18.	31	11	34	2	52	3	10	14	1	4	9	
19.		1	4		1							
20.	2	1	5	1	2	1		2	1			
21.										1		
22.	45	10	36	1	33	5	11	14	6	11	6	3
23.	1											
24.			1									
25.	3		5		4		1	1				
26.	68	16	55		56	1	11	15	8	10	14	3
27.	10	6	7		13		5	5	3		3	
28.	2		1		2		1	3		1	2	
29.	16	8	18		7		4	17	1	7	2	1
30.	3									2		
31.		2	3					2				
32.	7	7	13	1	12		2	7	2	4	2	2
33.			1		2							
34.	1		1		1	1		1				
35.		1										
36.	1				1			1	1			
37.	1	1				2		3		1		
38.	1				1							
39.	2		1		1	1	3			1	1	
40.	7	1	5		2		2	1		1	1	1
41.			1									
42.	1	1						1				1
43.	8		2		2	1			3			1
44.	5	2	4		6	1	2	2	1	1		
45.			1		2			1		1		
46.	1	4	1		1			2		1		
47.	4	3	2		5	1	1	4	1		1	1
48.	25	16	24	1	27	2	7	15	4	14	11	1
49.	11	5	3		4		1	7	1	5	2	2
50.	5	6	12		10	1	2	5		2	4	1
51.	4		6		1		1					
52.	1	7				1	1	1				

Continued

Iredell		Jackson		Johnston		Jones		Lee		Lenoir		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	ber
357	104	133	11	366	123	53	38	120	64	201	199	Total
				3	4			1		1		1.
												2.
	1						1					3.
												4.
												5.
											1	6.
												7.
												8.
			1		1		1				2	9.
1								1				10.
												11.
												12.
												13.
												14.
												15.
												16.
												17.
50	11	22	1	47	15	13	2	17	6	29	14	18.
1	2			2	2					2		19.
8	2	1		10	1	1	1	1		3	5	20.
				1						1		21.
46	11	12		53	11	11	5	9	5	28	49	22.
				1				1			2	23.
1	1	1		1								24.
2	1	2			3	2	1	1		1		25.
71	10	37	1	82	8	7	3	31	10	47	17	26.
37	11		1	9	2	1	1	3		6	3	27.
4	3	1		12	3	1	1	5	2	7	13	28.
31	8	6		27	10	3	4	9	10	7	24	29.
8	1			1	2	1			1	1	1	30.
1		1								1	1	31.
9	11	4	1	8	4	2		1	6	4	11	32.
				1		1				2		33.
2	2				1			1				34.
		1			1			1				35.
2						1				1	1	36.
				1			1	1			1	37.
				2			1					38.
		1		2		1				1	1	39.
9	4	2		4	4	2	1	1		3	1	40.
												41.
	1	1			1		3		1		1	42.
3		5	1	3	2			4		7	1	43.
9	7		2	7	2		1	2	1	6	3	44.
1	3						1				2	45.
3				1	1	1				1	1	46.
6		1		5	3	1	3	3	3	5	8	47.
27	8	14	2	44	22	1	5	13	11	15	15	48.
8	1	10		17	4	2		7		8	4	49.
11	4	6		11	10	1	1	6	5	11	11	50.
3		5	1	7				1		3		51.
3	1			4	6		1		3		6	52.

TABLE 12.—

List num- ber	Lincoln		McDowell		Macon		Madison		Martin		Mecklenburg	
	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white
Total	169	29	140	14	95	4	141	7	90	104	97	646
1.	1									2	2	3
2.											1	
3.											2	2
4.												
5.												
6.												
7.										1	1	
8.												
9.												
10.										1		
11.											1	1
12.												
13.												
14.												
15.												
16.												
17.												
18.	30	4	14	2	13		13	1	8	6	146	71
19.							1			1	4	2
20.	2		3	2	3		1			2	11	7
21.												
22.	22	5	17		10		22		13	8	95	80
23.											1	
24.	1		1									1
25.	2		1		4		4		1		12	6
26.	41	5	17	3	19	2	33	3	22	10	305	109
27.	6	1	11	1	3		5		7	8	15	22
28.	4	2		1	1		3		1		11	9
29.	12	2	7	1	8		5	1	10	15	33	85
30.			1		1				1	1	4	7
31.											3	
32.	4	1	5		3		9		2	6	27	27
33.	1	1			1						1	2
34.			1		1		1				4	4
35.											1	1
36.		1	1				1			1	4	4
37.	1				1					1	2	5
38.	1									1	5	
39.											11	2
40.	1		2		3		4			2	9	15
41.												1
42.					1					3	1	2
43.	4		2		1	1	2		2		15	14
44.	2	4	6				2		2	2	27	29
45.										1	1	9
46.		1	1				1		1	1	5	3
47.			7		5		4			5	25	20
48.	17		28	3	11		19		6	16	89	39
49.	4		9		2		8		3	2	26	19
50.	8		4		2	1		2	9	5	39	25
51.	4		2	1	1		1		1	1	14	1
52.	1	2			1		2		1	2	4	19

Continued

Mitchell		Montgomery		Moore		Nash		New Hanover		Northampton		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-White	White	Non-white	White	Non-white	
113	2	94	46	185	89	287	269	389	263	92	123	Total
3				3	1	2	3	2	3	3	2	1.
					1	1			2			2.
												3.
												4.
												5.
												6.
												7.
1							4				1	8.
1					1			1	1			9.
												10.
												11.
												12.
												13.
												14.
												15.
												16.
18		11	3	19	6	43	20	68	20	15	7	17.
		1				1			3			18.
2		2	1	2	3	4	3		3	1	1	19.
1												20.
12	1	18	5	27	13	41	35	56	46	11	22	21.
							1				3	22.
							1					23.
4	1	1		2		3			1			24.
18		26	4	50	13	74	46	110	28	23	15	25.
3		3	1	9	3	5	12	10	3	5	6	26.
4		2	2	1	3	1	3	13	3	1	3	27.
9		4	5	12	5	11	26	12	13	5	14	28.
1		2			2	3	4	3	7		3	29.
								1	1			30.
1		2		4	4	7	13	5	17	2	3	31.
		1		1		1						32.
3		1						1				33.
												34.
1							2	3	1			35.
2			1		1		9		2	1	1	36.
			1			2			1			37.
			1	3		1	1	4	4			38.
			3	2		3	7	3	7	5	2	39.
												40.
			1				2		3			41.
1		2		1	1	9	6	2	2		1	42.
1		1	1	6		11	12	7	21	1	4	43.
			1					1			2	44.
					4	1	4	1	3		2	45.
1		2	3	1	5	5	8	11	11	1	9	46.
18		9	5	17	10	29	25	42	23	10	10	47.
3		4	1	11	4	14	8	13	6	3	3	48.
3		1	3	9	8	10	11	14	17	3	6	49.
1		1		4	1	5	1	5	2	2	1	50.
1			4	1			2	1	9		2	51.
												52.

TABLE 12.—

List num- ber	Onslow		Orange		Pamlico		Pasquotank		Pender		Perquimans	
	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white
Total	215	66	143	63	53	33	133	106	72	89	62	41
1.	1	1	1					3		2	1	1
2.	1							1				1
3.												1
4.												
5.												
6.												
7.	1	1										
8.												
9.												
10.							1	2				
11.												
12.												
13.												
14.												
15.												
16.			1									
17.												
18.	15	4	28	5	3	1	25	10	11	5	6	3
19.	2			1			1		1			1
20.	2		1	1				1	1		1	1
21.												
22.	15	10	28	11	7	2	12	5	10	16	13	8
23.			1							1		
24.												
25.	3	1	1	1	1	1		1	1			2
26.	34	8	25	9	14	2	43	18	13	4	12	6
27.	7	3	6				8	2	4	2	11	
28.	4	1	3	1	9	3	2	3	2	5		
29.	5	2	12	6	3		9	10	4	7	3	
30.			1			1		2		1		
31.							1			2		
32.	6	4	5		1	2	6	7	2	5		2
33.												
34.							1		1			
35.						1			1			
36.		2										
37.	1	1			1	2		1		1		2
38.	1		1					1		1		
39.	3						1	1			1	
40.	3	2		2	4	2		1		2		
41.												
42.								1				
43.	10		1	2	2	1	1	1	1	2	2	
44.	23	3	1	1	1	3	2	6	1	5	1	4
45.	1		1	1								
46.	2			1				1				
47.	11	8	3	2	1	1	2	1	3	7	4	1
48.	18	5	8	5	3	6	8	13	10	8	5	3
49.	25	3	6	2	1	1	3	6	2	2	1	3
50.	16	3	6	9	1	4	6	7	2	8	1	1
51.	3	3	3	1	1		1		2			
52.	2	1		2				1		3		1

Continued

Person		Pitt		Polk		Randolph		Richmond		Robeson		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
124	66	261	263	77	21	331	39	212	129	281	426	Total
	1	2	6			1				2	3	1.
		1	1									2.
		1	1			1			1		3	3.
												4.
												5.
												6.
												7.
												8.
			1									9.
		1	1						1			10.
			1				1				1	11.
												12.
												13.
												14.
												15.
												16.
												17.
18	4	30	13	14	3	44	9	25	8	29	24	18.
		1				1		1	1	1	4	19.
3	1	3	3	1	1	4	2	7	2	8	4	20.
												21.
8	8	33	31	15	3	41	2	30	25	41	59	22.
		1	1								1	23.
1		1	1					1				24.
	1	1	5	1		3					2	25.
27	5	68	20	15	1	84	4	55	16	71	33	26.
5		10	11	5	1	24		6	3	2	11	27.
13	4	6	14			1	1	4	4	4	6	28.
8	6	26	50	6	2	27	4	18	17	21	33	29.
	2		2	1		3	1	1	3	1	6	30.
	1	2	2	1		1					1	31.
3	9	8	12	2	1	6	2	6	5	5	28	32.
2			1			1						33.
	2	1	1	2				1			1	34.
				1								35.
	1	1	1						1			36.
			6					2	1	4	9	37.
	1	1									2	38.
		3				4	1			2	3	39.
3		4	4		1	5		1	4	3	9	40.
						1						41.
							1			1	3	42.
6		6	6			4		4		2	8	43.
		3	9		1	9		3	1	7	17	44.
			1						1		2	45.
	2	3	5					1	1		2	46.
7	2	5	7	4		7		5	2	9	12	47.
4	7	16	24	2	2	24	1	19	16	37	92	48.
13	1	12	3	4	2	18	4	12	7	12	13	49.
1	5	4	14	2	2	10	3	7	6	9	18	50.
2	1	6		1		5		1		7	3	51.
	2	1	5		1	2	3	2	3	3	13	52.

TABLE 12.—

List num- ber	Rockingham		Rowan		Rutherford		Sampson		Scotland		Stanly	
	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white
Total	377	113	438	137	284	54	258	146	129	113	236	42
1.		1	2	2	1					2	2	
2.	1		1									
3.			2									
4.												
5.												
6.												
7.		1										
8.												
9.												
10.		1									1	
11.		1					2					
12.												
13.												
14.												
15.												
16.												
17.							1					
18.	50	11	66	10	48	3	37	7	21	5	33	3
19.	1		2	1	1						1	
20.	8		13	3	1	1	4	5	3	2	7	
21.												
22.	47	17	66	18	60	7	37	20	13	11	37	3
23.				1								
24.	1	1										
25.	5		2	1	3	1	1		1	1	1	
26.	81	10	133	23	62	7	62	22	29	11	64	13
27.	14	1	20	12	17	3	5	5	10	3	1	1
28.	23	9	2	4	8	3	3	4	2	6	3	1
29.	21	14	17	16	8	4	16	14	12	17	6	1
30.	4		2	3	3	1	4			1	1	
31.	2	1	2	2								
32.	11	6	7	7	7	4	2	8	1	8	6	
33.			1						2			
34.	6	1	4	1	2				1			
35.					1	1						
36.	4			2	2	1	1					
37.	1				3	1	3	5	2	4		
38.			1		1		1					1
39.	2	1	2		1			1	2		2	
40.	6	4	4	2	2	2	7	1		1	4	5
41.												
42.	1	1	2					1				
43.	4	1	9		6		4	5	3	1	6	1
44.	10	3	7	2	5		5	3	4	2	5	1
45.	1	1	1			1				1	1	
46.	2	2	1	1	2			1	1	2	1	1
47.	8	1	4	2		1	4	8	2	3	4	2
48.	32	8	31	14	23	4	22	16	13	20	27	6
49.	14	5	20	1	10	1	15	7	3	4	13	
50.	8	7	7	8	4	6	16	10	3	3	4	3
51.	7		3		2		5		1		5	
52.	2	4	4	1	1	1	1	3		5	1	

Continued

Stokes		Surry		Swain		Transylvania		Tyrrell		Union		List num- ber
White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	
133	15	302	18	68	11	91	6	31	21	266	86	Total
	1	4		1		1				1		1.
		1									1	2.
												3.
												4.
												5.
				1		1						6.
												7.
			1									8.
												9.
1		1			1							10.
												11.
												12.
												13.
												14.
												15.
												16.
												17.
23	1	46	1	5	1	19	1	3		33	5	18.
1	1	2									1	19.
						2		2		11	1	20.
												21.
11	2	46	4	15	2	7	2	1		19	13	22.
	1							1				23.
											2	24.
1		4		3						4	1	25.
25	2	47	2	18	1	14		10	2	71	8	26.
3		15		2		5		6	5	6	2	27.
4	1	13	1			2		1		5		28.
17	1	23	2	2		12	1	3	4	15	12	29.
4		4		1		4						30.
2		3									5	31.
8	1	10	1	1	1	2			1	4	2	32.
												33.
1		1		1			1			1		34.
										1		35.
						1			1	1	1	36.
1						1			1	2	1	37.
1											1	38.
1		1				1				1		39.
2					1	2				8	6	40.
												41.
											2	42.
1		2		2		1				4	3	43.
1	2	2		1	1	1	1			6	2	44.
				1						1		45.
1	1	1				2			1	2		46.
1		8			2	1				3	2	47.
6		30	5	7		7		1	4	31	8	48.
7		20	1	4	1	1		1	1	15	3	49.
7		13				3		2	1	15	3	50.
2		4		1		1				6		51.
1	1	1		2							1	52.

TABLE 12.—

List number	Vance		Wake		Warren		Washington		Watauga	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	127	106	742	419	60	117	58	63	143	4
1.		1	2	6				1	2	
2.			1	1						
3.		1	1							
4.										
5.										
6.										
7.										
8.	1									
9.										
10.				1						
11.					1	1				
12.										
13.										
14.										
15.										
16.										
17.										
18.	14	12	114	35	3	18	6	2	20	
19.										
20.	1	1	13	5	1	3	2	2	2	
21.			1							
22.	16	12	92	48	15	16	11	9	18	1
23.				1						
24.				1						
25.			6	1	2	2			1	
26.	33	8	194	31	12	10	12	3	33	1
27.	3	2	17	16	2	2	8	7	6	
28.	5	6	47	38	1	2	2	4	4	
29.	9	13	24	44	6	11	3	6	5	
30.	1		6	10	1	2		1		
31.		1	2	2		1			1	
32.	3	6	16	22	1	3	1	1	6	
33.	1									
34.			4	2						
35.			2	1						
36.			3	3	2	1				
37.	1	3		7		2		3	2	
38.			2			1				
39.			8	1						
40.	1	3	4	6		2	2	1	4	
41.										
42.		3		3		2				
43.	3	1	18	4	1			1	3	1
44.		2	23	11	1	1			2	1
45.		5	1	2		1		1		
46.		1	4	4				2	1	
47.	2	1	17	15		7	1	1	2	
48.	17	12	64	39	4	15	6	9	15	
49.	10	4	24	23	1	8	1	2	7	
50.	4	7	21	20	4	5	3	5	4	
51.			10	3	2	1		1	4	
52.	2	1	1	13				1	1	

Continued

[illegible]

TABLE 13.—RESIDENT DEATHS (EXCLUDING STILLBIRTHS) BY CAUSE
PLACE IN NORTH CAROLINA HAVING A

List num- ber	Cause of Death (Abbreviated list of selected causes with code numbers opposite each cause)	Total deaths		
		Total	White	Non- white
	Total all causes	8,877	5,371	3,506
1.	Tuberculosis of respiratory system (001-008)	74	29	45
2.	Tuberculosis, other forms (010-019)	10	1	9
3.	Syphilis (020-029)	21	9	12
4.	Typhoid fever (040)			
5.	Paratyphoid fever (041)			
6.	Amebic dysentery (046)			
7.	Other forms of dysentery (045, 047, 048)	4	1	3
8.	Scarlet fever (050)			
9.	Diphtheria (055)			
10.	Whooping cough (056)	7	2	5
11.	Meningococcal infections (057)	7	4	3
12.	Acute poliomyelitis (080)	3	3	
13.	Smallpox (084)			
14.	Measles (085)			
15.	Typhus fever, murine (101)			
16.	Rocky Mountain spotted fever (104)			
17.	Malaria (110-117)			
18.	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	1,175	840	335
19.	Benign and unspecified neoplasms (210-239)	35	15	20
20.	Diabetes mellitus (260)	124	70	54
21.	Pellagra (281)	2	2	
22.	Vascular lesions affecting central nervous system (330-334)	1,152	661	491
23.	Meningitis, except meningococcal and tuberculous (340)	10	6	4
24.	Rheumatic fever (400-402)	1		1
25.	Chronic rheumatic heart disease (410-416)	79	50	29
26.	Arteriosclerotic heart disease, including coronary disease (420)	2,036	1,555	481
27.	Nonrheumatic chronic endocarditis and other myocardial degeneration (421, 422)	261	154	107
28.	Other diseases of the heart (430-434)	214	105	109
29.	Hypertension with heart disease (440-443)	589	204	385
30.	Hypertension without mention of heart (444-447)	80	24	56
31.	Influenza (480-483)	24	14	10
32.	Pneumonia (490-493)	289	118	171
33.	Bronchitis (500-502)	11	6	5
34.	Ulcer of stomach and duodenum (540-541)	65	46	19
35.	Appendicitis (550-553)	6	3	3
36.	Hernia and intestinal obstruction (560, 561, 570)	34	17	17
37.	Gastritis, duodenitis, enteritis, and colitis (under 2 years) (543, 571.0, 572, 764)	45	11	34
38.	Gastritis, duodenitis, enteritis, and colitis (2 years and over) (543, 571.1, 572)	20	12	8
39.	Cirrhosis of liver (581)	64	47	17
40.	Nephritis and nephrosis (590-594)	156	52	104
41.	Sepsis of pregnancy, childbirth and the puerperium (640, 641, 651, 681, 682, 684)	1		1
42.	Other diseases of pregnancy, childbirth, and the puerperium (642-650, 652-660, 670-680, 683, 685-689)	24	3	21
43.	Congenital malformations (750-759)	132	91	41
44.	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	237	128	109
45.	Infections of newborn, except diarrhea of newborn (763, 765-768)	28	8	20
46.	Other diseases peculiar to early infancy (769-773)	54	30	24
47.	Immaturity with mention of any other subsidiary condition and immaturity unqualified (774, 776)	235	109	126
48.	All other diseases (residual)	835	498	337
49.	Motor vehicle accidents (810-835)	226	174	52
50.	All other accidents (800-802, 840-962)	342	199	143
51.	Suicide (963, 970-979)	66	57	9
52.	Homicide and injury resulting from operations of war (964, 965, 980-999)	99	13	86

(ABBREVIATED LIST OF 52 CAUSES), BY COLOR: EACH INCORPORATED
POPULATION OF 10,000 OR MORE, 1955

Albemarle		Asheville		Burlington		Charlotte		Concord		Durham		List num- ber
White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	
85	17	406	166	136	30	640	520	97	26	327	236	Total
1		2	3	1		2	2	1	1	2	2	1.
		1									1	2.
		2	2			1	1			1		3.
												4.
												5.
												6.
						1					1	7.
												8.
												9.
						1	1					10.
												11.
												12.
												13.
												14.
												15.
												16.
												17.
10		72	21	15	3	101	55	16	2	58	32	18.
		1	2	1		2	2		1			19.
1		5	1			7	6	1	1	3	3	20.
												21.
14	1	47	23	18	4	57	68	17	3	46	43	22.
				1								23.
							1					24.
		2	2	1		4	5			4	2	25.
33	5	135	25	44	5	207	90	20	2	89	26	26.
	1	11	6	4	1	9	15	2		7	3	27.
2	1	4	4	1	1	8	8	1	5	2	2	28.
1		24	16	5	1	20	71	8	2	17	42	29.
		2			3	3	6	1			1	30.
						1						31.
1		13	11	2	1	18	21	3	2	8	8	32.
							2	1				33.
		6	1	3		4	4	1		2		34.
				1								35.
			1			4	3			1		36.
						2	5				2	37.
		3		1		4			1	2		38.
1		5		1		8	2	1		4	2	39.
	3	2	4	3	1	7	10	1			5	40.
												41.
				1		1	1				1	42.
1	1		1	2	1	11	12	1		6		43.
3		4	2	2	4	15	24	4		6	2	44.
1						1	8			1		45.
		1				3	2			2	2	46.
1	1	4	5	4	1	15	18	3		8	15	47.
7	2	35	21	10	2	64	31	9	2	37	27	48.
7		11	4	8		21	12	1		6	4	49.
	2	11	6	6	1	26	20	4	3	9	5	50.
1		1	1	1		10	1	1		6	2	51.
		2	4		1	2	13		1		3	52.

TABLE 13.—

List num- ber	Elizabeth City		Fayetteville		Gastonia		Goldsboro		Greensboro		Greenville	
	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white
Total	94	73	191	131	198	44	105	113	376	240	89	71
1.		2		2	2			4	4	2		3
2.		1										1
3.					1	1	1			4		
4.												
5.												
6.												
7.												
8.												
9.												
10.	1	1		1				1			1	
11.												1
12.												
13.												
14.												
15.												
16.												
17.												
18.	22	8	22	12	23	3	12	5	75	17	13	3
19.					2			2	1	4	1	
20.		1	4	3	2	1	3	5	5	5	1	1
21.									1			
22.	5	5	16	20	22	11	19	7	52	39	9	13
23.			1	1	1							
24.												
25.			2		3			1	7	1	1	2
26.	31	14	35	7	59	7	28	13	124	35	35	5
27.	6	1	2	5	9	1	4	1	11	13	5	1
28.	1	3	11	2	3	1	5	16	2	2	1	6
29.	8	9	8	8	6	3	1	4	8	28	5	12
30.		1		1	1		1	4	4	5		1
31.			1		1			1	1			
32.	4	3	6	6	3	2	1	13	9	17	4	2
33.					1		1					1
34.			2	1	2		1	1	5	1		
35.												
36.			1	2					1	1		
37.		1	1	2	1			1		2		
38.		1										
39.		1	2		1		4		1		1	
40.		1	3	5	1	2	2	4		9	1	
41.												
42.		1		2				1		1		
43.	1		7	2	4	2	1	2	4	2	2	1
44.	2	3	13	3	9	2	2	3	6	3	1	2
45.			1							1		
46.		1	3	2	2							1
47.	2		12	4	4	2	2	3	3	9		1
48.	6	8	20	30	18	1	10	17	27	20	3	7
49.	2	2	1	3	7	1	3		7	2	1	2
50.	2	4	10	5	8	2	4	3	14	7	1	3
51.	1		5		2	1			2		3	
52.		1	2	2		1		1	2	10		2

Continued

Henderson		Hickory		High Point		Kinston		Lexington		Monroe		List number
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
58	44	111	15	269	71	100	97	85	30	66	23	Total
	1											1.
												2.
												3.
												4.
												5.
												6.
							1					7.
												8.
												9.
												10.
												11.
												12.
												13.
												14.
												15.
												16.
												17.
6	6	16	1	38	6	14	8	7	1	6	2	18.
						1		2	1			19.
		4		3		2	3	1	1	2	1	20.
						1						21.
5	6	11	3	50	8	11	30	11	4	3	3	22.
							2					23.
												24.
		1		4	1					2		25.
20	5	27	4	67	8	23	8	27	3	20	2	26.
	1	5	1	7	1	4	1	6	1	1		27.
2	4	4			1	5	7			1		28.
4	4	6	2	8	11	4	14	3	2	4	4	29.
		1			2							30.
				1		1					2	31.
	2	3		6	2	1	3	2	2	2	1	32.
					1	1						33.
		1		5	1			1	1	1		34.
				1								35.
				1	1	1						36.
1	1			1	1					1		37.
					1						1	38.
				1			1	1				39.
				6	3	2	1	1	4	2		40.
									1			41.
	2				1							42.
2	1	1		3	1	4			1	1	1	43.
	2	2		6	3	2	2	4	1	1	1	44.
	2			2								45.
				2		1		1				46.
2		5		5	3	2	3	1	1	1		47.
8	4	10	1	28	10	8	4	8	3	8	4	48.
6		8		8	2	5	2	4		4		49.
2	2	4	2	13	1	7	5	5	2	4	1	50.
		2		2						2		51.
	1		1	1	2		2		1			52.

TABLE 13.—

List num- ber	New Bern		Raleigh		Reidsville		Rocky Mount		Salisbury		Sanford	
	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white	White	Non- white
Total	85	119	378	229	56	35	168	135	124	60	64	35
1.	1	2	2	5			1	1	1	1		
2.				1				3				
3.		1	1						2			
4.												
5.												
6.												
7.		1										
8.												
9.												
10.						1						
11.											1	
12.												
13.												
14.												
15.												
16.												
17.												
18.	17	9	70	21	5	5	27	11	16	4	12	3
19.	1								1			
20.	1	3	6	3	1		2	1	1	1	1	
21.												
22.	7	14	47	33	7	7	23	18	22	6	4	1
23.										1		
24.												
25.	2		4	1	2		2					
26.	27	31	102	13	9	1	48	21	40	12	17	9
27.	4	4	11	10	1	1	5	9	4	3	1	
28.		2	26	24	7	2	1	4	1	1	1	2
29.	5	9	5	22	2	4	2	16	4	13	4	6
30.			3	7			2	2				1
31.		1						2	1	1		
32.	2	4	6	12	2	3	4	4	2	4	1	2
33.									1			
34.			1	2	4				1			
35.			1									
36.			2	3				2		2		
37.	1	2		3				2			1	
38.		1					1					
39.	1	2	2	1			3	1				
40.	1	2	2	3	2	1	2	3	1	1		
41.												
42.				1				1				1
43.	1	1	9	3	1		7	1	2		3	
44.		3	13	7	2		2	5	2		2	
45.		3	1	2		1			1			
46.			2	3		1	2	2				
47.	4	7	10	9	1	1	4	3	1	1	1	2
48.	4	6	32	21	3	2	11	17	12	5	11	6
49.	1	1	9	6	4		7		4		2	
50.	4	6	11	3	3	4	9	6	1	4	2	1
51.	1			2			3		1			
52.		4		8		1			2			1

Continued

Shelby		Statesville		Thomasville		Wilmington		Wilson		Winston-Salem		List number
White	Non-White	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	
102	38	104	48	57	25	277	224	114	136	409	475	Total
1				2		2	2	1	3	3	9	1.
											2	2.
			1				2					3.
												4.
												5.
												6.
												7.
												8.
												9.
	1											10.
1						1	1					11.
2										1		12.
												13.
												14.
												15.
												16.
												17.
23	6	16	8	7	1	43	19	8	11	70	52	18.
1			1		1		3		1	1	2	19.
2	1	1		2			3	5	3	4	7	20.
												21.
10	6	12	4	15	4	43	39	7	11	51	57	22.
2										1		23.
												24.
			1	3			1			6	12	25.
23	6	23	4	7	3	75	25	36	22	124	70	26.
5	5	7	5			9	2	1	2	13	13	27.
			1	1		11	3	3	2	1	5	28.
2	3	12	3	2	8	9	11	4	5	13	52	29.
1		1				2	7	1	1	1	14	30.
1						1	1	4		1	2	31.
4	1	2	7	1		2	10	1	4	5	24	32.
1											1	33.
		2	1			1				3	6	34.
									1		2	35.
		1		1		3	1	1			1	36.
							2		2	2	8	37.
						1	1				2	38.
				1		3	3	1		5	4	39.
		2	2			1	7	7	25	3	8	40.
												41.
1			1				3		2		2	42.
1		2		1		1	2	7	4	5	2	43.
4	1	3	1			7	19	3	6	8	10	44.
			1						1		1	45.
	1	1		1			3	4	3	5	3	46.
2		3		1	2	4	8		8	4	19	47.
5		9	3	5	3	34	20	11	8	45	52	48.
6		3		2	1	9	3		1	17	6	49.
4	5	4	3	3	2	10	14	6	9	12	12	50.
				2		5	2	2		4		51.
	2		1			1	7		1	1	15	52.

TABLE 14.—DEATHS (EXCLUDING STILLBIRTHS) FROM

Year	Total deaths	Typhoid and paratyphoid fever	Undulant fever	Meningococcal infections	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Tetanus	Tuberculosis, respiratory	Tuberculosis, all other	Gonorrhea
1916.....	31,389	702	-----	60	62	402	410	42	69	3,129	448	15
1917.....	33,969	728	-----	22	41	562	315	68	55	2,975	424	12
1918.....	42,274	568	-----	45	23	705	251	68	72	3,029	383	15
1919.....	30,947	444	-----	17	24	218	271	36	59	2,753	357	8
1920.....	32,654	322	-----	35	39	357	299	55	59	2,660	344	16
1921.....	29,454	314	-----	35	45	385	372	51	53	2,492	247	24
1922.....	30,821	298	-----	24	77	203	513	62	47	2,451	265	11
1923.....	32,142	260	-----	30	30	492	350	58	51	2,428	239	16
1924.....	33,238	270	-----	21	36	497	330	47	58	2,497	276	14
1925.....	32,548	279	-----	24	30	153	303	51	38	2,539	255	36
1926.....	34,562	277	-----	29	35	298	262	55	39	2,521	273	27
1927.....	32,917	234	-----	28	34	624	277	39	21	2,319	259	18
1928.....	36,160	191	1	21	41	188	369	53	37	2,238	217	27
1929.....	36,919	166	2	35	55	280	343	51	36	2,392	244	28
1930.....	35,782	163	1	68	44	305	282	68	40	2,236	252	34
1931.....	33,116	162	2	44	64	199	244	52	35	2,143	206	29
1932.....	31,051	163	2	26	34	242	166	34	30	2,030	194	35
1933.....	30,547	128	3	32	50	205	216	45	28	1,935	183	34
1934.....	35,180	90	2	35	39	424	199	54	26	1,956	202	42
1935.....	33,485	82	-----	39	22	307	162	45	28	1,764	173	39
1936.....	35,630	71	1	65	21	36	188	30	37	1,902	190	16
1937.....	33,981	78	2	45	20	168	160	34	22	1,765	159	8
1938.....	33,599	74	3	32	22	265	168	20	39	1,710	159	6
1939.....	31,652	51	5	30	12	229	164	16	21	1,463	151	7
1940.....	31,904	38	4	22	10	90	107	10	10	1,492	116	7
1941.....	31,752	29	-----	20	12	199	83	11	16	1,415	156	1
1942.....	29,414	19	2	32	8	104	76	8	15	1,326	135	2
1943.....	29,971	16	1	73	12	116	53	5	16	1,257	109	8
1944.....	29,390	10	1	61	5	145	40	5	15	1,145	94	8
1945.....	28,897	13	-----	53	6	97	96	4	14	1,159	103	9
1946.....	28,724	8	1	30	3	59	46	7	10	1,096	86	6
1947.....	30,187	7	-----	31	2	54	32	1	18	1,047	81	7
1948.....	30,161	8	-----	20	1	44	30	2	18	882	67	5
1949***	31,009	5	1	32	1	34	25	2	14	889	83	1
1950***	31,130	1	2	28	3	60	26	-----	8	706	52	1
1951***	31,371	3	2	41	1	53	19	1	17	577	50	6
1952***	32,259	3	1	42	4	5	9	-----	20	500	48	2
1953***	31,797	4	-----	33	6	7	9	-----	12	366	42	-----
1954***	31,482	1	-----	41	1	11	7	1	12	282	29	-----
1955***	32,215	1	-----	30	1	31	4	-----	12	228	30	-----

*1916-1953 data from NOVS reports; 1954, 1955 from N. C. reports. Data by place of occurrence, 1916-1938; by place of residence, 1939-1955.

**Includes all accidents except motor vehicle; legal executions included 1916-1929.

***Coded by the 6th Revision of the International Classification.

SELECTED CAUSES: NORTH CAROLINA, 1916-1955*

Year	Dysentery	Malaria	Syphilis	Influenza	Smallpox	Measles	Polio-myelitis	Cancer	Acute rheumatic fever	Diabetes mellitus	Pellagra	Alcoholism
1916.....	457	337	305	634	13	171	49	1,083	103	160	485	32
1917.....	610	268	273	403	13	1,042	34	1,046	103	159	620	20
1918.....	556	189	243	7,948	3	308	21	1,072	108	179	696	12
1919.....	291	201	173	3,802	9	125	18	1,003	92	158	400	21
1920.....	324	210	223	2,995	28	62	22	1,017	79	198	318	27
1921.....	261	180	228	378	20	147	26	1,120	85	195	338	35
1922.....	232	183	217	1,362	8	25	20	1,228	77	231	330	26
1923.....	217	169	249	1,653	13	588	25	1,220	75	232	239	24
1924.....	184	145	273	748	29	456	27	1,304	96	245	281	41
1925.....	187	141	241	1,089	5	16	25	1,328	73	222	382	45
1926.....	186	102	301	1,619	14	96	52	1,405	84	265	455	51
1927.....	164	60	299	1,088	15	246	18	1,458	77	243	671	37
1928.....	189	64	327	1,567	17	515	28	1,520	89	280	851	57
1929.....	153	64	325	2,304	2	20	21	1,602	107	308	950	54
1930.....	156	47	379	789	6	5	18	1,525	82	318	1,031	72
1931.....	111	46	334	1,150	2	113	37	1,549	71	341	695	82
1932.....	84	53	280	819	-----	61	24	1,639	80	396	479	66
1933.....	92	51	316	1,027	-----	90	18	1,728	67	368	392	92
1934.....	128	66	403	822	-----	334	17	1,763	74	384	438	127
1935.....	98	91	380	1,028	-----	70	72	1,780	47	366	383	130
1936.....	124	150	430	1,179	-----	9	18	1,784	57	412	351	92
1937.....	110	87	434	857	1	39	27	1,898	50	388	332	104
1938.....	110	70	445	500	1	251	15	1,914	74	381	254	79
1939.....	80	53	454	629	-----	62	14	2,007	50	494	205	94
1940.....	60	60	442	691	-----	11	16	2,092	67	503	167	73
1941.....	88	28	379	823	-----	104	17	2,089	56	472	144	68
1942.....	53	33	328	299	-----	55	12	2,249	60	455	116	61
1943.....	57	22	312	498	1	24	16	2,391	54	485	105	43
1944.....	36	25	292	515	-----	59	40	2,328	44	509	70	61
1945.....	38	24	293	386	-----	7	13	2,504	43	465	72	57
1946.....	13	8	245	269	-----	43	16	2,523	35	498	73	67
1947.....	18	2	266	272	-----	25	21	2,766	36	575	57	94
1948.....	17	1	194	159	-----	6	143	2,855	30	564	40	99
1949***	36	3	193	170	-----	91	16	3,261	107	402	22	82
1950***	29	2	165	252	-----	16	24	3,187	55	400	26	82
1951***	22	3	122	179	-----	6	11	3,305	59	385	12	103
1952***	29	3	106	247	-----	22	24	3,370	55	388	12	95
1953***	19	-----	78	347	-----	19	35	3,570	60	436	11	85
1954***	11	-----	58	101	-----	35	22	3,768	33	422	6	87
1955***	13	2	52	110	-----	3	7	3,942	28	468	6	108

TABLE 14.—

Year	Intracranial vascular lesions	Diseases of the heart	Pneumonia	Diarrhea and enteritis (under 2 years)	Diarrhea and enteritis (2 years and over)	Appendicitis	Nephritis	Premature birth	Senility	Suicide	Homicide
1916.....	1,882	2,372	2,517	1,871	474	183	1,745	1,243	633	82	203
1917.....	2,053	2,574	2,595	2,364	684	203	2,049	1,255	750	76	179
1918.....	2,033	2,617	4,210	1,997	631	201	2,043	1,272	616	99	187
1919.....	1,906	2,227	2,155	1,410	374	219	1,745	1,220	537	83	217
1920.....	2,132	2,634	2,626	1,398	352	222	1,926	1,413	598	100	252
1921.....	2,071	2,853	1,958	1,708	402	246	2,038	1,361	540	113	224
1922.....	2,343	2,918	2,331	1,437	313	249	2,216	1,405	597	110	244
1923.....	2,410	3,014	2,439	1,456	375	278	2,230	1,476	586	101	267
1924.....	2,646	3,465	2,804	1,481	331	335	2,478	1,598	525	111	284
1925.....	2,582	3,574	2,414	1,472	250	318	2,821	1,560	562	128	260
1926.....	2,628	3,869	2,677	1,442	306	327	2,879	1,500	516	159	287
1927.....	2,573	3,858	2,186	1,155	275	297	2,735	1,523	434	132	280
1928.....	2,778	4,356	2,795	1,284	270	321	2,968	1,687	431	188	306
1929.....	3,081	4,717	2,714	973	279	301	3,194	1,463	433	234	329
1930.....	3,030	4,922	2,703	1,091	277	318	3,285	1,491	620	275	349
1931.....	2,717	4,520	2,503	831	201	301	3,005	1,309	438	319	339
1932.....	2,691	4,593	2,545	650	172	302	3,006	1,395	355	286	394
1933.....	2,569	4,709	2,081	805	195	304	2,906	1,376	329	267	434
1934.....	2,928	5,446	3,173	996	230	332	3,325	1,625	374	238	468
1935.....	2,937	5,399	2,803	828	145	313	3,094	1,519	296	272	391
1936.....	3,331	6,053	3,290	805	198	312	3,391	1,391	354	296	392
1937.....	2,989	5,905	2,988	838	173	321	3,011	1,514	332	300	393
1938.....	3,144	6,184	2,745	1,009	175	285	3,004	1,438	291	336	349
1939.....	3,091	5,455	2,164	637	165	278	3,445	1,380	257	286	356
1940.....	3,164	5,413	2,003	490	130	224	3,433	1,329	301	291	388
1941.....	2,991	5,978	1,900	692	116	230	3,273	1,284	276	286	374
1942.....	3,055	5,830	1,617	446	76	212	2,983	1,285	300	245	362
1943.....	3,114	6,182	1,663	424	87	166	2,973	1,233	257	251	261
1944.....	3,103	6,390	1,477	494	71	147	2,952	1,146	262	221	299
1945.....	3,162	6,456	1,488	407	69	160	2,910	1,089	242	246	307
1946.....	3,052	6,682	1,312	189	58	113	2,734	1,359	208	290	362
1947.....	3,369	7,492	1,309	156	60	96	2,577	1,364	240	316	418
1948.....	3,355	8,048	1,313	176	53	92	2,431	1,309	202	322	419
1949***	3,810	9,567	1,126	272	68	79	888	958	163	290	377
1950**	3,924	10,139	1,159	291	71	84	852	879	124	348	380
1951***	4,152	10,338	1,067	250	51	65	705	910	113	292	336
1952***	4,186	10,813	1,085	348	79	53	712	905	105	338	393
1953***	4,114	10,657	1,191	257	62	40	623	867	116	322	361
1954***	4,241	10,750	1,029	192	51	36	552	794	91	355	364
1955***	4,393	11,154	1,089	209	74	32	528	813	78	326	333

*1916-1953 data from NOVS reports; 1954, 1955 from N. C. reports. Data by place of occurrence, 1916-1938; by place of residence, 1939-1955.

**Includes all accidents except motor vehicle; legal executions included 1916-1929.

***Coded by the 6th Revision of the International Classification.

Continued

Year	Motor vehicle accidents	All other accidents**	Conflagration	Lightning	Ill-defined and not specified	Infant deaths	Maternal deaths
1916.....	54	1,312	24	17	2,676	7,112	593
1917.....	65	1,378	42	24	2,931	7,601	629
1918.....	79	1,242	34	23	3,328	7,686	815
1919.....	104	1,210	18	18	2,593	6,223	684
1920.....	133	1,307	28	15	3,063	6,909	814
1921.....	139	1,245	12	18	2,880	6,633	650
1922.....	169	1,303	27	18	2,836	6,510	651
1923.....	258	1,350	27	32	2,607	6,813	670
1924.....	328	1,361	39	15	2,773	7,208	678
1925.....	410	1,348	36	30	2,590	6,595	725
1926.....	508	1,371	38	18	2,608	6,769	726
1927.....	538	1,301	27	20	2,760	6,588	547
1928.....	620	1,340	37	23	2,996	6,935	635
1929.....	636	1,307	21	18	2,875	6,106	651
1930.....	682	1,294	34	17	2,619	6,037	639
1931.....	696	1,290	53	36	2,381	5,455	596
1932.....	598	1,153	40	6	1,406	5,183	529
1933.....	776	1,226	41	16	1,035	4,977	514
1934.....	928	1,395	61	17	1,045	6,212	569
1935.....	1,015	1,386	49	16	1,100	5,422	511
1936.....	979	1,466	46	22	1,179	5,247	502
1937.....	1,045	1,391	44	23	1,142	5,180	429
1938.....	910	1,245	60	21	1,067	5,487	421
1939.....	903	1,312	61	21	1,056	4,676	371
1940.....	1,013	1,319	53	17	1,075	4,631	412
1941.....	1,261	1,260	69	17	1,108	5,053	336
1942.....	827	1,345	63	17	1,050	4,342	307
1943.....	729	1,472	70	22	878	4,416	306
1944.....	694	1,491	73	23	790	4,115	266
1945.....	767	1,318	74	11	652	3,782	248
1946.....	1,052	1,313	85	15	653	3,742	203
1947.....	879	1,424	93	15	722	3,938	192
1948.....	827	1,417	118	9	712	3,858	207
1949***.....	940	1,295	115	9	666	4,113	127
1950***.....	1,113	1,258	72	14	670	3,674	126
1951***.....	1,159	1,336	107	11	658	3,630	123
1952***.....	1,190	1,360	108	13	649	3,968	113
1953***.....	1,161	1,302	115	5	473	3,658	109
1954***.....	1,061	1,441	69	11	481	3,447	91
1955***.....	1,206	1,292	124	12	599	3,492	100

TABLE 15.—LEADING CAUSES OF RESIDENT DEATHS (EXCLUDING STILLBIRTHS)
BY AGE, COLOR, AND SEX: NORTH CAROLINA, FIVE-YEAR AVERAGE, 1951-1955

Cause of death (International code number follows each cause)	Total*		White				Nonwhite			
			Male		Female		Male		Female	
	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.
ALL AGES (Ten leading causes)										
Total all causes.....		31,714		12,490		8,669		5,791		4,764
Diseases of the heart (410-443).....	1	10,721	1	4,828	1	2,882	1	1,636	1	1,376
Vascular lesions affecting central nervous system (330-334).....	2	4,178	2	1,434	3	1,351	2	688	2	705
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205).....	3	3,577	3	1,344	2	1,399	3	372	3	462
Influenza and pneumonia, including pneu- monia of the newborn (480-483, 490-493, 763).....	4	1,375	6	358	4	319	4	367	4	331
All accidents (except motor vehicle) (800-802, 840-962).....	5	1,303	5	568	5	247	5	339	6	148
Motor vehicle accidents (810-835).....	6	1,148	4	657	8	174	6	257		
Immaturity (774, 776).....	7	848	7	261	6	187	7	212	5	188
Nephritis and nephrosis (590-594).....	8	625	10	189			9	150	7	140
Congenital malformations (750-759).....	9	512	9	210	9	170				
Arteriosclerosis (450).....	10	481			7	179				
Suicide (970-979, 963).....		325	8	239						
Diabetes mellitus (260).....		427			10	169			10	78
Homicide and legal executions (980-985, 964).....		357					8	201		
Tuberculosis, all forms (001-019).....		429					10	141	8	108
Dysentery, gastritis, duodenitis, enteritis, colitis and diarrhea of newborn (045-048, 543, 571, 572, 764).....		333							9	100
UNDER 1 YEAR (Seven leading causes)										
Total all causes.....		3,626		1,056		746		1,009		815
Immaturity (774, 776).....	1	848	1	261	1	187	1	212	1	188
Influenza and pneumonia, including pneu- monia of newborn (480-483, 490-493, 763).....	2	527	5	95	5	77	2	190	2	166
Postnatal asphyxia and atelectasis (762)....	3	402	3	151	3	90	4	94	4	67
Congenital malformations (750-759).....	4	400	2	164	2	131	6	65	7	41
Birth injuries (760, 761).....	5	329	4	126	4	81	5	72	5	51
Dysentery, gastritis, duodenitis, enteritis, colitis and diarrhea of newborn (045-048) 543, 571, 572, 764).....	6	240	6	35	7	22	3	102	3	82
All accidents (except motor vehicle) 800-802, 840-962).....	7	159	7	34	6	27	7	56	6	42

*Where the "total" does not equal the sum of the four classes it is due to rounding off or because a particular cause of death was not a leading cause in all classes

TABLE 15.—Continued

Cause of death (International code number follows each cause)	Total*		White				Nonwhite			
			Male		Female		Male		Female	
	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.
1-4 YEARS (Six leading causes)										
Total all causes		591		173		139		154		125
All accidents (except motor vehicle) (800-802, 840-962)	1	105	1	28	1	20	2	30	2	27
Influenza and pneumonia (480-483, 490-493)	2	103	3	20	2	18	1	34	1	31
Motor vehicle accidents (810-835)	3	61	2	25	4	16	3	13	4	7
Congenital malformations (750-759)	4	48	4	18	2	18	6	5	4	7
Malignant neoplasms including lymphatic and hematopoietic tissues (140-205)	5	39	5	16	5	13	5	6	6	5
Dysentery gastritis duodenitis enteritis and colitis (045-048, 543, 571, 572)	6	35	6	8	6	6	4	12	3	10
5-14 YEARS (Six leading causes)										
Total all causes		494		190		120		108		76
All accidents (except motor vehicle) (800-802, 840-962)	1	111	1	47	2	17	1	32	1	15
Motor vehicle accidents (810-835)	2	99	2	46	1	27	2	18	2	8
Malignant neoplasms including lymphatic and hematopoietic tissues (140-205)	3	50	3	25	3	14	4	6	4	5
Influenza and pneumonia (480-483, 490-493)	4	29	5	6	4	8	3	9	3	6
Congenital malformations (750-759)	5	19	4	9	5	6				
Rheumatic fever (400-402)	6	16			6	4	5	4	4	5
Acute poliomyelitis (080)		8	6	5						
Diseases of the heart (410-443)		15			6	4	5	4	6	4
15-24 YEARS (Six leading causes)										
Total all causes		948		406		150		238		155
Motor vehicle accidents (810-835)	1	301	1	192	1	38	1	61	5	11
All accidents (except motor vehicle) (800-802, 840-962)	2	153	2	85	3	12	2	48	6	8
Homicide and legal executions (980-985, 964)	3	71	6	9			3	46	4	12
Diseases of the heart (410-443)	4	58	4	18	4	10	4	13	3	17
Malignant neoplasms including lymphatic and hematopoietic tissues (140-205)	5	55	3	22	2	16	6	9		
Tuberculosis, all forms (001-019)	6	34					5	10	2	19
Suicide (970-979, 963)		27	5	16						
Deliveries and complications of pregnancy, childbirth and the puerperium (640-689)		32			4	10			1	23
Nephritis and nephrosis (590-594)		24			6	8				

*Where the "total" does not equal the sum of the four classes it is due to rounding off or because a particular cause of death was not a leading cause in all classes.

TABLE 15.—Continued

Cause of death (International code number follows each cause)	Total*		White				Nonwhite			
			Male		Female		Male		Female	
	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.
25-44 YEARS (Eight leading causes)										
Total all causes		3,572		1,298		626		911		737
Diseases of the heart (410-443)	1	792	1	307	2	99	1	201	1	185
Malignant neoplasms including lymphatic and hematopoietic tissues (140-205)	2	429	4	117	1	182	7	35	2	96
Motor vehicle accidents (810-835)	3	390	2	233	4	42	3	98		
All accidents (except motor vehicle) (800-802, 840-962)	4	304	3	169	5	24	4	90		
Vascular lesions affecting central nervous system (330-334)	5	237	6	50	3	44	5	73	3	70
Homicide and legal executions (980-985, 964)	6	211	7	42			2	121	6	35
Tuberculosis, all forms (001-019)	7	135				16	6	49	5	46
Suicide (970-979, 963)	8	133	5	91	7	23				
Nephritis and nephrosis (590-594)		104	8	31					7	34
Deliveries and complications of pregnancy, childbirth and the puerperium (640-689)		72			5	24			4	48
Influenza and pneumonia (480-483, 490- 493)		80					8	27	8	24
45-64 YEARS (Eight leading causes)										
Total all causes		8,670		3,647		1,815		1,782		1,425
Diseases of the heart (410-443)	1	3,587	1	1,770	1	557	1	721	1	539
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	2	1,458	2	514	2	554	3	168	3	222
Vascular lesions affecting central nervous system (330-334)	3	1,219	3	357	3	264	2	301	2	297
All accidents (except motor vehicle) (800-802, 840-962)	4	204	4	110	7	26	6	54		
Nephritis and nephrosis (590-594)	5	196			6	30	4	61	4	50
Motor vehicle accidents (810-835)	6	192	6	99	5	32	7	49		
Influenza and pneumonia (480-483, 490- 493)	7	159			7	26	8	47	5	40
Tuberculosis, all forms (001-019)	8	158	8	56			5	59	7	27
Suicide (970-979, 963)		128	5	101						
Cirrhosis of liver (581)		96	7	58						
Diabetes mellitus (260)		144			4	44			6	37
Hypertension without mention of heart (444-447)		113							8	23

*Where the "total" does not equal the sum of the four classes it is due to rounding off or because a particular cause of death was not a leading cause in all classes.

TABLE 15.—Continued

Cause of death (International code number follows each cause)	Total*		White				Nonwhite			
			Male		Female		Male		Female	
	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.	Rank	Av. No.
65 YEARS AND OVER (Eight leading causes)										
Total all causes		13,809		5,718		5,073		1,587		1,431
Diseases of the heart (410-443)	1	6,250	1	2,725	1	2,209	1	692	1	624
Vascular lesions affecting central nervous system (330-334)	2	2,692	2	1,019	2	1,035	2	307	2	331
Malignant neoplasms, including lymphatic and hematopoietic tissues (140-205)	3	1,539	3	647	3	618	3	148	3	125
Influenza and pneumonia (480-483, 490-493)	4	453	5	167	4	174	5	55	4	57
Arteriosclerosis (450)	5	432	4	171	5	172	6	46	6	43
Nephritis and nephrosis (590-594)	6	284	7	91	8	89	4	58	5	46
All accidents (except motor vehicle) (800-802, 840-962)	7	266	6	96	6	121	7	29		
Diabetes mellitus (260)	8	228	8	76	7	111			7	27
Hyperplasia of prostate (610)		83					8	24		
Hypertension without mention of heart (444-447)		150							8	23

*Where the "total" does not equal the sum of the four classes it is due to rounding off or because a particular cause of death was not a leading cause in all classes.

TABLE 16.—MOTOR VEHICLE AND NONMOTOR VEHICLE ACCIDENTAL DEATHS BY PLACE OF OCCURRENCE: NORTH CAROLINA, EACH COUNTY AND EACH INCORPORATED PLACE HAVING A POPULATION OF 10,000 OR MORE, 1955

Area	All acci- dents	Motor vehicle		Nonmotor vehicle				
		Traffic	Non- traffic	Railway, water transport, and other road vehicle	Aircraft	All other		
						870-936, 940-962		
						Home .0, .7	Farm .1	Other .2-.6, .8, .9
International list number	800-962	810-825	830-835	800-802, 840-845, 850-858	860-866			
NORTH CAROLINA.....	2,489	1,187	32	90	38	657	95	390
Alamance.....	22	14				7		1
Burlington.....	3					3		
Alexander.....	4	2				1		1
Alleghany.....	9	2				2	1	4
Anson.....	16	7	1			3	1	4
Ashe.....	4	2				1	1	
Avery.....								
Beaufort.....	49	23		6	2	11	1	6
Bertie.....	18	5		1		6	2	4
Bladen.....	22	9		5		4	1	3
Brunswick.....	9	3			1	1		4
Buncombe.....	62	31		2	2	11	4	12
Asheville.....	40	20		2		9	1	8
Burke.....	25	11		1		9		4
Cabarrus.....	27	11		3		5	5	3
Concord.....	13	7				5		1
Caldwell.....	16	7	1			5	1	2
Camden.....	5	3		2				
Carteret.....	26	12		1	4	3		6
Caswell.....	4	4						
Catawba.....	39	24				10		5
Hickory.....	21	12				6		3
Chatham.....	13	8				4		1
Cherokee.....	14	6		1		5	1	1
Chowan.....	11	4			1	2		4
Clay.....								
Cleveland.....	42	19	1	3		12	2	5
Shelby.....	18	8	1	2		6		1
Columbus.....	50	27	2	2		13	3	3
Craven.....	42	16		2	4	9		11
New Bern.....	19	6				8		5
Cumberland.....	81	39	2	3	4	18		15
Fayetteville.....	31	13		2		12		4
Currituck.....	5	1			1	1		2
Dare.....	4	1				2		1
Davidson.....	47	23		1	1	17	1	4
Lexington.....	20	12				7		1
Thomasville.....	8	3				3		2
Davie.....	4	1	1				2	
Duplin.....	25	11		2		5		7

TABLE 16.—Continued

Area	All accidents	Motor vehicle		Nonmotor vehicle				
		Traffic	Non- traffic	Railway, water transport, and other road vehicle	Aircraft	All other		
						870-936, 940-962		
International list number	800-962	810-825	830-835	800-802, 840-845, 850-858	860-866	Home .0, .7	Farm .1	Other .2-.6, 8, 9
Durham.....	70	24	1			20	7	18
Durham.....	52	17	1			16	3	15
Edgecombe.....	37	11	3	1		10	1	11
Rocky Mount.....	4		1			2		1
Forsyth.....	66	28	3	2		19	3	11
Winston-Salem.....	56	21	3	2		18	1	11
Franklin.....	11	7					2	2
Gaston.....	37	11		2		15	1	8
Gastonia.....	22	9				8		5
Gates.....	5	4						1
Graham.....								
Granville.....	16	6				10		
Greene.....	7	3				3		1
Guilford.....	92	33		2	1	33		23
Greensboro.....	45	18				14		13
High Point.....	13	4				7		2
Halifax.....	44	21	2	2		13		6
Harnett.....	33	20				7	2	4
Haywood.....	13	2				5	1	5
Henderson.....	21	7			3	7	1	3
Hertford.....	22	13		1	1	4		3
Hoke.....	9	7				1		1
Hyde.....	6				1	1		4
Iredell.....	30	12		3		11	1	3
Statesville.....	14	6				5	1	2
Jackson.....	16	9				3	1	3
Johnston.....	36	19		2		7	3	5
Jones.....	2	1	1					
Lee.....	19	6		1		7		5
Sanford.....	13	5				5		3
Lenoir.....	34	12		2		12	2	6
Kinston.....	19	4		2		8	1	4
Lincoln.....	9	4		2		3		
McDowell.....	11	7		1		2		1
Macon.....	8	5				2		1
Madison.....	6	4				1	1	
Martin.....	13	3	1			5	2	2
Mecklenburg.....	116	48	4	4		44	4	12
Charlotte.....	97	40	4	1		38	3	11
Mitchell.....	6	5						1
Montgomery.....	11	6		1		2		2
Moore.....	28	12		2		8		6
Nash.....	50	26	3	3		13	1	4
Rocky Mount.....	26	12	2	2		7		3
New Hanover.....	50	17	1	2		17		13

TABLE 16.—Continued

Area	All acci- dents	Motor vehicle		Nonmotor vehicle				
		Traffic	Non- traffic	Railway, water transport, and other road vehicle	Aircraft	All other		
						870-936, 940-962		
International list number	800-962	810-825	830-835	800-802, 840-845, 850-858	860-866	Home .0, .7	Farm .1	Other .2-.6, .8, .9
Wilmington	32	8	1	1		14		8
Northampton	7	3				3	1	
Onslow	43	23	1		3	3	1	12
Orange	44	23				11	6	4
Pamlico	9	2			4	2	1	
Pasquotank	18	7		1	1	9		
Elizabeth City	9	2		1		6		
Pender	21	11				7		3
Perquimans	3	1				1		1
Person	15	12		1		1		1
Pitt	39	18		1	1	11	4	4
Greenville	2					2		
Polk	6	1	1			2	2	
Randolph	38	27		1		10		
Richmond	21	13				3		5
Robeson	50	28	1	2		12	2	5
Rockingham	36	22		1		8	2	3
Reidsville	17	10		1		5		1
Rowan	33	18	1	2		9	1	2
Salisbury	17	10		1		4		2
Rutherford	24	14		1		7		2
Sampson	44	21				14	3	6
Scotland	28	19				5		4
Stanly	15	8		1		3	1	2
Albemarle	9	5				3		1
Stokes	8	4				1	1	2
Surry	29	20		1		5	1	2
Swain	4	3						1
Transylvania	2					2		
Tyrrell	4	2				2		
Union	32	19				7	5	1
Monroe	19	10				5	3	1
Vance	28	16		5		3	1	3
Henderson	15	9		1		3		2
Wake	97	60	1	2		13	2	19
Raleigh	50	29	1	1		6	1	12
Warren	18	7			3	3		5
Washington	10	3				4		3
Watauga	11	5				3		3
Wayne	39	17				14	1	7
Goldsboro	20	10				5	1	4
Wilkes	18	11				2	1	4
Wilson	43	19		2		16		6
Wilson	24	9		1		12		2
Yadkin	11	7		1		2		1
Yancey	12	4				7		1

TABLE 17.—ACCIDENTAL DEATHS BY CAUSE, COLOR, AND SEX WITH CRUDE RATES PER 100,000 ESTIMATED POPULATION: NORTH CAROLINA OCCURRENCES, 1955

Type of accident (International code number follows each cause)	Total		White		Nonwhite	
	Number	Rate	Male	Female	Male	Female
All accidents	2,489	57.8	1,205	448	619	217
Railway accidents (800-802)	36	0.8	16	2	13	5
Motor vehicle traffic accidents (810-825)	1,187	27.5	669	198	260	60
Accident involving collision with railway train (810)	40	1.8	22	8	9	1
Accident to pedestrian (812)	236	5.5	94	45	76	21
Other accidents involving collision (811, 813-819)	437	10.1	246	96	77	18
Noncollision traffic accidents (820-824)	456	10.6	299	45	93	19
Accident of unspecified nature (825)	18	0.4	8	4	5	1
Motor vehicle nontraffic accidents (830-835)	32	0.7	15	8	5	4
Other road vehicle accidents (840-845)	9	0.2	4	1	4	—
Water transport accidents (850-858)	45	1.3	36	1	7	1
Aircraft accidents (860-866)	38	0.9	34	1	3	—
Accidental poisoning by solid and liquid substances (870-888)	55	1.3	25	12	13	5
Accidental poisoning by gases and vapours (890-895)	13	0.3	7	—	4	2
Accidental falls (900-904)	255	5.9	78	111	45	21
From one level to another (900-902)	114	2.6	43	29	34	8
On same level (903)	100	2.3	24	62	5	9
Unspecified falls (904)	41	1.2	11	20	6	4
Blow from falling object (910)	35	0.8	21	—	14	—
Accident caused by machinery (912)	43	1.0	34	—	9	—
Accident caused by electric current (914)	35	0.8	26	3	6	—
Accident caused by fire and explosion of combustible material (except conflagration) (916)	93	2.2	15	16	22	40
Conflagration (916)	124	2.9	35	19	50	20
Accident caused by hot substance, corrosive liquid, steam, and radiation (917,918)	21	0.5	8	5	4	4
Accident caused by firearm (919)	74	1.7	39	6	22	7
Inhalation and ingestion of food or other object causing obstruction or suffocation (921, 922)	52	1.2	16	13	13	10
Accidental mechanical suffocation in bed and cradle (924)	67	1.6	18	10	22	17
Accidental drowning and submersion (929)	143	3.3	69	12	59	3
Excessive heat and insolation (931)	2	0.0	—	—	2	—
Lightning (935)	12	0.3	5	3	4	—
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late compli- cations of therapeutic procedures (940-959)	21	0.5	6	10	1	4
All other accidents (911, 913, 915, 920, 923, 925, 926, 927, 928, 930, 932-934, 936, 940-962)	97	2.2	29	17	37	14

TABLE 18.—RESIDENT INFANT DEATHS BY CAUSE AND AGE: NORTH CAROLINA, 1955

International code number	Cause of death	Under 1 day	1 day	2 days	Under 7 days	Under 28 days	Under 1 year
	NORTH CAROLINA	1,082	316	219	1,900	2,239	3,492
001-019	Tuberculosis, all forms						1
020-029	Syphilis						1
056	Whooping cough						25
040,041	Typhoid and paratyphoid fever						
050	Scarlet fever						
051	Streptococcal sore throat						1
053	Septicemia and pyemia				1	5	12
055	Diphtheria						
057	Meningococcal infections						5
061	Tetanus					6	6
080	Acute poliomyelitis						
082	Acute infectious encephalitis					1	1
085	Measles						1
086	Rubella (German measles)						
204	Leukemia and aleukemia						1
273	Diseases of thymus gland						
283,284	Rickets (active and late effects)						2
290-293	Anemias						2
295,296	Hemorrhagic conditions						
340	Meningitis, except meningococcal and tuberculous			1	1	9	22
391-393	Otitis media and mastoiditis						6
480-483,	Influenza and pneumonia, except						
490-493	pneumonia of newborn				1	6	435
470-475	Acute upper respiratory infections					2	15
560,561,570	Hernia and intestinal obstruction	5	2	1	8	10	21
045-048,543, 571,572	Dysentery, gastritis, enteritis and colitis, except diarrhea of newborn					1	159
590	Acute nephritis						
750-759	Congenital malformations						
751	Spina bifida and meningocele	14			19	28	55
754	Congenital malformations of circulatory system	22	17	9	63	94	161
750,752,753, 755-759	All other congenital malformations	53	7	12	97	129	186
760,761	Birth injuries						
	Without immaturity	68	25	25	139	147	151
	With immaturity	107	19	12	150	153	153
762	Postnatal asphyxia and atelectasis						
	Without immaturity	94	45	24	182	191	194
	With immaturity	141	55	31	248	265	268

TABLE 18.—*Continued*

International code number	Cause of death	Under 1 day	1 day	2 days	Under 7 days	Under 28 days	Under 1 year
763	Pneumonia of newborn						
	Without immaturity.....	5	1	10	30	69	69
	With immaturity.....	3	3	1	9	19	19
764	Diarrhea of newborn						
	Without immaturity.....		1		4	32	32
	With immaturity.....					5	5
765-768	Other infections of newborn						
	Without immaturity.....				2	7	7
	With immaturity.....	1	1	1	3	4	4
769	Neonatal disorders arising from maternal toxemia						
	Without immaturity.....	7	1		9	9	9
	With immaturity.....	12	2	1	16	16	16
770	Hemolytic disease of newborn						
	Without immaturity.....	20	4	1	33	35	38
	With immaturity.....	7	1		11	12	13
771	Hemorrhagic disease of newborn						
	Without immaturity.....	2	2	3	12	13	13
	With immaturity.....			2	3	3	3
772,773	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment						
	Without immaturity.....	3		1	7	16	46
	With immaturity.....	28	5	3	41	46	57
774	Immaturity with mention of any other subsidiary condition.....	11	4	10	34	36	48
776	Immaturity unqualified.....	450	110	64	702	752	765
780-793,795	Symptoms and ill-defined conditions.....	15	6	4	43	65	179
Residual	All other diseases.....	11	3	3	24	34	130
800-962	All accidents						
870-888, 890-895	Accidental poisonings.....						2
916	Accident caused by fire and explosion of combustible material, except conflagration.....						2
916	Accident caused by conflagration.....						11
921,922	Inhalation and ingestion of food or other object causing obstruction and suffocation.....				2	4	33
924	Accidental mechanical suffocation in bed and cradle.....		1		2	10	62
800-866,900- 915,917-920, 923,925-962	All other accidental causes.....	1	1		2	3	41
964,980-999	Homicide.....	2			2	2	4

Chowan	16	37.6	6	29.6	10	45.0	37.0	26.1	45.9	1	23.5				1	45.0	5.4	
Clay	3	28.6	3	28.6			19.2	19.3									17.5	
Cleveland	57	34.3	32	27.7	25	49.1	26.2	21.4	36.9	2	12.0	1	8.7		1	19.6	7.0	3.3
Columbus	64	41.2	25	30.4	39	53.4	41.5	31.6	54.2	4	25.7	1	12.2		3	41.0	11.6	6.9
Craven	54	26.6	26	18.0	28	47.8	34.1	24.7	55.8	2	9.9				2	34.1	11.3	20.3
Cumberland	138	26.5	87	22.5	51	37.8	29.1	25.0	40.4	3	5.8				3	22.3	7.5	23.4
Currituck	3	18.2			3	38.5	26.8	7.2	49.3	1	60.6				1	128.2	12.8	27.4
Dare	3	27.5	1	10.2	2	181.8	32.3	25.8	92.6								35.9	39.8
Davidson	44	26.7	28	19.6	16	71.1	28.0	23.2	57.6	3	18.2	2	14.0		1	44.4	9.7	8.7
Davis	6	16.3	5	16.4	1	4.4	26.2	22.5	44.7								5.3	31.9
Duplin	38	33.0	22	36.7	16	29.0	31.2	24.5	39.0								19.0	29.7
Durham	65	25.6	32	20.3	33	34.1	26.1	16.8	40.6	2	7.9				2	20.7	6.5	14.5
Edgecombe	63	36.2	12	19.3	51	45.6	46.2	24.9	58.6	3	17.2				3	26.8	6.0	9.4
Forsyth	125	30.4	64	21.9	61	50.9	28.4	20.7	47.2	2	4.9				2	16.7	4.6	16.0
Franklin	27	36.0	10	33.2	17	37.9	37.9	26.2	45.7								22.1	28.8
Gaston	92	29.6	68	26.1	24	48.0	27.7	24.3	49.5	3	9.7	2	7.7		1	20.0	6.7	24.5
Gates	8	31.0	3	31.9	5	30.5	35.3	34.0	36.1								12.1	12.5
Graham	5	32.9	5	34.7			25.4	25.1	32.3								17.5	12.2
Granville	22	28.6	3	10.0	19	40.4	40.6	16.5	57.3	1	13.0	1	33.3				14.7	21.2
Greene	14	27.9	3	18.0	11	32.9	35.6	18.3	46.3									23.7
Guilford	123	22.8	76	18.5	47	36.7	26.1	22.5	38.1	2	3.7				2	15.6	5.8	13.3
Halifax	72	40.8	3	5.4	69	57.0	47.9	30.7	55.3	2	11.3				2	16.5	16.2	23.2
Harnett	34	27.6	19	24.3	15	33.3	28.4	22.2	39.8	2	16.2	1	12.8		1	22.2	9.6	9.1
Haywood	17	20.0	16	19.2	1	62.5	22.6	22.2	37.7	1	11.8	1	12.0				7.1	7.3
Henderson	25	33.9	20	29.8	5	75.8	32.1	29.3	62.9								8.3	9.1
Hertford	28	43.8	5	24.3	23	53.1	36.3	14.6	45.1	1	15.6				1	23.1	13.0	18.2
Hoke	22	40.7	7	38.9	15	41.6	36.3	24.2	42.3								4.0	6.0
Hyde	2	13.7	1	13.0	1	14.5	23.4	30.9		1	68.5				1	144.9	52.0	71.3
Iredell	44	30.0	26	23.4	18	50.8	33.5	24.9	60.4	1	6.8				1	28.2	5.5	23.0
Jackson	11	29.3	6	19.4	5	76.9	28.1	26.9	36.0	1	26.7	1	32.3				10.6	40.0

[illegible]

TABLE 20.—RESIDENT LIVE BIRTHS, ILLEGITIMATES, DEATHS, STILLBIRTHS, "NONWHITE") WITH NUMBER OCCURRING IN HOSPITALS: NORTH

Area	Live births						Deaths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
NORTH CAROLINA	76,833	38,364	74,577	22,956	1,661	8,547	21,777	10,438	9,441	3,842
Urban	25,950	12,371	25,773	9,518	574	3,116	7,238	4,338	3,621	1,972
Rural	50,883	25,993	48,804	13,438	1,087	5,431	14,539	6,100	5,820	1,870
Alamance	1,485	428	1,468	235	19	65	391	94	166	26
Burlington	509	95	507	46	8	17	136	30	66	11
Graham	121	16	119	13	2	4	28	6	12	-----
Rural	855	317	842	176	9	44	227	58	88	15
Alexander	280	31	280	30	12	9	90	10	42	2
Alleghany	110	7	84	4	4	3	75	6	25	2
Anson	278	409	269	135	6	78	104	104	38	26
Wadesboro	66	37	66	17	2	4	16	17	7	7
Rural	212	372	203	118	4	74	88	87	31	19
Ashe	489	10	437	9	22	2	181	4	64	3
Avery	285	1	268	-----	14	-----	91	1	38	-----
Beaufort	532	523	514	266	9	164	212	177	77	41
Belhaven	27	45	27	27	-----	16	11	18	3	5
Washington	146	146	146	66	1	60	59	57	29	17
Rural	359	332	341	173	8	88	142	102	45	19
Bertie	211	594	205	279	4	128	96	136	38	38
Bladen	422	482	393	261	4	85	111	96	40	36
Brunswick	274	275	258	140	6	74	78	54	25	16
Buncombe	2,294	324	2,270	234	69	74	887	192	326	65
Asheville	859	268	858	193	35	59	406	166	145	60
Rural	1,435	56	1,412	41	34	15	481	26	181	5
Burke	896	109	864	106	32	33	218	28	113	13
Morganton	164	44	164	44	2	7	39	17	21	8
Valdese	57	-----	56	-----	1	-----	14	-----	8	-----
Rural	675	65	644	62	29	26	165	11	84	5
Cabarrus	1,157	347	1,153	334	24	100	339	65	158	36
Concord	295	104	295	100	5	38	97	26	49	15
Rural	862	243	858	234	19	62	242	39	109	21
Caldwell	1,132	109	1,074	100	42	26	257	35	126	18
Lenoir	231	59	230	57	9	16	47	26	27	16
Rural	901	50	844	43	33	10	210	9	99	2
Camden	73	86	70	27	-----	14	36	17	8	6
Carteret	612	96	604	80	12	26	179	39	67	16
Beaufort	66	35	64	34	2	12	24	15	16	6
Morehead City	155	27	151	27	4	4	31	12	13	4
Rural	391	34	389	19	6	10	124	12	38	6
Caswell	202	313	180	94	3	47	61	67	29	11
Catawba	1,503	222	1,485	166	39	58	384	53	182	23
Hickory	483	103	480	85	14	30	111	15	60	7
Newton	133	23	130	19	4	5	50	9	24	6

INFANT DEATHS, AND MATERNAL DEATHS BY COLOR (INDIANS INCLUDED IN CAROLINA, EACH COUNTY, URBAN AND RURAL, 1955

Stillbirths				Infant deaths								Maternal deaths			
				Under one year				Under 28 days							
Total		Hospital		Total		Hospital		Total		Hospital		Total		Hospital	
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
1,166	1,203	1,108	798	1,738	1,754	1,420	916	1,265	974	1,185	675	23	77	20	57
412	427	406	329	599	627	527	431	458	396	441	344	3	27	3	25
754	776	702	469	1,139	1,127	893	485	807	578	744	331	20	50	17	32
16	15	16	9	32	15	26	6	26	10	24	5	1	1	1	1
4	5	4	1	9	8	8	3	8	5	8	3	1		1	
3		3		3		3		3		3					
9	10	9	8	20	7	15	3	15	5	13	2		1		1
6	1	6	1	6	3	3	2	4	2	3	2				
3		3		2		1		2		1					
3	13	3	3	4	19	3	7	3	11	3	3				
	1		1	2	2	2	2	2	2	2	2				
3	12	3	2	2	17	1	5	1	9	1	1				
5	2	5	2	12	1	6	1	2	1	2	1				
8		8		8		3		3		2					
9	16	8	11	20	27	18	11	15	11	15	8		1		1
1		1		1	4	1	2		3		2				
3	6	3	3	10	7	10	3	9	2	9	2		1		1
5	10	4	8	9	16	7	6	6	6	6	4				
7	15	7	7	4	23	4	8	2	10	2	6		1		1
2	9	2	4	14	22	11	14	10	12	10	10				
4	8	3	4	8	9	5	5	5	6	5	5		1		1
33	10	31	7	62	15	45	9	41	11	38	8				
14	7	14	5	15	14	11	9	9	10	9	8				
19	3	17	2	47	1	34		32	1	29					
13	2	13	2	15	2	14	1	10	2	9	1	1		1	
5	1	5	1	2		2		2		2					
1		1													
7	1	7	1	13	2	12	1	8	2	7	1	1		1	
21	8	21	8	23	4	19	1	16	2	16	1		2		2
8	3	8	3	9		9		7		7					
13	5	13	5	14	4	10	1	9	2	9	1		2		2
15	3	15	2	30	1	23	1	19		17			2		2
				7	1	6	1	3		3			1		1
15	3	15	2	23		17		16		14			1		1
1	3	1	1	1	2	1	1	1	2	1	1				
6	4	6	2	9	9	8	8	7	7	7	6				
					3		3		3		3				
2	1	2	1	5	3	5	2	5	3	5	2				
4	3	4	1	4	3	3	3	2	1	2	1				
2	17	2	8	5	5	3	2	3	3	2	2		1		1
24	5	22	2	31	8	26	5	22	3	21	2	1		1	
10	1	9	1	11	2	9		7		7					
3		2		5	1	4	1	5		4					

TABLE 20.—

Area	Live births						Deaths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Rural.....	887	96	875	62	21	23	223	29	98	10
Chatham.....	373	244	366	226	12	41	143	75	69	34
Siler City.....	80	19	80	19	3	5	22	4	9	4
Rural.....	293	225	286	207	9	36	121	71	60	30
Cherokee.....	366	5	342	5	7	3	133	2	51	-----
Chowan.....	203	222	200	130	1	53	62	68	18	14
Edenton.....	108	57	106	41	-----	16	26	29	9	3
Rural.....	95	165	94	89	1	37	36	39	9	11
Clay.....	105	-----	64	-----	4	-----	34	-----	13	-----
Cleveland.....	1,154	509	1,121	335	27	114	346	103	157	50
Kings Mountain.....	166	38	164	38	5	5	41	6	22	3
Shelby.....	275	124	275	92	6	31	102	38	48	21
Rural.....	713	347	682	205	16	78	203	59	87	26
Columbus.....	823	731	760	365	17	155	280	182	123	67
Whiteville.....	87	31	86	21	3	8	25	31	14	21
Rural.....	736	700	674	344	14	147	255	151	109	46
Craven.....	1,444	586	1,439	331	11	144	236	210	108	78
New Bern.....	303	240	302	144	3	77	85	119	49	47
Rural.....	1,141	346	1,137	187	8	67	151	91	59	31
Cumberland.....	3,860	1,348	3,818	730	33	222	429	287	202	109
Fayetteville.....	1,648	730	1,633	435	21	118	191	131	102	53
Rural.....	2,212	618	2,185	295	12	104	238	156	100	56
Currituck.....	87	78	75	8	1	12	52	26	14	4
Dare.....	98	11	96	5	3	2	37	7	11	1
Davidson.....	1,425	225	1,417	207	28	67	386	91	171	35
Lexington.....	321	75	317	67	10	22	85	30	41	16
Thomasville.....	229	74	227	71	4	19	57	25	26	12
Rural.....	875	76	873	69	14	26	244	36	104	7
Davie.....	304	64	298	60	11	18	108	19	27	4
Duplin.....	599	551	583	404	14	117	203	141	69	37
Durham.....	1,575	967	1,571	952	31	211	493	297	211	112
Durham.....	924	742	923	737	23	171	327	236	148	91
Rural.....	651	225	648	215	8	40	166	61	63	21
Edgecombe.....	621	1,119	595	352	8	340	195	257	82	92
Rocky Mount*.....	206	194	206	71	2	52	68	64	32	22
Tarboro.....	142	114	141	59	2	48	42	35	18	16
Rural.....	273	811	248	222	4	240	85	158	32	54
Forsyth.....	2,916	1,198	2,912	1,124	69	378	774	526	363	306
Winston-Salem.....	1,441	1,086	1,438	1,020	47	350	409	475	210	283
Rural.....	1,475	112	1,474	104	22	28	365	51	153	23

* See Nash County for remainder of Rocky Mount.

Continued

Stillbirths				Infant deaths								Maternal deaths			
				Under one year				Under 28 days							
Total		Hospital		Total		Hospital		Total		Hospital		Total		Hospital	
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
11	4	11	1	15	5	13	4	10	3	10	2	1		1	
6	2	6	2	7	14	7	10	6	9	6	9				
1		1		1	1	1	1	1	1	1	1				
5	2	5	2	6	13	6	9	5	8	5	8				
2		2		16		12		12		10					
3	6	3	5	6	10	6	1	3	4	3	1		1		1
	1		1	3	2	3	1	2	1	2	1				
3	5	3	4	3	8	3		1	3	1			1		1
4		3		3		2		2		2					
17	12	16	9	32	25	25	12	21	7	21	4	1	1	1	1
5	1	5	1	6	1	5	1	5		5					
4	2	4	2	10	5	9	2	6	2	6	2	1		1	
8	9	7	6	16	19	11	9	10	5	10	2		1		1
7	14	7	8	25	39	22	21	21	19	20	11	1	3	1	2
1	1	1		5	6	4	5	3	3	3	3				
6	13	6	8	20	33	18	16	18	16	17	8	1	3	1	2
17	26	17	18	26	28	21	22	22	23	19	19		2		1
5	9	5	6	6	16	5	14	4	13	4	12				
12	17	12	12	20	12	16	8	18	10	15	7		2		1
49	35	48	24	87	51	71	32	63	27	58	22		3		3
22	17	22	14	45	22	37	14	32	12	28	11		2		2
27	18	26	10	42	29	34	18	31	15	30	11		1		1
4	1	2			3				1				1		1
2		2		1	2		1		2		1				
16	7	16	6	28	16	25	7	17	8	17	6	2	1	2	
4	2	4	2	8	4	7	3	5	3	5	3		1		1
1	2	1	1	4	4	4	2	1	2	1	2				
11	3	11	3	16	8	14	2	11	3	11	1	2		2	
7	2	6	2	5	1	3	1	4	1	3	1				
13	10	11	10	22	16	16	6	15	4	13	3				
25	31	25	31	32	33	25	28	25	25	23	24		2		2
17	23	17	23	25	25	20	21	21	19	19	18		1		1
8	8	8	8	7	8	5	7	4	6	4	6		1		1
6	29	6	14	12	51	11	29	9	28	9	19		3		1
2	6	2	3	9	6	8	4	7	5	7	3		1		
3	3	3	2	1	5	1	2	1	4	1	2		1		1
1	20	1	9	2	40	2	23	1	19	1	14		1		
43	41	42	34	64	61	56	48	49	40	48	39		2		2
28	38	28	32	27	58	23	45	18	38	18	37		2		2
15	3	14	2	37	3	33	3	31	2	30	2				

TABLE 20.—

Area	Live births						Deaths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Franklin.....	301	449	291	171	4	84	166	113	70	34
Louisburg.....	44	35	43	20	-----	9	19	18	13	8
Rural.....	257	414	248	151	4	75	147	95	57	26
Gaston.....	2,606	500	2,565	425	86	131	616	108	272	44
Belmont.....	266	18	264	16	6	5	31	4	17	2
Bessemer City.....	102	7	100	1	3	1	25	6	14	-----
Cherryville.....	88	8	88	7	5	4	18	3	9	-----
Gastonia.....	824	187	819	182	19	49	198	44	96	23
Rural.....	1,326	280	1,294	219	53	72	344	51	136	19
Gates.....	94	164	94	60	1	23	55	45	15	9
Graham.....	144	8	136	6	12	-----	45	-----	12	-----
Granville.....	300	470	288	355	4	67	109	114	44	42
Oxford.....	84	74	83	64	1	16	28	28	10	11
Rural.....	216	396	205	291	3	51	81	86	34	31
Greene.....	167	334	147	223	-----	75	62	59	23	9
Guilford.....	4,111	1,281	4,093	1,173	78	246	1,094	397	519	176
Greensboro.....	1,440	692	1,437	684	32	127	376	240	191	104
High Point.....	843	289	841	221	21	45	269	71	137	41
Rural.....	1,828	300	1,815	268	25	74	449	86	191	31
Halifax.....	552	1,211	537	289	11	225	214	312	104	79
Roanoke Rapids.....	251	42	247	38	4	4	88	17	53	12
Scotland Neck.....	36	38	35	9	-----	15	21	15	8	5
Rural.....	265	1,131	255	242	7	206	105	280	43	62
Harnett.....	782	450	769	293	9	114	272	111	116	29
Dunn.....	114	80	114	57	-----	17	41	20	18	7
Rural.....	668	370	655	236	9	97	231	91	98	22
Haywood.....	835	16	825	15	30	5	247	7	115	2
Canton.....	136	7	135	6	4	3	39	2	19	1
Waynesville.....	124	5	124	5	5	1	27	2	13	1
Rural.....	575	4	566	4	21	1	181	3	83	-----
Henderson.....	672	66	651	61	15	15	249	22	121	11
Hendersonville.....	150	41	146	38	7	9	63	16	30	8
Rural.....	522	25	505	23	8	6	186	6	91	3
Hertford.....	206	433	196	213	1	75	67	128	34	32
Ahoskie.....	100	66	100	54	1	23	24	22	14	9
Rural.....	106	367	96	159	-----	52	43	106	20	23
Hoke.....	180	361	134	79	4	102	33	70	18	15
Hyde.....	77	69	77	32	2	26	58	17	16	6
Iredell.....	1,111	354	1,101	321	17	97	357	104	167	51
Mooreville.....	158	44	158	43	3	11	44	9	20	5
Statesville.....	352	105	349	89	5	41	104	48	55	25
Rural.....	601	205	594	189	9	45	209	47	92	21
Jackson.....	310	65	271	63	14	10	133	11	34	5
Johnston.....	993	458	937	193	15	110	366	123	134	33
Selma.....	64	28	58	3	2	10	27	4	10	-----

Continued

Stillbirths				Infant deaths								Maternal deaths			
				Under one year				Under 28 days							
Total		Hospital		Total		Hospital		Total		Hospital		Total		Hospital	
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
7	22	7	12	10	17	8	8	6	13	6	7				
2	2	2	1	1	5	1	3		4		3				
5	20	5	11	9	12	7	5	6	9	6	4				
49	18	47	17	68	24	58	13	50	14	47	10	2	1	2	1
6		5		9		8		8		7					
1		1		6	1	5		5	1	5					
2		2													
18	4	18	4	23	9	22	6	17	6	16	6				
22	14	21	13	30	14	23	7	20	7	19	4	2	1	2	1
2	4	2	2	3	5	2	1	3	3	2	1				
1		1		5		3		5		3					
6	22	5	21	3	19	1	12	1	9	1	7	1		1	
1	3	1	3	1	3	1	2	1	2	1	1				
5	19	4	18	2	16		10		7		6	1		1	
2	10	2	7	3	11	3	1	2	7	2	1				
47	44	47	39	76	47	62	36	49	31	47	27		2		2
14	25	14	25	17	24	14	19	11	16	11	15		1		1
13	11	13	8	22	11	17	10	15	7	13	7		1		1
20	8	20	6	37	12	31	7	23	8	23	5				
12	40	11	19	3	69	3	24	2	38	2	16		2		2
7	2	7	2		8		7		7		6		1		1
	3		2	1	5	1	2		2						
5	35	4	15	2	56	2	15	2	29	2	10		1		1
26	11	23	7	19	15	18	5	17	9	17	5	1	1	1	1
5	4	5	2	1		1		1		1					
21	7	18	5	18	15	17	5	16	9	16	5	1	1	1	1
10		10		16	1	12		11		10		1		1	
2		2		2		2		2		2					
2		2		3		2		2		1					
6		6		11	1	8		7		7		1		1	
13	2	13	2	20	5	17	4	17	3	17	3				
3	1	3	1	3	5	3	4	3	3	3	3				
10	1	10	1	17		14		14		14					
	13		6	5	23	4	6	3	9	3	2		1		
	2		2	3	2	2	1	1		1					
	11		4	2	21	2	5	2	9	2	2		1		
4	15	3	8	7	15	6	4	4	6	4	2				
1	3		1	1	1	1	1	1	1	1	1		1		
13	12	12	11	26	18	23	13	20	10	20	9		1		
3	3	3	3	1	3	1	2	1	1	1	1				
5	2	5	2	11	7	10	4	9	2	9	1		1		
5	7	4	6	14	8	12	7	10	7	10	7				
8	4	6	4	6	5	4	3	3	3	3	3	1		1	
23	17	22	8	20	22	18	2	16	10	16	2		1		1
1	4	1	2		1				1						

TABLE 20.—

Area	Live births						Deaths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Smithfield.....	70	43	69	24	-----	16	19	19	9	3
Rural.....	859	387	810	166	13	84	320	100	115	30
Jones.....	137	188	130	82	3	45	53	38	24	10
Lee.....	494	240	490	199	10	59	120	64	72	25
Sanford.....	252	102	252	86	4	25	64	35	41	15
Rural.....	242	138	238	113	6	34	56	29	31	10
Lenoir.....	859	799	841	249	11	210	201	199	89	50
Kinston.....	431	263	430	83	4	63	100	97	38	26
Rural.....	428	536	411	166	7	147	101	102	51	24
Lincoln.....	520	97	512	47	17	20	169	29	87	14
Lincolnton.....	128	23	128	14	6	1	35	13	22	10
Rural.....	392	74	384	33	11	19	134	16	65	4
McDowell.....	641	43	629	42	17	13	140	14	57	4
Marion.....	116	8	114	8	2	2	23	2	11	1
Rural.....	525	35	515	34	15	11	117	12	46	3
Macon.....	345	9	260	3	13	1	95	4	25	1
Madison.....	364	3	299	3	23	1	141	7	55	2
Martin.....	330	551	298	260	5	128	90	104	42	25
Williamston.....	86	133	85	68	2	29	18	29	11	15
Rural.....	244	418	213	192	3	99	72	75	31	10
Mecklenburg.....	4,416	2,032	4,405	1,836	100	484	957	646	513	333
Charlotte.....	2,680	1,626	2,675	1,492	77	388	640	520	354	277
Rural.....	1,736	406	1,730	344	23	96	317	126	159	56
Mitchell.....	329	3	303	2	16	-----	113	2	38	1
Montgomery.....	300	196	297	138	6	38	94	46	38	14
Moore.....	694	326	686	272	19	89	185	89	73	42
Southern Pines.....	118	62	117	45	1	21	40	20	15	12
Rural.....	576	264	569	227	18	68	145	69	58	30
Nash.....	845	889	800	124	26	217	287	269	130	71
Rocky Mount*.....	312	107	311	33	7	37	100	71	50	17
Rural.....	533	782	489	91	19	180	187	198	80	54
New Hanover.....	1,147	633	1,144	618	22	166	389	263	184	141
Wilmington.....	705	517	703	505	17	148	277	224	135	123
Rural.....	442	116	441	113	5	18	112	39	49	18
Northampton.....	168	582	148	89	3	125	92	123	33	32
Onslow.....	2,789	390	2,776	297	18	77	215	66	132	32
Jacksonville.....	513	58	512	55	6	16	39	8	24	5
Rural.....	2,276	332	2,264	242	12	61	176	58	108	27
Orange.....	631	330	628	286	12	56	143	63	46	26
Chapel Hill.....	84	43	84	42	2	4	21	11	9	6

* See Edgecombe County for remainder of Rocky Mount.

Continued

Stillbirths				Infant deaths								Maternal deaths			
				Under one year				Under 28 days							
Total		Hospital		Total		Hospital		Total		Hospital		Total		Hospital	
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
				2	3	2		2		2					
22	13	21	6	18	18	16	2	14	9	14	2			1	1
3	8	3	5	4	8	2	3	1	6	1	2			3	2
12	5	12	2	16	10	16	6	10	5	10	5			1	1
6	3	6	1	10	5	10	4	7	3	7	3			1	1
6	2	6	1	6	5	6	2	3	2	3	2				
13	29	12	15	23	31	21	14	18	16	18	10			1	
7	9	6	2	11	9	10	6	9	6	9	5				
6	20	6	13	12	22	11	8	9	10	9	5			1	
11	1	11		8	6	5	3	4	5	4	2				
4		4		2	3	1	3	1	2	1	2				
7	1	7		6	3	4		3	3	3					
3		2		18	1	14		16		14					
				2		2		2		2					
3		2		16	1	12		14		12					
1		1		9		6		8		6				1	
6		6		12	1	7		9		7					
4	18	4	15	6	24	4	7	4	9	3	4			3	2
	6		6	1	9	1	4	1	3	1	2			1	1
4	12	4	9	5	15	3	3	3	6	2	2			2	1
62	80	61	72	81	108	72	80	65	73	63	68	1	3	1	1
36	69	35	63	51	91	45	69	40	64	40	60	1	1	1	1
26	11	26	9	30	17	27	11	25	9	23	8		2		
3		3		8		6		3		2					
7	7	7	7	6	9	5	5	3	6	3	5		1		
12	4	12	4	9	18	8	13	8	8	7	7				
1		1		4	3	4	3	4	2	4	2				
11	4	11	4	5	15	4	10	4	6	3	5				
15	26	13	10	24	59	22	18	20	31	19	15		2		1
8	4	8	1	5	9	5	5	4	5	4	5				
7	22	5	9	19	50	17	13	16	26	15	10		2		1
19	22	19	19	26	48	24	40	22	35	22	34		3		3
9	21	9	18	15	40	14	35	12	30	12	29		3		3
10	1	10	1	11	8	10	5	10	5	10	5				
3	8	2	4	2	25	1	9	2	16	1	7				
41	4	41	3	51	18	46	15	41	12	39	9				
10	2	10	2	7	2	7	2	5	1	5	1				
31	2	31	1	44	16	39	13	36	11	34	8				
11	11	11	7	8	9	7	5	5	5	5	5				
	1		1	3	1	3	1	3	1	3	1				

TABLE 20.—

Area	Live births						Deaths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Rural.....	547	287	544	244	10	52	122	52	37	20
Pamlico.....	132	114	90	31	2	31	53	33	9	11
Pasquotank.....	483	302	471	129	3	52	133	106	62	33
Elizabeth City.....	374	184	372	99	2	41	94	73	47	25
Rural.....	109	118	99	30	1	11	39	33	15	8
Pender.....	199	310	192	167	4	70	72	89	29	26
Perquimans.....	120	153	115	32	---	37	62	41	21	7
Person.....	372	319	367	231	2	36	124	66	46	23
Roxboro.....	73	41	73	38	---	5	24	11	9	4
Rural.....	299	278	294	193	2	31	100	55	37	19
Pitt.....	883	1,157	831	636	9	294	261	263	108	80
Farmville.....	53	43	51	15	---	15	18	14	6	7
Greenville.....	292	231	289	166	3	73	89	71	42	25
Rural.....	538	883	491	455	6	206	154	178	60	48
Polk.....	221	44	214	32	11	10	77	21	25	7
Randolph.....	1,196	134	1,187	121	21	26	331	39	145	18
Asheboro.....	265	54	264	52	6	12	53	8	30	6
Rural.....	931	80	923	69	15	14	278	31	115	12
Richmond.....	637	399	628	254	9	98	212	129	93	49
Hamlet.....	62	28	62	23	1	5	32	21	12	8
Rockingham.....	69	43	69	21	2	16	27	12	16	3
Rural.....	506	328	497	210	6	77	153	96	65	38
Robeson.....	941	2,169	884	1,330	27	385	281	426	120	148
Lumberton.....	253	151	248	120	3	43	77	50	41	22
Rural.....	688	2,018	636	1,210	24	342	204	376	79	126
Rockingham.....	1,233	406	1,181	262	25	76	377	113	169	47
Draper.....	74	6	73	5	1	---	24	1	7	---
Leaksville.....	123	17	121	8	3	1	45	7	21	3
Reidsville.....	209	107	209	82	3	30	57	35	29	18
Rural.....	827	276	778	167	18	45	251	70	112	26
Rowan.....	1,391	374	1,367	327	34	101	438	137	189	63
Salisbury.....	344	151	342	135	4	44	124	60	58	29
Spencer.....	61	11	61	10	2	5	30	1	17	---
Rural.....	986	212	964	182	28	52	284	76	114	34
Rutherford.....	860	180	769	84	32	46	284	54	111	15
Forest City.....	126	41	115	15	5	10	46	12	25	6
Rutherfordton.....	82	26	77	19	1	10	25	3	12	1
Spindale.....	126	8	125	5	6	2	23	4	12	1
Rural.....	526	105	452	45	20	24	190	35	62	7
Sampson.....	667	660	640	184	11	114	258	146	101	33
Clinton.....	99	97	97	13	1	26	32	33	16	2
Rural.....	568	563	543	171	10	88	226	113	85	31
Scotland.....	366	418	337	197	17	114	129	113	58	48
Laurinburg.....	155	110	152	54	5	33	39	35	24	18
Rural.....	211	308	185	143	12	81	90	78	34	30

Continued

Stillbirths				Infant deaths								Maternal deaths			
				Under one year				Under 28 days							
Total		Hospital		Total		Hospital		Total		Hospital		Total		Hospital	
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
11	10	11	6	5	8	4	4	2	4	2	4				
2	3	2	1	5	10	3	6	2	6	2	4				
11	14	9	10	7	17	5	10	5	9	5	6		1		1
6	9	6	8	7	9	5	5	5	4	5	2		1		1
5	5	3	2		8		5		5		4				
3	8	3	4	5	19	5	11	5	14	5	10				
2	5	2	2	6	9	6	1	6	6	6	1				
6	13	6	3	13	9	10	5	9	4	9	4				
				1	2	1	1	1	1	1	1				
6	13	6	3	12	7	9	4	8	3	8	3				
16	24	15	15	23	46	19	24	17	24	15	16				
	1			3	1	2	1	2	1	2	1				
8	4	8	3	6	8	5	5	3	5	3	4				
8	19	7	12	14	37	12	18	12	18	10	11				
3		3		4	2	4	1	4	1	4	1				
23	9	23	5	27	2	21	1	19		18		1	1		
3	3	3	3	5	1	5	1	4		4					
20	6	20	2	22	1	16		15		14		1	1		
12	13	12	6	13	18	12	7	10	6	10	3				
3	1	3	1		1										
	3		1	4	2	4		4		4					
9	9	9	4	9	15	8	7	6	6	6	3				
18	59	14	39	27	111	25	43	21	47	21	32	1	3	1	2
5	2	5	1	9	14	8	8	8	7	8	6				
13	57	9	38	18	97	17	35	13	40	13	26	1	3	1	2
16	11	16	11	34	18	31	7	26	5	24	3	1	1	1	
1		1													
1	1	1	1	2	1	2	1	2	1	2	1				
4	4	4	4	4	6	4	4	4	2	4	2				
10	6	10	6	28	11	25	2	20	2	18		1	1	1	
17	8	16	7	26	13	22	8	21	4	18	4	2		1	
1	3	1	3	5	4	4	2	5	1	4	1				
				4		4		4		4					
16	5	15	4	17	9	14	6	12	3	10	3	2		1	
13	5	10	1	14	8	10	2	11	4	9	2				
3	2	2		2	2	2	1	2	1	2	1				
				1											
1		1													
9	3	7	1	11	6	8	1	9	3	7	1				
11	15	10	4	19	29	15	7	12	15	11	4		1		1
2	4	2	1	5	7	5	1	4	4	4					
9	11	8	3	14	22	10	6	8	11	7	4		1		1
7	14	6	9	13	25	10	12	8	11	8	7				
2	2	2	1	3	5	3	4	3	2	3	2				
5	12	4	8	10	20	7	8	5	9	5	5				

TABLE 20.—

Area	Live births						Deaths			
	Total		Hospital		Illegitimate		Total		Hospital	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Stanly.....	718	141	709	126	10	42	236	42	102	17
Albemarle.....	227	36	227	34	4	10	85	17	43	8
Rural.....	491	105	482	92	6	32	151	25	59	9
Stokes.....	430	87	395	49	8	18	133	15	47	10
Surry.....	1,083	75	1,000	57	29	15	302	18	119	5
Elkin.....	64	6	64	5	2	2	19		14	
Mount Airy.....	167	12	160	8	7	3	47	2	11	
Rural.....	852	57	776	44	20	10	236	16	94	5
Swain.....	176	61	144	59	9	5	68	11	25	8
Transylvania.....	337	22	305	19	8	5	91	6	24	2
Brevard.....	111	12	109	11	5	3	23	5	10	2
Rural.....	226	10	196	8	3	2	68	1	14	
Tyrrell.....	52	64	51	18		16	31	21	13	4
Union.....	728	320	714	106	12	57	266	86	150	26
Monroe.....	171	75	171	31	2	11	66	23	45	8
Rural.....	557	245	543	75	10	46	200	63	105	18
Vance.....	399	501	395	259	5	80	127	106	58	42
Henderson.....	218	216	215	148	1	46	58	44	35	18
Rural.....	181	285	180	111	4	34	69	62	23	24
Wake.....	2,389	1,255	2,340	720	36	240	742	419	387	181
Raleigh.....	1,135	516	1,126	384	18	104	378	229	225	117
Wake Forest.....	56	22	54	7	1	3	20	7	10	3
Rural.....	1,198	717	1,160	329	17	133	344	183	152	61
Warren.....	131	452	119	106		71	60	117	22	21
Washington.....	176	229	171	127	1	57	58	63	24	12
Plymouth.....	60	75	60	54		22	21	22	11	4
Rural.....	116	154	111	73	1	35	37	41	13	8
Watauga.....	377	7	371	7	11	1	143	4	58	3
Boone.....	72	7	71	7	2	1	16	1	8	1
Rural.....	305		300		9		127	3	50	2
Wayne.....	915	808	886	454	15	210	289	233	105	65
Goldsboro.....	355	331	354	145	6	92	105	113	50	36
Mount Olive.....	48	64	48	60	1	21	24	30	4	12
Rural.....	512	413	484	249	8	97	160	90	51	17
Wilkes.....	976	80	889	67	50	16	328	25	124	12
North Wilkesboro.....	118	11	107	10	10	2	36	3	16	1
Rural.....	858	69	782	57	40	14	292	22	108	11
Wilson.....	778	860	736	477	11	221	232	247	100	103
Wilson.....	395	362	395	199	3	91	114	136	61	58
Rural.....	383	498	341	278	8	130	118	111	39	45
Yadkin.....	488	36	486	33	11	6	152	10	68	2
Yancey.....	341	3	302	2	16		99	3	26	

Continued

Stillbirths				Infant deaths								Maternal deaths			
				Under one year				Under 28 days							
Total		Hospital		Total		Hospital		Total		Hospital		Total		Hospital	
White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
5	3	5	3	20	6	16	4	14	5	14	4				
2	2	2	2	6	3	6	2	5	2	5	2				
3	1	3	1	14	3	10	2	9	3	9	2				
3	3	3	2	5	3	4	2	4	3	4	2				
19	4	18	2	22	2	14		13	1	10					
3		3		2		2		1		1					
3	1	3		4		2		3		2					
13	3	12	2	16	2	10		9	1	7					
2		1		5	3	4	3	4	3	4	3				
3	1	1	1	8	1	4		4	1	3					
1		1		4	1	4		3	1	3					
2	1		1	4				1							
	4		2		4		1		1						
6	13	6	10	22	14	19	6	16	8	15	4		2		2
2	5	2	2	6	4	5	2	4	3	4	2				
4	8	4	8	16	10	14	4	12	5	11	2		2		2
5	18	5	10	5	19	4	6	3	11	3	3		3		2
2	8	2	6	4	7	3	2	2	4	2	2		2		2
3	10	3	4	1	12	1	4	1	7	1	1		1		
38	62	37	33	62	62	58	38	59	33	57	26		3		3
23	26	23	15	36	32	36	26	35	22	35	21		1		1
	1		1	1	1	1		1	1	1					
15	35	14	17	25	29	21	12	23	10	21	5		2		2
	18		8	2	15	1	5	1	11	1	4		2		1
5	7	5	2	2	13	1	3	1	3	1	1				
1	2	1			4		1		2		1				
4	5	4	2	2	9	1	2	1	1	1					
1	1	1	1	12	2	10	2	9	2	8	2				
	1		1	1	1	1	1	1	1	1	1				
1		1		11	1	9	1	8	1	7	1				
20	18	18	13	19	31	14	15	13	15	12	12	1	1	1	1
6	9	6	7	6	17	4	7	4	7	4	6		1		1
	2		1	1	4		3	1	2		2				
14	7	12	5	12	10	10	5	8	6	8	4	1		1	
20	1	17	1	31	4	17	3	17	2	12	1				
3		3		6	2	4	1	5	1	3					
17	1	14	1	25	2	13	2	12	1	9	1				
19	42	18	30	21	51	20	32	16	35	16	27	1	4	1	3
13	20	13	13	15	29	14	19	10	21	10	16		2		2
6	22	5	17	6	22	6	13	6	14	6	11	1	2	1	1
5		5		7	1	4		3		3		1		1	
6		6		5		2		3		2					

TABLE 21.—RESIDENT LIVE BIRTHS, ILLEGITIMATES, DEATHS, STILLBIRTHS, INFANT DEATHS, AND MATERNAL DEATHS OF INDIANS WITH NUMBER OCCURRING IN HOSPITALS: NORTH CAROLINA, EACH COUNTY, URBAN AND RURAL, 1955

Area	Live births			Deaths		Stillbirths		Infant deaths		Maternal deaths	
	Total	Hos- pital	Ille- giti- mate	Total	Hos- pital	Total	Hos- pital	Total	Hos- pital	Total	Hos- pital
NORTH CAROLINA.....	1,429	1,065	176	190	91	27	23	59	30	1	-----
Urban.....	42	38	4	3	1	-----	-----	2	-----	-----	-----
Rural.....	1,387	1,027	172	187	90	27	23	57	30	1	-----
Bladen.....	12	7	-----	2	1	-----	-----	1	-----	-----	-----
Columbus.....	34	17	5	7	2	-----	-----	-----	-----	-----	-----
Cumberland.....	36	26	2	3	2	-----	-----	1	1	-----	-----
Fayetteville.....	16	12	1	-----	-----	-----	-----	-----	-----	-----	-----
Rural.....	20	14	1	3	2	-----	-----	1	1	-----	-----
Graham.....	8	6	-----	-----	-----	-----	-----	-----	-----	-----	-----
Guilford.....	2	2	-----	-----	-----	-----	-----	-----	-----	-----	-----
Greensboro.....	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
High Point.....	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rural.....	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Halifax.....	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Harnett.....	18	15	3	1	1	-----	-----	1	1	-----	-----
Dunn.....	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rural.....	17	14	3	1	1	-----	-----	1	1	-----	-----
Hoke.....	45	23	8	4	-----	1	1	2	-----	-----	-----
Jackson.....	53	51	8	9	5	4	4	5	3	-----	-----
Lee.....	2	2	-----	-----	-----	-----	-----	-----	-----	-----	-----
Sanford.....	2	2	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rural.....	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Macon.....	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Nash.....	1	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
New Hanover.....	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Wilmington.....	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rural.....	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Onslow.....	3	3	-----	1	-----	-----	-----	-----	-----	-----	-----
Person.....	4	2	-----	-----	-----	-----	-----	-----	-----	-----	-----
Richmond.....	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Robeson.....	1,069	795	136	147	70	21	17	46	22	1	-----
Lumberton.....	18	18	3	3	1	-----	-----	2	-----	-----	-----
Rural.....	1,051	777	133	144	69	21	17	44	22	1	-----
Sampson.....	27	23	3	4	3	-----	-----	1	1	-----	-----
Scotland.....	46	33	6	2	-----	1	1	-----	-----	-----	-----
Laurinburg.....	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rural.....	45	32	6	2	-----	1	1	-----	-----	-----	-----
Surry.....	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Swain.....	56	54	5	9	6	-----	-----	2	2	-----	-----
Wake.....	4	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Raleigh.....	1	1	-----	-----	-----	-----	-----	-----	-----	-----	-----
Rural.....	3	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Warren.....	4	1	-----	1	1	-----	-----	-----	-----	-----	-----

TABLE 22.—RESIDENT LIVE BIRTHS AND DEATHS (EXCLUDING STILLBIRTHS) BY COLOR AND INSTITUTION OF OCCURRENCE:
NORTH CAROLINA AND EACH COUNTY, 1955

Area	Home and non-institutional				General hospital				Veterans hospital				All other institutions			
	Births		Deaths		Births		Deaths		Births		Deaths		Births		Deaths	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
NORTH CAROLINA.....	2,160	15,151	10,630	6,030	74,577	22,956	9,441	3,842	---	---	385	145	96	257	1,321	421
Alamance.....	17	192	187	64	1,468	235	166	26	---	---	8	1	---	1	30	3
Alexander.....	---	1	45	8	280	30	42	2	---	---	---	---	---	---	3	---
Alleghany.....	26	3	49	4	84	4	25	2	---	---	---	---	---	---	1	---
Anson.....	9	272	57	73	269	135	38	26	---	---	1	2	---	2	8	3
Ashe.....	52	1	112	1	437	9	64	3	---	---	2	---	---	---	3	---
Avery.....	17	1	47	1	268	---	38	---	---	---	3	---	---	---	3	---
Beaufort.....	18	257	116	125	514	266	77	41	---	---	1	4	---	---	18	7
Bertie.....	6	313	52	96	205	279	38	38	---	---	1	---	---	2	5	2
Bladen.....	28	221	67	57	393	261	40	36	---	---	1	1	1	---	3	2
Brunswick.....	16	135	46	36	258	140	25	16	---	---	2	---	---	---	5	2
Buncombe.....	24	90	424	91	2,270	234	326	65	---	---	45	11	---	---	92	25
Burke.....	32	3	87	10	864	106	113	13	---	---	2	1	---	---	16	4
Cabarrus.....	4	13	146	25	1,153	334	158	36	---	---	7	---	---	---	28	4
Caldwell.....	58	9	118	14	1,074	100	126	18	---	---	4	1	---	---	9	2
Camden.....	3	59	24	10	70	27	8	6	---	---	1	1	---	---	3	---
Carteret.....	8	16	105	20	604	80	67	16	---	---	3	2	---	---	4	1
Caswell.....	22	218	27	50	180	94	29	11	---	---	---	---	---	1	5	4
Catawba.....	18	56	170	27	1,485	166	182	23	---	---	5	---	---	---	27	3
Chatham.....	7	18	66	39	366	226	69	34	---	---	---	1	---	---	8	1
Cherokee.....	23	---	74	2	342	5	51	---	---	---	3	---	1	---	5	---

TABLE 22.—Continued

Area	Home and non-institutional				General hospital				Veterans hospital				All other institutions			
	Births		Deaths		Births		Deaths		Births		Deaths		Births		Deaths	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Chowan.....	3	92	43	54	200	130	18	14			1				1	
Clay.....	41		20		64		13								10	9
Cleveland.....	20	152	175	43	1,121	335	157	50			4	1	13	22	9	
Columbus.....	58	357	141	106	760	365	123	67			7		5	9	9	
Craven.....	5	255	117	117	1,439	331	108	78			2	4			9	11
Cumberland.....	40	617	192	159	3,818	730	202	109			10	8	2	1	25	11
Currituck.....	12	70	35	21	75	8	14	4			1	1			2	
Dare.....	2	6	22	6	96	5	11	1			3				1	
Davidson.....	8	18	198	53	1,417	207	171	35			3				14	3
Davie.....	6	4	71	15	298	60	27	4							10	
Duplin.....	14	120	124	98	583	404	69	37			1		2	27	9	6
Durham.....	4	15	207	165	1,571	952	211	112			23	6			52	14
Edgecombe.....	17	709	96	146	595	352	82	92			2	3	9	58	15	16
Forsyth.....	4	74	349	196	2,912	1,124	303	306				7			56	17
Franklin.....	10	278	84	71	291	171	70	34			5	2			7	6
Gaston.....	40	75	312	59	2,565	425	272	44			10		1		22	5
Gates.....		104	40	35	94	60	15	9				1				
Graham.....	8	2	30		136	6	12				1				2	
Granville.....	12	115	54	70	288	355	44	42			2				9	2
Greene.....	18	96	36	45	147	223	23	9			1		2	15	2	5

Guilford.....	17	107	445	173	4,093	1,173	519	176				16	3	1	1	114	45
Halifax.....	13	922	94	218	537	289	104	79				4	5	2		12	10
Harnett.....	13	156	142	79	769	293	116	29				6	2	1		8	1
Haywood.....	10	1	116	5	825	15	115	2				5				11	
Henderson.....	21	5	105	9	651	61	121	11				6	1			17	1
Hertford.....	10	220	27	93	196	213	34	32				1				5	3
Hoke.....	26	257	9	55	134	79	18	15					20	25		6	
Hyde.....		37	38	11	77	32	16	6				1				3	
Iredell.....	10	33	156	48	1,101	321	167	51				5	4			29	1
Jackson.....	39	2	87	5	271	63	34	5				5				7	1
Johnston.....	55	264	204	87	937	193	134	33				5		1	1	23	3
Jones.....	7	106	24	25	130	82	24	10				3	2			2	1
Lee.....	4	41	37	37	490	199	72	25				3	1			8	1
Lenoir.....	13	535	104	144	841	240	89	50					3	5	15	8	2
Lincoln.....	8	50	75	14	512	47	87	14				2	1			5	
McDowell.....	12	1	71	8	629	42	57	4				4				8	2
Macon.....	85	6	68	3	260	3	25	1				1				15	
Madison.....	61		67	5	299	3	55	2				4		4			
Martin.....	32	291	42	76	298	260	42	25				1				5	3
Mecklenburg.....	10	196	354	264	4,405	1,836	513	333				9	6	1		81	43
Mitchell.....	26	1	70	1	303	2	38	1				1				4	
Montgomery.....	3	58	46	31	297	138	38	14				6				4	1
Moore.....	7	54	89	43	686	272	73	42				4		1		19	4
Nash.....	43	755	125	186	800	124	130	71				6	1	2	10	26	11
New Hanover.....	3	15	186	110	1,144	618	184	141				5	4			14	8
Northampton.....	20	493	46	86	148	89	33	32				1	2			12	3
Onslow.....	13	92	77	32	2,776	297	132	32				2		1		4	2
Orange.....	3	44	80	32	628	286	46	26				6	3			11	2
Pamlico.....	42	83	41	22	90	31	9	11								3	
Pasquotank.....	12	173	65	68	471	129	62	33				2	1			4	4

TABLE 22.—Continued

Area	Home and non-institutional				General hospital				Veterans hospital				All other institutions			
	Births		Deaths		Births		Deaths		Births		Deaths		Births		Deaths	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Pender.....	7	143	40	60	192	167	29	26	—	—	1	1	—	—	2	2
Perquimans.....	5	121	38	31	115	32	21	7	—	—	—	1	—	—	3	2
Person.....	5	88	70	38	367	231	46	23	—	—	—	2	—	—	8	3
Pitt.....	51	521	143	165	831	636	108	80	—	—	2	7	1	—	8	11
Polk.....	7	12	45	13	214	32	25	7	—	—	1	—	—	—	6	1
Randolph.....	9	13	165	21	1,187	121	145	18	—	—	3	—	—	—	18	—
Richmond.....	9	145	107	76	628	254	93	49	—	—	1	1	—	—	11	3
Robeson.....	56	838	138	261	884	1,330	120	148	—	—	6	4	1	—	17	13
Rockingham.....	52	144	180	60	1,181	262	169	47	—	—	3	1	—	—	25	5
Rowan.....	24	47	223	68	1,367	327	189	63	—	—	8	4	—	—	18	2
Rutherford.....	91	96	153	35	769	84	111	15	—	—	11	1	—	—	9	3
Sampson.....	19	461	139	109	640	184	101	33	—	—	4	2	8	—	14	2
Scotland.....	29	221	61	63	337	197	58	48	—	—	6	—	—	—	4	2
Stanly.....	9	15	124	24	709	126	102	17	—	—	3	1	—	—	7	—
Stokes.....	35	38	77	3	395	49	47	10	—	—	—	—	—	—	9	2
Surry.....	83	17	155	13	1,000	57	119	5	—	—	5	—	—	—	23	—
Swain.....	32	2	39	2	144	59	25	8	—	—	—	1	—	—	4	—
Transylvania.....	32	3	58	3	305	19	24	2	—	—	3	1	—	—	6	—
Tyrrell.....	1	46	18	17	51	18	13	4	—	—	—	—	—	—	—	—
Union.....	14	212	108	53	714	106	150	26	—	—	3	—	—	2	5	7

Vance.....	4	242	55	60	395	259	58	42			1	1				13	3
Wake.....	42	533	301	219	2,340	720	387	181			15	7	2			39	12
Warren.....	12	346	34	94	119	106	22	21			1	2				3	
Washington.....	5	102	28	49	171	127	24	12			2	1				4	1
Watauga.....	6		75	1	371	7	58	3			4					6	
Wayne.....	29	350	102	149	886	454	105	65			4	5	4			18	14
Wilkes.....	87	13	187	12	889	67	124	12			1	1				16	
Wilson.....	36	343	119	139	736	477	100	103			3	2	6	40		10	3
Yadkin.....	2	3	69	7	486	33	68	2			4					11	1
Yancey.....	39	1	64	3	302	2	26				5					4	

TABLE 23.—RESIDENT STILLBIRTHS BY COLOR AND SEX WITH RATIOS PER 1,000 LIVE BIRTHS: NORTH CAROLINA AND EACH COUNTY, 1955

Area	Grand total		White				Nonwhite			
			Total		Male	Female	Total		Male	Female
	Number	Ratio	Number	Ratio	Number	Number	Number	Ratio	Number	Number
NORTH CAROLINA...	2,369	20.6	1,166	15.2	582	584	1,203	31.4	657	546
Alamance.....	31	16.2	16	10.8	5	11	15	35.0	8	7
Alexander.....	7	22.5	6	21.4	3	3	1	32.3	1	-----
Alleghany.....	3	25.6	3	27.3	2	1	-----	-----	-----	-----
Anson.....	16	23.3	3	10.8	2	1	13	31.8	5	8
Ashe.....	7	14.0	5	10.2	3	2	2	200.0	1	1
Avery.....	8	28.0	8	28.1	5	3	-----	-----	-----	-----
Beaufort.....	25	23.7	9	16.9	4	5	16	30.6	9	7
Bertie.....	22	27.3	7	33.2	4	3	15	25.3	8	7
Bladen.....	11	12.2	2	4.7	1	1	9	18.7	6	3
Brunswick.....	12	21.9	4	14.6	2	2	8	29.1	5	3
Buncombe.....	43	16.4	33	14.4	13	20	10	30.9	6	4
Burke.....	15	14.9	13	14.5	6	7	2	18.3	1	1
Cabarrus.....	29	19.3	21	18.2	10	11	8	23.1	4	4
Caldwell.....	18	14.5	15	13.3	7	8	3	27.5	-----	3
Camden.....	4	25.2	1	13.7	-----	1	3	34.9	2	1
Carteret.....	10	14.1	6	9.8	1	5	4	41.7	2	2
Caswell.....	19	36.9	2	9.9	1	1	17	54.3	6	11
Catawba.....	29	16.8	24	16.0	11	13	5	22.5	1	4
Chatham.....	8	13.0	6	16.1	3	3	2	8.2	-----	2
Cherokee.....	2	5.4	2	5.5	2	-----	-----	-----	-----	-----
Chowan.....	9	21.2	3	14.8	1	2	6	27.0	4	2
Clay.....	4	38.1	4	38.1	2	2	-----	-----	-----	-----
Cleveland.....	29	17.4	17	14.7	8	9	12	23.6	5	7
Columbus.....	21	13.5	7	8.5	3	4	14	19.2	11	3
Craven.....	43	21.2	17	11.8	12	5	26	44.4	15	11
Cumberland.....	84	16.1	49	12.7	25	24	35	26.0	14	21
Currituck.....	5	30.3	4	46.0	1	3	1	12.8	1	-----
Dare.....	2	18.3	2	20.4	-----	-----	-----	-----	-----	-----
Davidson.....	23	13.9	16	11.2	8	8	7	31.1	3	4
Davie.....	9	24.5	7	23.0	7	-----	2	31.3	1	1
Duplin.....	23	20.0	13	21.7	6	7	10	18.1	5	5
Durham.....	56	22.0	25	15.9	10	15	31	32.1	18	13
Edgecombe.....	35	20.1	6	9.7	2	4	29	25.9	14	15
Forsyth.....	84	20.4	43	14.7	25	18	41	34.2	28	13
Franklin.....	29	38.7	7	23.3	2	5	22	49.0	14	8

TABLE 23.—Continued

Area	Grand total		White				Nonwhite			
			Total		Male	Female	Total		Male	Female
	Number	Ratio	Number	Ratio	Number	Number	Number	Ratio	Number	Number
Gaston.....	67	21.6	49	18.8	22	27	18	36.0	10	8
Gates.....	6	23.3	2	21.3	2		4	24.4	2	2
Graham.....	1	6.6	1	6.9	1					
Granville.....	28	36.4	6	20.0	3	3	22	46.8	12	10
Greene.....	12	24.0	2	12.0	1	1	10	29.9	7	3
Guilford.....	91	16.9	47	11.4	27	20	44	34.3	20	24
Halifax.....	52	29.5	12	21.7	9	3	40	33.0	23	17
Harnett.....	37	30.0	26	33.2	9	17	11	24.4	5	6
Haywood.....	10	11.8	10	12.0	8	2				
Henderson.....	15	20.3	13	19.3	8	5	2	30.3		2
Hertford.....	13	20.3					13	30.0	8	5
Hoke.....	19	35.1	4	22.2		4	15	41.6	7	8
Hyde.....	4	27.4	1	13.0		1	3	43.5	3	
Iredell.....	25	17.1	13	11.7	4	9	12	33.9	8	4
Jackson.....	12	32.0	8	25.8	3	5	4	61.5	3	1
Johnston.....	40	27.6	23	23.2	15	8	17	37.1	9	8
Jones.....	11	33.8	3	21.9		3	8	42.6	6	2
Lee.....	17	23.2	12	24.3	8	4	5	20.8	1	4
Lenoir.....	42	25.3	13	15.1	6	7	29	36.3	17	12
Lincoln.....	12	19.4	11	21.2	8	3	1	10.3		1
McDowell.....	3	4.4	3	4.7	2	1				
Macon.....	1	2.8	1	2.9	1					
Madison.....	6	16.3	6	16.5	1	5				
Martin.....	22	25.0	4	12.1	2	2	18	32.7	8	10
Mecklenburg.....	142	22.0	62	14.0	31	31	80	39.4	50	30
Mitchell.....	3	9.0	3	9.1		3				
Montgomery.....	14	28.2	7	23.3	4	3	7	35.7	2	5
Moore.....	16	15.7	12	17.3	7	5	4	12.3	2	2
Nash.....	41	23.6	15	17.8	7	8	26	29.2	16	10
New Hanover.....	41	23.0	19	16.6	9	10	22	34.8	7	15
Northampton.....	11	14.7	3	17.9	2	1	8	13.7	5	3
Onslow.....	45	14.2	41	14.7	16	25	4	10.3	4	
Orange.....	22	22.9	11	17.4	7	4	11	33.3	7	4
Pamlico.....	5	20.3	2	15.2	1	1	3	26.3	2	1
Pasquotank.....	25	31.8	11	22.8	8	3	14	46.4	7	7
Pender.....	11	21.6	3	15.1	2	1	8	25.8	5	3
Perquimans.....	7	25.6	2	16.7		2	5	32.7	2	3
Person.....	19	27.5	6	16.1	4	2	13	40.8	1	12
Pitt.....	40	19.6	16	18.1	9	7	24	20.7	12	12
Polk.....	3	11.3	3	13.6	2	1				

TABLE 23.—Continued

Area	Grand total		White				Nonwhite			
			Total		Male	Female	Total		Male	Female
	Number	Ratio	Number	Ratio	Number	Number	Number	Ratio	Number	Number
Randolph.....	32	24.1	23	19.2	11	12	9	67.2	2	7
Richmond.....	25	24.1	12	18.8	4	8	13	32.6	9	4
Robeson.....	77	24.8	18	19.1	8	10	59	27.2	39	20
Rockingham.....	27	16.5	16	13.0	9	7	11	27.1	7	4
Rowan.....	25	14.2	17	12.2	6	11	8	21.4	6	2
Rutherford.....	18	17.3	13	15.1	8	5	5	27.8	3	2
Sampson.....	26	19.6	11	16.5	6	5	15	22.7	7	8
Scotland.....	21	26.8	7	19.1	4	3	14	33.5	7	7
Stanly.....	8	9.3	5	7.0	2	3	3	21.3	2	1
Stokes.....	6	11.6	3	7.0	1	2	3	34.5	-----	3
Surry.....	23	19.9	19	17.5	8	11	4	53.3	2	2
Swain.....	2	8.4	2	11.4	-----	2	-----	-----	-----	-----
Transylvania.....	4	11.1	3	8.9	1	2	1	45.5	1	-----
Tyrrell.....	4	34.5	-----	-----	-----	-----	4	62.5	2	2
Union.....	19	18.1	6	8.2	4	2	13	40.6	8	5
Vance.....	23	25.6	5	12.5	3	2	18	35.9	13	5
Wake.....	100	27.4	38	15.9	20	18	62	49.4	34	28
Warren.....	18	30.9	-----	-----	-----	-----	18	39.8	7	11
Washington.....	12	29.6	5	28.4	3	2	7	30.6	4	3
Watauga.....	2	5.2	1	2.7	-----	1	1	142.9	1	-----
Wayne.....	38	22.1	20	21.9	13	7	18	22.3	9	9
Wilkes.....	21	19.9	20	20.5	12	8	1	12.5	1	-----
Wilson.....	61	37.2	19	24.4	6	13	42	48.8	24	18
Yadkin.....	5	9.5	5	10.2	2	3	-----	-----	-----	-----
Yancey.....	6	17.4	6	17.6	3	3	-----	-----	-----	-----

TABLE 24.—RESIDENT STILLBIRTHS BY COLOR AND SEX WITH RATIOS PER 1,000 LIVE BIRTHS: EACH INCORPORATED PLACE IN NORTH CAROLINA HAVING A POPULATION OF 10,000 OR MORE, 1955

Area	Grand total		White				Nonwhite			
			Total		Male	Female	Total		Male	Female
	Number	Ratio	Number	Ratio	Number	Number	Number	Ratio	Number	Number
Total.....	655	22.6	302	15.9	153	149	353	35.5	191	162
Albemarle.....	4	15.3	2	8.8	1	1	2	58.8	1	1
Asheville.....	21	18.6	14	16.3	4	10	7	26.1	3	4
Burlington.....	9	14.9	4	7.9		4	5	52.6	4	1
Charlotte.....	105	24.4	36	13.4	17	19	69	42.4	40	29
Concord.....	11	27.6	8	27.1	3	5	3	28.8	1	2
Durham.....	40	24.0	17	18.4	6	11	23	31.0	12	11
Elizabeth City.....	15	26.9	6	16.0	3	3	9	48.9	4	5
Fayetteville.....	39	16.4	22	13.3	10	12	17	23.3	8	9
Gastonia.....	22	21.8	18	21.8	10	8	4	21.4	2	2
Goldsboro.....	15	21.9	6	16.9	4	2	9	27.2	5	4
Greensboro.....	39	18.3	14	9.7	10	4	25	36.1	13	12
Greenville.....	12	22.9	8	27.4	6	2	4	17.3	2	2
Henderson.....	10	23.0	2	9.2		2	8	37.0	7	1
Hickory.....	11	18.8	10	20.7	6	4	1	9.7	1	
High Point.....	24	21.2	13	15.4	8	5	11	38.1	4	7
Kinston.....	16	23.1	7	16.2	4	3	9	34.2	2	7
Lexington.....	6	15.2	4	12.5	4		2	26.7	2	
Monroe.....	7	28.5	2	11.7	2		5	66.7	3	2
New Bern.....	14	25.8	5	16.5	4	1	9	37.5	4	5
Raleigh.....	49	29.7	23	20.3	12	11	26	50.4	14	12
Reidsville.....	8	25.3	4	19.1	2	2	4	37.4	2	2
Rocky Mount.....	20	24.4	10	19.3	4	6	10	33.2	5	5
Salisbury.....	4	8.1	1	2.9		1	3	19.9	3	
Sanford.....	9	25.4	6	23.8	4	2	3	29.4		3
Shelby.....	6	5.0	4	14.5	1	3	2	16.1	2	
Statesville.....	7	15.3	5	14.2	3	2	2	19.0	1	1
Thomasville.....	3	9.9	1	4.4	1		2	27.0	1	1
Wilmington.....	30	24.5	9	12.8	6	3	21	40.6	7	14
Wilson.....	33	43.4	13	32.9	3	10	20	55.2	13	7
Winston-Salem.....	66	26.1	28	19.4	15	13	38	35.0	25	13

TABLE 25.—RESIDENT STILLBIRTHS BY AGE OF MOTHER, COLOR, AND ATTENDANT WITH PERCENTAGE DISTRIBUTION: NORTH CAROLINA, 1955

Age of mother in years	Grand total	White								Nonwhite							
		Total	Attended by:						Total	Attended by:							
			Physician		Midwife		Other			Physician		Midwife		Other			
			No.	%	No.	%	No.	%		No.	%	No.	%	No.	%		
All ages	2,369	1,166	1,160	99.5	3	0.3	3	0.3	1,203	993	82.5	198	16.5	12	1.0		
13	2								2	2	100.0						
14	10	2	2	100.0					8	7	87.5	1	12.5				
15	23	9	9	100.0					14	11	78.6	3	21.4				
16	53	18	18	100.0					35	29	82.9	6	17.1				
17	76	28	27	96.4			1	3.6	48	39	81.3	9	18.8				
18	88	39	39	100.0					49	37	75.5	11	22.4	1	2.1		
19	100	56	56	100.0					44	34	77.2	9	20.5	1	2.3		
20	113	57	57	100.0					56	47	83.9	7	12.5	2	3.6		
21	116	67	67	100.0					49	40	81.6	9	18.4				
22	126	61	61	100.0					65	52	80.0	11	16.9	2	3.1		
23	124	60	60	100.0					64	56	87.5	8	12.5				
24	94	53	53	100.0					41	37	90.2	4	9.8				
25	110	75	74	98.7			1	1.3	35	31	88.6	4	11.4				
26	116	66	65	98.5	1	1.5			50	38	76.0	11	22.0	1	2.0		
27	104	49	49	100.0					55	46	83.6	9	16.4				
28	105	43	43	100.0					62	50	80.6	12	19.4				
29	92	52	52	100.0					40	37	92.5	3	7.5				
30	99	54	54	100.0					45	37	82.2	8	17.8				
31	87	44	44	100.0					43	36	83.7	6	14.0	1	2.3		
32	81	35	35	100.0					46	38	82.6	7	15.2	1	2.2		
33	94	46	46	100.0					48	37	77.1	10	20.8	1	2.1		
34	65	27	27	100.0					38	32	84.2	6	15.8				
35	83	37	37	100.0					46	40	87.0	6	13.0				
36	69	35	35	100.0					34	31	91.2	3	8.8				
37	65	24	23	95.8	1	4.2			41	34	82.9	6	14.6	1	2.5		
38	69	37	37	100.0					32	28	87.5	4	12.5				
39	51	23	23	100.0					28	21	75.0	7	25.0				
40	41	16	16	100.0					25	21	84.0	4	16.0				
41	33	16	15	93.7	1	6.3			17	10	58.8	7	41.2				
42	33	13	13	100.0					20	18	90.0	1	5.0	1	5.0		
43	21	8	8	100.0					13	11	84.6	2	15.4				
44	10	8	8	100.0					2			2	100.0				
45	4	2	2	100.0					2	2	100.0						
46	3	2	2	100.0					1			1	100.0				
47	1	1	1	100.0													
48	2								2	2	100.0						
50	1								1			1	100.0				
Not stated	5	3	2	66.7			1	33.3	2	2	100.0						

